



SURFACE: J. W. TAPP

COAL: LITTLE KANAWHA SYNDICATE - 4.91S 4.99 S  
 % SAMPSON ENGR. CO.  
 200 GASTON AVE. FAIRMONT, W.VA.

1.26W 1.28 W

- New Location...
- Drill Deeper.....
- Abandonment.....

Company RUSSELL FURBEE  
 Address FAIRMONT, W.VA. (BENONI AVE)  
 Farm W. G. FLEMING  
 Tract \_\_\_\_\_ Acres 180 Lease No. \_\_\_\_\_  
 Well (Farm) No. 5 Serial No. 50  
 Elevation (Spirit Level) 1090'  
 Quadrangle MANNINGTON S.E  
 County MARION District MANNINGTON  
 Engineer Glen H. Huey  
 Engineer's Registration No. 2011  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11-12-48 Scale 1" = 40 FEET

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. MAR-582-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



W. C. FLEMING NO. 5 WELL.

Mannington District, Marion County, W. Va.

By Russell Furbee, John Lewis, Mannington, W. Va.

Abandoned under permit No. 2-.....-AT

on 180 acres.

Elevation, 1090' L.

Surface owned by I. W. Tapp, Mannington, W. Va.

Drilling completed May 22, 1895.

10" casing, 235'; 8" , 1112'; 6" , 1904'; 5" , 1935'; all left in.

Coal was encountered at 554-564'.

Oil well. Record to Dept. of Mines stamped ~~November~~ <sup>Nov. 29</sup>, 1919.

Record to RPT from Mrs. Griffith April 18, 1919. Old File No. 669.

	Top.	Bottom.
Pittsburgh Coal	554	- 564
Burkard Sand	1104	- 1152
Sea Sand	1394	- 1444
Salt Sand	1454	- 1494
Big Injun Sand (oil, 1974')	1904	- ....
Total depth		2003



669

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Ab 587-A

Permit No. \_\_\_\_\_ Oil or Gas Well \_\_\_\_\_ (KIND)

Company Russell Furbee  
 Address John Lawlis- Mannington, W. Va.  
 Farm W. C. Fleming Acres 180  
 Location (waters) \_\_\_\_\_  
 Well No. 5 Elev. 1090  
 District Mannington County Marion  
 The surface of tract is owned in fee by I. W. Tapp  
Mannington Address W. Va.  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced Nov 23, 1895  
 Drilling completed May 23, 1895  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	235	235	Size of
8 1/4	1112	1112	
6 5/8	1904	1904	Depth set
5 3/16	1935	1935	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 554 FEET 120 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			554	564			
Dunkard Sand			1104	1152			
Gas Sand			1394	1444			
Salt Sand			1454	1594			
Big Injun			1904		0.1	1974	
Total Depth				2003			

