


Latitude



Longitude

Topo Location

7.5' Loc. _____ 15' Loc. _____
 _____ (calc.) _____

Company _____

Farm _____

15' Quad _____
(sec.)

7.5' Quad Mammington


District Lincoln

WELL LOCATION PLAT

County 049 Permit 30611

Latitude 39 35

Longitude 80 15



Surface: Ray C. Dunn, RFD #4, Mannington, W.Va.

Coal: Jamison Coal & Coke Co., Engr. Dept., Farmington, W.Va.

3.225
2.94W 3.26 S
2.99 W

New Location
 Drill Deeper
 Abandonment

400 Map # 2759

N 6 E 18

Company Road Supply Co.
 Address Salem W.Va.
 Farm E.M. Parrish
 Tract Acres 4 1/2 Lease No. SE
 Well (Farm) No. 5 Serial No. _____
 Elevation (Spirit Level) Floor - 1194.24
Ground - 1198.24
 Quadrangle MANNINGTON
 County Marion District Lincoln
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date May 21st, 1948 Scale 1" = 400 Feet.

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. MAR-611-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

E. N.

N. N. FARRISH NO. 5 WELL.

611A

Lincoln District, Marion County, W. Va.

By Reed Supply Co., 194 W. Main St., Salem, W. Va.

Abandoned under permit West-.....-AT

On 4 1/2 acres.

Elevation, 1188.24' L.

Surface owned by Roy C. Dunn, N. F. D. No. 4, Farmington, W. Va., and
minerals by Jenison Coal & Coke Co., Engr. Dept., Farmington, W. Va.

Drilling completed March 30, 1896.

10" casing, 90'; 8 1/2" casing, 1050'; 6 3/4" casing, 1570'; 5 1/2" casing, 1972'; 2" tubing, 2064';
all left in.

Coal was encountered at 608-614'.

Oil well. Record to Dept. of Mines dated Jan. 26, 1909.

Record to RCF from Mrs. Griffith September 14, 1909. Old file No. 699.

	Top.	Bottom.
Conductor	0	18
Pittsburgh Coal	608	614
Bankard Sand	1108	1208
Salt Sand	1500	1590
Big line	1860
Pencil Cave	1855
Big Injun Sand (1st pay, 2060')	1960
Total depth		2064



699

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Ab 611-A Oil or Gas Well X
(KIND)

Company Rad Supply Company
 Address 184 East Main St., Salem, W. Va.
 Farm E. M. Parrish Acres 4 1/2
 Location (waters) _____
 Well No. 5 Elev. 1188.24
 District Lincoln County Marion
 The surface of tract is owned in fee by Ray C. Dunn
R.F.D. #4 Address Mannington, W. Va.
 Mineral rights are owned by Jamison Coal & Coke Co.,
Engr. Dept. Address Farmington, W. Va.
 Drilling commenced _____
 Drilling completed March 30, 1896
 Date Shot _____ From _____ To _____
 With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	90'	90'	Size of
8 1/4	1050'	1050'	Depth set
6 1/2	1570'	1570'	
5 3/16	1972'	1972'	
3			Perf. top
2	2064'	2064'	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

CASING CEMENTED No SIZE _____ No. Ft. _____ Date _____

COAL WAS ENCOUNTERED AT 614 FEET 84 INCHES
 FEET INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				18'			
Pittsburgh Coal			608'	614'			
Dunkard Sand			1108	1208			
Salt Sand			1500	1590			
Big Lime			1860				
Pencil Cave			1855				
Big Injun			1960				
1st Pay			2040				
Total Depth				2064			



