



NOTE: - The Snyder & Metz Lease - formerly owned by Malinda Metz, and the Frank S. Snyder Lease are now a part of that tract owned by Jerry Osborn Bland and Martha Violet Bland, whose postoffice address is Route No. 1, Mannington, West Va.

- New Location
- Drill Deeper
- Abandonment

Company **INTERSTATE PIPE & SUPPLY CO.**  
 Address **Fourth and Church Sts., Marietta, Ohio.**  
 Farm **Frank S. Snyder and Snyder & Metz Leases**  
 Tract \_\_\_\_\_ Acres **133** Lease No. \_\_\_\_\_  
 Well (Farm) No. **1, 2, 3 and 4** Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) **No. 1-1170, No. 2-1240, No. 3-1135, No. 4-**  
 Quadrangle **Mannington** 1410'  
 County **Marion** District **Mannington**  
 Engineer **M. H. ...**  
 Engineer's Registration No. **1227**  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date **September, 1950** Scale **1" = 500'**

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 MAR-677-A-#2  
 FILE NO. MAR-678-A-#1  
 MAR-679-A-#1-80-4  
 MAR-680-A-#3

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

781

was 049 72029

WELL RECORD

Permit No. Man-679-82 Oil or Gas Well Oil (KIND)

Company The Interstate Pipe & Supply Company  
 Address P. O. Box 548, Marietta, Ohio  
 Farm Snyder-Metz (Frank Snyder) Acres 132  
 Location (waters) Hibbs Run  
 Well No. 1 Elev. 1410  
 District Mannington County Marion  
 The surface of tract is owned in fee by Jerry & Martha Bland  
Route 1 Address Mannington, W.Va.  
 Mineral rights are owned by The Charleston National Bank,  
Trustee, c/o Bernard G. Sampson Company, Box 368  
 Address Fairmont, West Virginia  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13			
10	210	none	Size of
8 1/4	1502	1502	
6 3/8	2350	2350	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 920 FEET 72 INCHES  
1025 FEET 108 INCHES FEET INCHES  
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Mapletown Coal			920	926			
Pittsburgh Coal			1025	1034			
Little Dunkard Sand			1420	1435			
Big Dunkard Sand			1498	1520			
First Gas Sand			1560	1605			
Second Gas Sand			1645	1665			
First Salt Sand			1730	1795			
Second Salt Sand			1800	1835			
Extra Sand			1900	1925			
Third Salt Sand			2000	2087			
Little Lime			2255	2265			
Pencil Cave			2265	2269			
Big Lime			2269	2322			
Big Injun Sand			2322	2478			
Gas			2370				
Squaw Sand			2484	2515			
Fifty Foot Sand			2973	3043			
Thirty Foot Sand			3071	3089			
Oil			3081	3083			
Boulder Sand			3135	3155			
Gordon Stray Sand			3168	3190			
Gordon Sand			3200	3220			
Fourth Sand			3226	3242			
Fifth Sand			3305	3325			
Gas			3315	3316			
Total Depth				3325			



