


LATITUDE

39°45'

80°37'30"

LONGITUDE



7.5 OGIS topo location

7.5' loc	<u>0.63 S</u>	15' loc	<u>0.63 S</u>
	<u>0.80 W</u>	(calc.)	<u>3.02 W</u>

Company Greenfield Oil & Gas Trust

Farm S.T. YoHo Heirs


Quad Wileyville 7.5 Littleton NC

County Marshall

District Liberty

WELL LOCATION MAP

File No. 051-59



Gordon W. Sammons, Civ. Engr., Moundsville, W. Va.

Company GREENFIELD OIL & GAS TRUST
 Address CAMERON, W. VA.
 Farm S. T. YOHO, HRS.
 Tract / _____ Acres 33 ± Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Quadrangle LITTLETON
 County MARSHALL
 District LIBERTY
 Engineer Gordon W. Sammons
 Engineer's Registration No. 509
 File No. _____ Drawing No. _____
 Date March 14, '36 Scale 1 Inch = 300 Ft.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. _____

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

Permit No. Mars-59

Oil or Gas Well _____
(KIND)

Company Greenfield Oil & Gas Trust
Address Cameron, W. Va.
Farm S. T. Yoho Heirs Acres 33
Location (waters) Laurel Run
Well No. 1 Elev. 1190.'
District Liberty County Marshall
The surface of tract is owned in fee by S. T. Yoho Hrs.
Hundred, W. Va. Address _____
Mineral rights are owned by Same
Address _____
Drilling commenced May 6, 1936
Drilling completed October 20, 1936
Date Shot not shot From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10	185		Size of _____
8 1/4	1392	800	
6 3/8	1827	1827	Depth set _____
5 3/16	1930	1930	
3			Perf. top _____
2			Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

Open Flow 40/10ths Water in 2 267 mcf Inch
/10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure 60 lbs. 24 hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water 80 feet _____ feet
Salt water 1816 feet _____ feet

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 600 FEET _____ INCHES
_____ FEET _____ INCHES 805 FEET _____ INCHES
_____ FEET _____ INCHES 905 FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Shale			0	16			
Soap Stone			16	50			
Limestone			50	90			
Red Rock			90	120			
Slate			120	160			
Sandstone			160	200			
Lime			200	290			
Slate			290	340			
Lime			340	400			
Slate			400	460			
Red Rock			460	550			
Sand			550	600			
Waynesburg Coal			600	605			
Lime			605	700			
Slate			700	750			
Limestone			750	805			
Mapletown Coal			805	810			
Limestone			810	903			
Pittsburgh Coal			903	908	SLM		
Sand			908	958			
Red Rock			958	1120			
Murphy Sand			1020	1180			
Slate			1180	1230			
Red Rock			1230	1328			
Little Dunkard			1328	1350			
Red Rock			1350	1435			
Big Dunkard			1425	1455			
Slate			1455	1486			
Sand			1486	1506			
Slate			1506	1555			
Sand			1555	1580			
Slate & shells			1580	1769	Water 1816	hole full	
Sand			1769	1827			
Slate			1827	1865			
Sand			1865	1875			
Slate			1875	1930			
Sand			1930	1970			
Slate			1970	2000	OVER		

ation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
and ig Lime ig Injur otal Depth			2000 2040 2080	2040 2080 2175 2175	Gas Pay	2047-2087? 1947-1967	

Date _____, 19____

APPROVED _____, Owner

By _____ (Title)