

LATITUDE

3955

8030

LONGITUDE

LONGITUDE

→ OGIS
75'100

7'5 OGIS topo location

7.5' 100 2.40S
1.17W

15' 100 2.40S
(calc.) 1.17W

Company _____

Farm _____

SECTION MAP

Quad Majorsville Cameron 15'EC

County _____

District Cameron

WELL LOCATION MAP

File No. Marshall 63

W. G. MCGILVERPHY NO. 4 (881) WELL.

Cameron District, Marshall County, W. Va.

By Carnegie Natural Gas Co.

Map, Cameron NE.

On 216 acres.

Drilling commenced Aug. 11, 1936; completed, Aug. 28, 1936.

Elevation, 1220'.

1,079,000 cu. ft. gas at 1555-57'.

335 lbs. R. P.

Record from Wilcox Sept. 27, 1939.

	Top.	Bottom.
Waynesburg Coal (1 boiler water)	325	- 328
Maplestown (Sewickley) Coal	517	- 522
Pittsburgh Coal (show gas; 5 boilers water per hour)	610	- 618
Little Dunkard Sand	1070	- 1118
Big Dunkard Sand (gas, 1172')	1130	- 1193
1st Gas Sand	1256	- 1285
1st Salt Sand	1315	- 1376
2nd Salt Sand	1430	- 1468
3rd Salt Sand (1,073 cu. ft. gas; 1555-57')	1532	-
Total depth		1557

Cameron District, Marshall County, W. Va.
 By Carnegie Natural Gas Co., 1014 Fick Bldg., Pittsburgh, Pa.
 On 216 acres, surface owned by B. L. Frye, Cameron, W. Va., and
 mineral rights by W. A. McClumphy, Moundsville, W. Va.,
 and B. L. Frye, Cameron, W. Va.
 Drilled under permit Warr-63, issued July 25, 1936.
 Elevation, 1220' L.
 10" casing, 165'; 8", 980'; 6-5/8", 1557' 6".
 Anchor packer, 8" x 6-5/8, set at 1539'.
 Coal was encountered at 325-328, 517-522, and 610-618'.
 Completion reported to Dept. of Mines Sept. 26, 1936.
 Well was not shot.
 Fresh water in coals.

Mar-63

	Top.	Bottom.	Thickness.
Bluff Sand	300	320	20
✓Waynesburg Coal (water)	325	328	3
✓Mapletown (Sewickley) Coal	517	522	5
✓Pittsburgh Coal (water and show of gas)	610	618	8
✓Little Dunkard Sand	1070	1118	48
✓Big Dunkard Sand (gas, 1172')	1130	1193	63
✓Gas Sand	1256	1285	29
✓1st Salt Sand	1315	1376	61
✓2nd Salt Sand	1430	1468	38
✓3rd Salt Sand (gas, 1555'-1557')	1532		
Total depth		1557'	