


LATITUDE 39° 47' 30"

70° 32' 30"

LONGITUDE

OGIS
7.5' loc



7.5 OGIS topo location

7.5' loc	<u>2.85 S</u>	15' loc	<u>5.73 S</u>
	<u>1.00 W</u>	(calc.)	<u>1.00 W</u>

Company Guy B. + AG. Patterson

Farm W.B. Peterson

Quad Cameron ^{7.5'} Cannon SE

County Marshall

District Liberty

WELL LOCATION MAP

File No. 051 - 65

Mar-65
well-1

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 1
Guy B. & A. Patterson Company of Cameron, W. Va.
on the B. Walker Peterson Farm

containing 549 acres. Location _____
Liberty District, in Marshall County, West Virginia

The surface of the above tract is owned in fee by R. F. Burley
of Woodruff, W. Va. address, and the mineral rights are owned by
Bellton Fuel Co of Uniontown, Pa.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit
No. Mar-65 issued by the West Virginia Department of Mines, Oil and Gas Division
September 16 1936

Elevation of surface at top of well, 1313 Spirit Barometric.

The number of feet of the different sized casings used in the well.

_____ feet	_____ size, Wood conductor.
<u>207</u> feet	<u>10"</u> size, csg. <u>1505</u> feet <u>8 1/4"</u> sized csg.
<u>2227</u> feet	<u>6 5/8</u> size, csg. _____ feet _____ sized csg.
_____ feet	_____ size, csg. _____ feet _____ sized csg.
<u>Hook wall</u> packer of <u>6 X 8</u> size, set at <u>2000'</u>	
<u>6 5/8</u> packer of _____ size, set at _____	
<u>6 5/8</u> , in casing perforated at <u>2153</u> feet to _____ feet.	
_____ in casing perforated at _____ feet to _____ feet.	

Coal was encountered at 772 feet, thickness 60 inches, and at 969
feet; thickness 60 inches; and at 1077 feet; thickness 60 inches.

Liners were used as follows: (Give details) None

Dec, 4 - 1936

Date. _____
Approved Guy B. & A. Patterson, Owner.
By Swonwell - agx
(TITLE)



Mars-0-1
well - 1

Gas Well

Guy B. & A. S. Patterson Company
Cameron, W. Va. Address

COMPLETION DATA SHEET

No. 2

Well No. 1 B. Walker Peterson Farm. FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Spenserburg Coal	Blk	Hard	Gas	772	777	5'		Steel line
lime	white			777	969			
Speltown Coal	Blk	Hard	Gas	969	974	5'		Steel line
lime	white			974	1077			
Speltown Coal	Blk	Hard		1077	1082	5'		Steel line
lime	white			1082	1200			
Sand	white	Soft		1200	1300			
pink rock	Pink	Soft		1300	1320			
slate	Blk	Soft		1320	1505			
Shell	white	Hard		1505	1508			
slate	Blk	Soft		1508	1520			
Sand	white	Hard		1520	1598			
Sand	white	Hard		1598	1765			
lime	white	Hard		1765	1779			
Sand	white	Soft		1915	1945			
sand	white	Hard		1971	2016			
Warton	salt	Hard	Gas	2151	2169	(Gas 2153-7159)		Steel line
Sand	white			2179	2190			
little lime				2212	2221			
slate				2221	2227			
Big lime								
Total depth							2227	


Well was not shot at _____ feet; well was shot at _____ feet.

Salt _____ salt
Fresh water at _____ feet; fresh water at _____ feet.

Well was _____ producing hole.

Approved: Guy B. & A. S. Patterson
By: E. W. Howell - agt
Owner

Dec 4 - 1936



NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded under their proper geological names in the district as well as any local names commonly used in the district for such strata.

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY MAILED TO THE DEPARTMENT, THIS COPY TO BE RETURNED BY THE WELL OPERATOR AND THE OTHER COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Belton Fuel Co.
COAL OPERATOR OR OWNER
Box 493, Uniontown, Pa.
ADDRESS

COAL OPERATOR OR OWNER

ADDRESS

LEASE OR PROPERTY OWNER

ADDRESS

Guy B. & A. G. Patterson
NAME OF WELL OPERATOR
Cameron, W. Va.
COMPLETE ADDRESS

WELL AND LOCATION
July 25, 19 **51**
Liberty District
Marshall County

 Well No. **1**
W. B. Peterson Farm

STATE INSPECTOR SUPERVISING PLUGGING **Oliver V. Linsberg**

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of **Wetzel**

W. C. Smith and **James Sandy**

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by **Guy B. & A. G. Patterson**, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the **27** day of **June**, 19**51**, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD	FILLING MATERIAL			PLUGS USED	CASING	
	FORMATION	CONTENT	FROM TO		SIZE & KIND	CSG PULLED
	Bridge		3170			
	Cement		3170 3160	5' crushed stone on cement.		
	Clay		3155 2800			
	Cement		2800 2790			
	Bridge		2300			
	Cement		2300 2290	5' crushed stone on cement.		
	Clay		2285 2100			
	Cement		2100 22 2090	5' crushed stone on cement.		
	Clay		2085 1200			
	Bridge		1112	6 5/8" Csg.	1397	830
	Cement		1112 1057	8 1/2" Csg.	510	895
	Clay		1057 1004	10" Csg.	207	None.
	Cement		1004 949			
	Clay		949 807			
	Cement		807 752			
COAL SEAMS	Clay		752 237			
(NAME)	Cement		237 227	Erected According to Law.		
(NAME)	Clay		227	Surface.		
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the **16** day of **July**, 19 **51**.

And further deposes and saith not

1902303112