



DEVELOPER OWNED BY Everett F. Moore  
Moundsville W. Va.

WELL LOCATION   
 RILL DLEPER   
 SANDONMENT

COMPANY THE MANUFACTURERS LIGHT AND HEAT CO.  
 ADDRESS 800 UNION TRUST BUILDING, PITTSBURGH PA.  
 FIRM O.E. PHILLIPS (OIL & GAS) ET AL.  
 TRACT 2 ACRES 92 Ac of 212 LEASE NO. 19484  
 SECTION (FARM) NO. (TRACT #) 3 SERIAL NO. 4025  
 ELEVATION (SPIRIT LEVEL) 1187'  
 TOWNSHIP CAMERON  
 COUNTY MARSHALL DISTRICT WEBSTER  
 ENGINEER A. C. Strout  
 ENGINEER'S REGISTRATION NO. \_\_\_\_\_  
 DATE JANUARY 4 - 1949 DRAWING NO. Y-13-154  
 SCALE 800

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. MARS-202

— DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS, SCALE 1 TO 62 500. LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN.  
 — DENOTES ONE INCH SPACES ON BORDER LINE OF ORIGINAL TRACING.

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Mars. 202		Gas Well
Cameron Quad.		CASING & TUBING
Company	The Manf. Light and Heat Co.	
Address		Cond. 16 16
Farm	O.E. Phillips 212 acres	10 681 681
Well No.	4025 Elev. 1187	8 1/2 1261 1261
District	Webster Marshall County	6 5/8 1760 1760
Commenced	Jan. 13, 1949	5 3/16 1833
Completed	Feb. 8, 1949	
Volume	44/10 M 6 5/8 12,681,000 C.F. B.Injun 2-8-49	
	30/10 M 5 3/16 6,018,000 C.F. B.Injun 2-24-49	
Water	1455' 1/2 blr. of water	Anchor Packer
		Size 6 5/8 x 5 3/16
		Depth 1777

Clay	0	16	SL run 646 ; 1250; 1744
Slate & Lime	16	292	
Coal	292	295	Show gas 1412'
Lime	295	310	
Slate	310	344	5 3/16 Tubing record
Waynesburg Coal	344	347	
Lime	347	351	Perf. 23' 1"
Slate	351	358	Perf. 21' 7"
Lime	358	526	Anchor 44' 8"
Slate	526	538	6 5/8x5 3/16 Packer
Coal	538	542	Tubing 82 joints 1777' 1"
Slate	542	548	1821' 9"
Lime	548	615	Add for thds 12' 1"
Slate & Shells	615	640	Total 1833' 10"
P.G.H. Coal	640	646	
Lime	646	712	PRESSURE IN MIN
Pink Rock	712	720	1 5 10 30 60 24Hr 48 hr
Lime	720	735	230 301 308 314 351
Red Rock	735	740	145 180 187 191 196 224 243
Lime	740	760	
Red Rock	760	785	
Sand	785	800	
Red Rock	800	815	
Lime & Slate	815	895	
Red Rock	895	910	
Lime & Slate	910	935	
Red Rock	935	954	
Slate	954	958	
Gritty Lime	958	972	
Slate	972	974	
Sand	974	990	
Red Rock	990	997	
Sand	997	1015	
Slate	1015	1022	
Lime	1022	1101	
Sand	1101	1132	
Slate & Lime	1132	1157	
Sand	1157	1170	
Slate Lime	1170	1187	
Lime	1187	1230	
Slate	1230	1237	
Lime	1237	1305	
Slate	1305	1402	
Sand <del> Salt Sand</del>	1402	1460	gas
Slate	1460	1525	
Sand	1525	1535	
Slate & Shells	1535	1624	
Lime	1624	1644	
Sand	1644	1695	
Slate & Lime	1695	1734	
Injun	1734	1797	
Gas	1797	1798	Test 26/10 W 5/8" 15,611 C.F.
Gas	1809	1819	Test 44/10 M 6 5/8" 12,681,000 C.F.
Total depth	1822		

1734      1187  
 1187      640  
 -----  
 547      547

375