

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL COMPANY- RIVER OPERATIONS

Coal Operator or Owner  
RD.4 Box 425 MOUNDSVILLE, WV26041

Address

CONSOLIDATION COAL COMPANY

Coal Operator or Owner  
RD.4 Box 425 MOUNDSVILLE, WV26041

Address

DANFORD L. & DEBORAH A. O'BRIAN

Lease or Property Owner

RR.4 BOX 252 CAMERON, WV 26033  
Address

CONSOLIDATION COAL COMPANY- RIVER OPERATIONS

Name of Well Operator  
RD.4 Box 425 MOUNDSVILLE, WV26041

Complete Address

MAJORSVILLE, WV 7.5

Well Location

WEBSTER

District

MARSHALL

County

SGW-97

Well No.

DANFORD L. & DEBORAH A. O'BRIAN  
Farm

STATE INSPECTOR SUPERVISING PLUGGING 

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

ROBERT STEEL and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1<sup>st</sup> day of November, 2011 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Cleaned 9 7/8" hole from surface to 1013'. Cleaned 7 7/8" hole from 1013' to 1360'. Cleaned 6 1/4" hole from 1360' to 1430'. Tagged plug at 1430'. Removed 10 3/4" casing from surface to 776' with extreme difficulty. Pilot milled 10 3/4" casing from 776' to 825'. Left 21' of 10 3/4" casing in hole from 825' to 846'. Cleaned 12 1/4" hole from surface to 825'. Cleaned 12 1/4" hole thru Pittsburgh Coal 815' to 820'. Left 20' of 16" conductor in hole from 20' to surface.		16" Conductor 10 3/4" Casing	0' 776'	20' 21'
<b>Cement hole from 1430' back to surface as follows:</b> From 1430' to 1020' with Expandable Cement From 1020' to 715' with 165 sacks of Thixotropic Cement with green dye. From 715' to surface with Expandable Cement. A total of 715 sacks of cement were used to fill the hole from 1430' back to surface. Cement did circulate at surface.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>PITTSBURGH</b>	815' to 820'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well maker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

... and that the work of plugging and filling said well was completed on the 29<sup>th</sup> day of November 2011


And further deponents saith not.

Sworn to and subscribed before me this


19<sup>th</sup> day of December 2011

  
Robert Steel

  
Kevin S. Wright

  
Notary Public

My commission expires:  
March 18, 2020



Permit No. 47-051-00205-P  
Well No. SGW-97