

## west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

October 21, 2013

## WELL WORK PERMIT Re-Work

This permit, API Well Number: 47-5100523, issued to EAGLE NATRIUM LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 11 INJECTION WELL

Farm Name: EAGLE NATRIUM LLC/AXIALL C

API Well Number: 47-5100523 Permit Type: Re-Work

Date Issued: 10/21/2013

## **PERMIT CONDITIONS**

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

#### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

<del>10/</del>25/2013

WW - 2B

(Rev. 8/10)

51.00523 W

## **STATE OF WEST VIRGINIA** DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION 3 509

1) Well Operator	: Eagle	Natrium	LLC.	39600	Marshall	Franklin	New Martinsville
				Operator ID	County	District	Quadrangle
2) Operator's We	ell Numb	er: <u>#11 l</u>	njection Well		3) Elevation:	641.35'	-
4) Well Type: (a)	Oil	or Ga	as Brine				
(b)	If Gas:	Produ	ction/ Und	erground Sto	rage		
		Deep	p/ S	hallow			
<ul><li>5) Proposed Tar</li><li>6) Proposed Tot</li><li>7) Approximate f</li><li>8) Approximate s</li></ul>	fresh wa	ter strata	a depths: <u>50'</u>	Formation at F	Proposed Tar Proposed Tota	get Depth: 6	3832' na
9) Approximate	coal sea	m depth:	s: 256' to 261'				_
10) Approximate				N/A			•
10) Approximate	voia ae	puis,(co	ai, Naist, Other).				
11) Does land co	ontain co	al seam	s tributary to acti	ve mine? N	lo		
12) Describe prop	osed we	ll work ar	nd fracturing meth	ods in detail (a	ittach additiona	al sheets if ne	eded)
See attached docum	nents.						<del></del>
							<del></del>
40)						<del></del>	
13) TYPE SF	PECIFIC	<u>CA</u> ATIONS	ASING AND TUE	FOOTAGE	<u>am</u> Intervals	S CEME	NT
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well	Fill -up (Cu	
Conductor	16"		52.36#	62'	62'		
Fresh Water	10 3/4"	H-40	32.8#	1609'	1609'	To Sur	face
Coal							
Intermediate							
Production	7"	N-80	26#	8455'	8455'	600 sa	ıcks
Tubing							
Liners	5"	N-80	18#	365'	0'		
Packers: Kind:							
Sizes Depth	s: ns Set						

#### Procedure to Remediate #11 Injection Well

- 1. Pick up 7" casing scraper w/ bit and clean ID of casing to 5900'
- 2. Set drillable bridge plug at 5850' and load hole.
- 3. Allow casing to set for 6 hours to determine if any fluid loss.
- 4. Run cement bond log to verify cement quality, detect annular flow and any annular restrictions
- 5. Shoot 4 squeeze holes at point determined from log. (est. 5800')
- 6. Attempt injection test down 7.00" csg. Pressure not to exceed 800 psi
- 7. TIH with 2.875" work string and 7.00" cement retainer
- 8. Set retainer at approx. 5750' (or 50' above squeeze holes)
- 9. Establish circulation and control well with weighted fluid (10 ppg) 290 bbls annular vol.
- 10. Pump cement to fill annulus from 5800' to 1600' est. 1000 sks @ 10% excess 215 bbls
- 11. Displace cement to 5700' 33 bbls
- 12. Sting out of retainer and wash up 225 bbls
- 13. TOOH with work string
- 14. Run bond log to verify cement placement
- 15. Perform MIT test on casing
- 16. Drill out retainer and bridge plug
- 17. Verify total depth
- 18. TOOH and secure well head

RECEIVED
Office of Oil and Gas

OCT 01 2013

WV Department of Environmental Protection

## BRNE WELL #11

CEMENT TO SURFACE 2644' OF CENEUT 600 SACKS | W/4% GEL & SAT. SALT |

16" - 52.36# A-62 1034" - 32.75# 1608

DRILLED 8.75" HOLE

7"- 25 5-55

5732' - 5822' MARCELLUS

-5815' TOP OF CEMENT (LANE WELLS LOG)

RECEIVED Office of Oil and Gas

OCT 01 2013

WV Department of Environmental Protection

8469 10/25/2013

WW-2A (Rev. 6-07)

1). Date:	9/27/13		<u> </u>
2.) Operator's	Well Number	#11 Inject	ion Well
	State	County	Permit
3.) API Well N	lo.: 47-	051	- 0523

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

4) Surface Ow (a) Name	ner(s) to be served:  Eagle Natrium LLC/Axiall Corpora	ation W	5) (a) Coal Operator Name
Address	P.O. Box 191		Address
	New Martinsville, WV 26155		
(b) Name			(b) Coal Owner(s) with Declaration
Address			Name
, (dd) 000	,		Address
	-		Addicas
(c) Name			Name
Address	-		Address
	-		
6) Inspector	· ·		(c) Coal Lessee with Declaration
Address			Name
			Address
Telephone	<del></del>		
	TO THE PER	SONS NA	MED ABOVE TAKE NOTICE THAT:
Included is the			contract or contracts by which I hold the right to extract oil and gas
OR			
			2, Article 6, Section 8(d) of the Code of West Virginia (see page 2)
			of the West Virginia Code I have served copies of this notice and
application, a loc	ation plat, and accompany Personal Service (A		ents pages 1 through on the above named parties by: ched)
	Certified Mail (Postn		
	Publication (Notice of		
I have re	ad and understand Chapte	er 22-6 and	d 35 CSR 4, and I agree to the terms and conditions of any permit
issued under this		n paraci a Silva	
this application f	under penalty of law that I	nave pers	sonally examined and am familiar with the information submitted on ased on my inquiry of those individuals immediately responsible for
obtaining the info	orm and all allacriments,	information	n is true, accurate and complete.
			s for submitting false information, including the possibility of fine and
imprisonment.	(MANAGAMANANANANANANANANANANANANANANANANA	in portantion	to castinaing tales into matter, including the possibility of this and
STWEET BY	OFFICIAL SEAL NOTARY PUBLIC Wel	I Operator	Eagle Natrium LLC/Axiall Corporation
S	TATE OF WEST VIRGINIA BY:		Mothan
	KAREN SAPP 535 South Third Avenue		Manager Environmental
	den City, West Virginia 26159 Add	ress	P.O. Box 191
Annual My Co	ommission Expires Apr. 10, 2016		New Martinsville, WV 26155
		phone	304-455-2200
Subscribed and s	sworn before me this	day of	September 2013,
Laur	Anc		Notary Public RECEIVED
My Commission	Expires April 10	2,2016	neuciveo
Oil and Gas Privacy	The state of the s		Office of Oil and Gas

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

Environmental Protection

#### SURFACE OWNER WAIVER

County	Marshall	Operator	Eagle Natrium LLC.
		Operator well number	#11 Injection Well
	INSTRUCTIONS TO	SURFACE OWNERS NAMED ON F	AGE WW2-A

The well operator named on page WW2A is applying for a permit from the State to do oil or gas well work. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57<sup>th</sup> St. SE
Charleston, WV 25304
(304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure a dequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

<u>List of Water Testing Laboratories.</u> The Office maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Chief to obtain a copy.

**VOLUNTARY STATEMENT OF NO OBJECTION** 

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application for a Well Work Permit on Form WW2-A, and attachments consisting of pages 1 through \_\_\_\_ including a work order on F orm WW2-B, a s urvey plat, and a s oil and erosion plan, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERS	SON	FO	R EXECUTION BY A	CORPORATION, ETC.
	Date	Company Name	Eagle Natrium LLC/Axiall (	Corporation
Signature		Ву	Ed McLaughlin	
		Its	Brine Field Engineer	RECEIVER
Print Name		-	E Marye	Office of Object Sas
			Signature (	OCT 012Pate

WV Department of Environmental0725/2013

Operator's Well Number #11 Injection Well

## INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6, Section 8(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, Lessor, etc.

Grantee, Lessee, etc.

Royalty

Book/Page

351/265

SALT WELL

### Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application he reby a cknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP. Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources
- WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be ac guired from the appr opriate aut hority before the affected activity is RECEIVED initiated. Office of Oil and Gas

Well Operator: By: Its:

Eagle Natrium LLC Manager, Environmental Control

WV Department of Environmental Proto/25/2013

WW-9 (5/13)

	Pa	age	of
API Number 47 -	051	- 0523	
Operator's	Well No.	#11 Injection We	ell

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name_ Eagle Natrium LLC		OP Code _39600	
Watershed (HUC 10) Ohio River	Qua	drangle New Martinsville	
Elevation 641.35'	_ County_Marshall	District_ Franklin	
Do you anticipate using more than 5,000	bbls of water to complete the pr	roposed well work? Yes	No_x
Will a pit be used for drill cuttings? Ye	s No _x		
If so, please describe anticipated	pit waste:		
Will a synthetic liner be used in	the pit? Yes No	If so, what ml.?	
Proposed Disposal Method For T	Γreated Pit Wastes:		
Reuse (at API Off Site Dispos	njection (UIC Permit Number Number sal (Supply form WW-9 for dis	sposal location)	
Will closed loop system be used? NO			
Drilling medium anticipated for this well?	? Air, freshwater, oil based, etc	. Brine	
-If oil based, what type? Synthe	tic, petroleum, etc		
Additives to be used in drilling medium?			
Drill cuttings disposal method? Leave in	pit, landfill, removed offsite, et	tc. Removed Offsite	
-If left in pit and plan to solidify	what medium will be used? (c	ement, lime, sawdust)	
-Landfill or offsite name/permit	number? SWF-1034		
on August 1, 2005, by the Office of Oil as provisions of the permit are enforceable law or regulation can lead to enforcement I certify under penalty of law application form and all attachments the obtaining the information, I believe that penalties for submitting false information	nd Gas of the West Virginia De by law. Violations of any term t action. that I have personally examine hereto and that, based on my t the information is true, accu	on or condition of the general perm ed and am familiar with the inform inquiry of those individuals im- trate, and complete. I am aware	tion. I understand that the nit and/or other applicable mation submitted on this mediately responsible for
Company Official Signature	Moran		
Company Official (Typed Name) J. Tho			RECEIVED
Company Official Title Manager, Environ	nmental Control		Office of Oil and Gas
Subscribed and sworn before me this	27th day of Septe	Notary Public	DCT 01 2010 FFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA IT IT OF MARKIN SAPP 535 South Third Avenue Agaderi On Organisis Francis 20159  My Coppulsion Francis 20159

Prevegetation pH
<del></del>
(500 lbs minimum)
ktures
Area II Seed Type lbs/acre
,
Date:
PEOP
Office of Oil and

OCT **01** 2013

WV Department of Environmental Protection

10/25/2013



WW	-2B1
(5-1	2)

Well	No.	#11 Injection Well	

## West Virginia Department of Environmental Protection Office of Oil and Gas

#### NOTICE TO SURFACE OWNERS

The well operator named below is preparing to file for a permit from the state to drill a new well. Before a well work permit can be filed with the Chief of the Office of Oil and Gas, the well operator is required to have given notice of the right to request water well or spring analytical testing. This notice shall be given to the owners or occupants of land which have a water well or spring being utilized for human consumption, domestic animals, or other general use and which is located within 1000 feet of the proposed well site.

With this form, the operator is giving you notice of your right to request analytical testing. The operator is required to sample and analyze the water wells or springs of all owners or occupants who request it. Therefore, if you wish to have your water well or spring tested, contact the operator named below.

All sampling shall be completed prior to drilling. Within thirty (30) days of the receipt of such sample analyses the operator shall submit the results to the Chief of the Office of Oil and Gas and to the owners or occupants who may have requested them.


Be advised, you have the right to sample and analyze any water supply at your own expense.

Listed below is the laboratory chosen by operator to perform analysis, and contactor chosen to collect sample.

Certified Labora Sampling Contr	•	
Mell Operator	Facile Natrium I I C	
Well Operator	Eagle Natrium LLC	
Well Operator Address	Eagle Natrium LLC P.O. Box 191	
•		

FOR OPERATOR'S USE ONLY: Below, or on an attached page, list those persons which were given this notice. Place an asterisk beside the one(s) that contacted you and requested sampling and analyses. If there were no requests made, indicate by underling which one you have selected to sample and analyze. If there are no water wells or springs within 1000 feet of the proposed site, the Chief may require the operator to test wells up to 2000 feet from the proposed site.

RECEIVED
Office of Oil and Gas
OCT 01 2013





Axiall Corporation Eagle Natrium LLC PO Box 191 New Martinsville, WV 26155

J. Thomas Horan Manager Environmental Telephone: (304) 455-2200 ext. 3310 Fax: (304) 455-2422 Tom.Horan@axiall.com

September 27, 2013

## Certified Mail Return Receipt Requested

James Martin, Chief WV Department of Environmental Protection Office of Oil & Gas 601 57<sup>th</sup> Street Charleston, WV 25304

Attention: Mr. James Peterson:

Subject: Well Work Permit Application for #11 Injection Well,

API Well Number 47-051-0523, UIC Permit No. UIC3S05101

Please find attached, the required completed forms and associated maps for a well work permit for #11 Injection Well. The required permit fee will be submitted under a separate letter.

If you should have any questions, please call Mr. Ed McLaughlin at (304) 455-2200 extension 3476.

Sincerely,

J. Thomas Horan

Manager Environmental

Athomes Hoan

Office of Oil and Gas

OCT 01 2013

WV Department of Environmental Protection

Attachments: