

west virginia department of environmental protection

Division of Water and Waste Management 601 57th Street SE Charleston, WV 25304 Phone Number: (304) 926-0495 Fax Number: (304) 926-0463 Jim Justice, Governor
Austin Caperton, Cabinet Secretary

departegovED

Office of Oil and Gas

November 1, 2017

APR 07 REC'D

Danial Flynn, CFO Petta Enterprises LLC 128 Steubenville Ave Cambridge, OH 26059

WV Department of Environmental Protection

CERTIFIED RETURN RECEIPT REQUESTED

Re:

Amendment to letter dated 09/14/2017 to

Petta Enterprises LLC

Dear Mr. Flynn:

This correspondence is in response to your request provided in an email dated on October 19, 2017. This letter will serve as an amendment to the previously issued letter on September 14, 2017 to Petta Enterprises, LLC for Truck wash facility.

Based on the information provided, the proposed facility will also be providing additional services including frac fuilds treatment and solidification inside the building. Vac water trucks and vac boxes on roll off trucks will be hauling frac fuilds and drilling fuilds, frac sand and contaminated rain water. Truck will be unload into a frac tank storage pad. Based upon the fluid condition it will be uploaded into pits. As fluid settle in pits water will be pump out to the settling tank where it will be treated by flocking system, using aluminum sulfate, bleach and Aquamark polymer. Fluid will be solidifying, tested and sent to an approved landfill in Ohio. Water will be pumped to a sock filter pod to collect the fine solids, and treated water will be transported through vac truck to injection wells or reused. There shall be no discharge of any kinds of pollutant through point source from this proposed facility. All the terms and condition of previously issued letter dated on September, 14 2017 are in affect.

If you should have any questions, please contact Yogesh Patel, P.E. of this office at (304) 926-0499 x1014.

Sincerely,

Scott G. Mandirola

Director

SGM/yp

cc: Env. Insp. Supv.

Promoting a healthy environment.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: N	lathews, R.E.	Operato	or Well No.: 2589						
LOCATION: F	Elevation: 1158.0		angle: Cameron, WV						
	District: Liberty	Count							
		Feet South of 39 D							
1	Longitude: 5716	Feet West of 80	Deg. 32 Min. 30	Sec.					
Well Type: O	ILGAS X	_							
Company	Columbia Gas Transmiss	sion, LLC Coal Operator	Murray American Energy, Inc	D					
	1700 MacCorkle Ave. SE	or Owner	46226 National Road						
	Charleston, WV 25325		St. Clairsville, OH 43950	,					
		Coal Operator		Pro					
Agent	Brad Nelson	or Owner			EIVED				
Permit Issue	d Date 9/10/2018			Onice or c	Dil and Gas				
STATE OF WEST VIRGINIA, AFFIDAVIT APR 0.7 REC'D									
County of Marsh					NEO B				
County of				WV Depo	imment of				
Brad Nelson	and E	lo Hampson	being first duly	sworn acception to a sweet	Ff Protection				
	ey are experienced in the	work of plugging and filling	goil and gas wells and were	employed by the above nam	ied				
		ork of plugging and filling , 20 <u>18</u> , and the well was		said work was commenced following manner:	on				
TYPE	FROM	TO PI	PE REMOVED	LEFT	7				
Cement	Surface		7", 8-5/8", 10-3/4"	11-3/4", 13-3/8"	1				
Cement	12'	108'	7", 8-5/8", 10-3/4"	11-3/4"	See				
Cement	108'	589'	7", 8-5/8", 10-3/4"	None	Additional				
Thixotropic Cemer	nt 589'	975'	7", 8-5/8"	None	Plugging				
Thixotropic Cemer	nt 975'	979'	7"	8-5/8"	Data				
Cement	979'	1082'	7"	8-5/8"	Duta				
Cement	1082'	1298'	7"	8-5/8"					
Description (of monument 8" steel cas	ing with API number, 3 ft. abov	re ground level and that	the work of plugging and filli	na				
		day of February,			^ .				
And friedban	danaganta agith agt	But Neh	Ce	mmonwealth	9				
And further	deponents saith not.	1	Co.	unty of Wa	sting lan				
So The COMMONWEALTH OF PENNSYLVANIA									
Sworn and subscribe before me this and subscr									
My commission expires: 6/20/30/9 Notary Public My Commission Expires June 20, 2019 Notary Public									
	, ,	۸ ۰	1 O						
Affidavit review	ed by the Office of Oil ar	nd Gas: Jun Win	lestone Titl	le: Oil & Gas Inspector	_				


VB 2589 Additional Plugging Data

TYPE	FROM	ТО	PIPE REMOVED	LEFT
Cement	1298'	1322'	None	7"
Cement	1322'	1543'	None	7"
Cement	1543′	1556′	None	2-3/8" Drill Pipe, 7"
Cement	1556′	1870′	None	2-3/8" Drill Pipe, 7"
Retainer	1870′	1873′	None	7"
Cement	1873′	1886′	None	7"
Drillable Bridge Plug	1886′	1889′	None	7"
Cement	1889′	1915'	None	None
Cement	1915'	2135′	None	None
Cement	2135′	2380′	None	None
Cement	2380′	2625'	None	None
Cement	2625'	2971'	None	None
				RECEIVED Office of Oil and Gas
				APR 07 REC'D
				WV Department of Environmental Protection
	4			


VICTORY B 2589

Post P&A

(as of 2/28/19)



TD 2971'





west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, September 10, 2018
WELL WORK PLUGGING PERMIT
Vertical Plugging

COLUMBIA GAS TRANSMISSION, LLC 1700 MACCORKLE AVENUE SE

CHARLESTON, WV 25314

Re:

Permit approval for 2589 47-051-00591-00-00

RECEIVED
Office of Oil and Gas

APR 07 REC'D

This well work permit is evidence of permission granted to perform the specified well work at the localized extitled continue on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 2589

by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Farm Name: MATHEWS, R. E.

U.S. WELL NUMBER: 47-051-00591-00-00

Vertical Plugging
Date Issued: 9/10/2018

Promoting a healthy environment.