

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV26041
Address

MARKWEST LIBERTY MIDSTREAM & RESOURCES, LLC.

Lease or Property Owner
601 TECHNOLOGY DRIVE CANONSBURG, PA 15317
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address
MAJORSVILLE, WV 7.5

Well Location

WEBSTER

District

MARSHALL

County

SGW-81 (MW #5)

Well No.

MARKWEST LIBERTY MIDSTREAM & RESOURCES, LLC.
Farm

STATE INSPECTOR SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of February, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Formation				
	Cleaned 4 3/4" hole through existing 5 1/2" casing from the surface to 1073'. Tagged plug at 1073'. Attempted to pull 5 1/2" casing from the hole but no movement was detected at the surface. Run cement bond log on 5 1/2" casing from 1067' to surface. Cement bond log indicated that the 5 1/2" casing was cemented to surface. Left 1067' of 5 1/2" casing in the hole from 1067' to surface. Cut remaining 5 1/2" casing at the following depths; 940', 700', 600', 495', 395' and 50'. Section milled two 10' windows in 5 1/2" casing from 790' to 800' and from 284' to 294'. Perforated remaining 5 1/2" casing with 6 shots at each of the following depths; 1030', 930', 830', 730', 630', 530', 430', 330', 290' and 150'. Cleaned 4 3/4" hole through the Pittsburgh Coal (285' - 293'). Left 8 5/8", 10 3/4" and 13 3/8" casings in the hole from the surface to the depths indicated on the original well record.	13 3/8" Casing 10 3/4" Casing 8 5/8" Casing 5 1/2" Casing	0' 0' 0' 0'	150' 308' 752' 1067'
	<u>Cemented hole from 1073' to surface as follows:</u> From 1073' to 678' with 70 sacks of Thixotropic Cement with a Gas Blocker additive and green dye. From 678' to surface with 110 sacks of Thixotropic Cement with green dye. A total of 180 sacks of cement were used to fill the hole from 1073' to surface. Cement did circulate at the surface.			
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	285' to 293'	2'x2' flat plate with company name, well number permit number and date cemented stated on flat plate. The 2'X2' flat plate will be placed on the well three feet beneath the surface.		
(Name)				
(Name)				
(Name)				

... and that the work of plugging and filling said well was completed on the 14th day of February 2012


And further deponents saith not.

Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Jacqueline L. Shriver
Notary Public

Sworn to and subscribed before me this 20 day of March 2012



Permit No. 47-051-00643-P
Well No. SGW-81 (MW #5)

My commission expires:
March 18, 2020

05/04/2012