The second of th	FIGURE (- DEPT - COMMENTAL COMPANDA A SCHOOL AND A SCHOOL	0	6,100 W	39.50
INSTR TAONS				
1) Attach a photo copy of the location of the well on a 7 minute Quadrangle with the corr Longitude and Latitude.  2) Designate the location of well with the symbol(+).	esponding .	ó.64	25 w	
		+ '	, <b>(</b>	-
	·			
		man a salah k		
SPE ATT	ACHEO PHO	10 waspay		A
		•	!	•
sion of Protection			<b>!</b>	·
permitting and			0 685	· ·
			3,360	'
, the undersigned, Hereby certinis plat is correct to the best nowledge and belief.	lfy that c of my	signed(		
etter og skriver og sk Detter og skriver og s		TITLE	Zers :	
		DATE	ULY 2	,19 <u>_<b>9</b>3</u>
WILSON WELL			* 1	
ORILLEO 1905		V61 METP	s well no	7557
DE OI	NTE OF WEST VI EPARTHENT OF E IL AND GAS DIV	ENERGY /ISION		
WELL TYPE: OIL GAS LIQUEL TYPE: OIL STORAGE	JID INJECTION_ EDEEP	WASTE D	I SPOSAL	
OCATION: ELEVATION ///5 DISTRICT / BEST/ QUADRANGLE CAMES	WATER SHELL COUNTY	)NARSHI	216	
SURFACE OWNER BETTY RIGGS	410 10	ACREA	GE	
OIL & GAS ROYALTY OWNER //. C.	<u> </u>	UBA	SE ACKEROB	
PRODUCING FORMATION SECOND	. 2 %	TOTA	L DEPTH 161	
WELL OPERATOR <u>CAMERON</u> GAS		ESIGNATED AG		L 1 6 1993
ADDRESS & ADALINE AU		DRESS	- nur	
(A) (A) (A) (A) (A)	16/14/5		•	



Fairment (Fairview?) (Waynesburg) Coal 440 - 443 Mapletown (Sewickley) Coal 620 - 623 Pittsburgh Coal 723 - 728 Little Dunkard Sand 1105 - 1130 Top of Cas Sand 1495 - ***	. Na sa	Top.	Bottom,
Mapletown (Sewickley) Goal 620 - 623 Pittsburgh Goal 723 - 728  Hittle Dunkard Sand 1105 - 1130 Top of Gas Sand 1495  Total depth (August, 1905) Well drilled deeper, Sept. 19, 1912, to 1619		Ō	- 14
Pittsburgh Coal 723 - 728 Little Dunkard Sand 1105 - 1130 Top of Cas Sand 1495 Total depth (August, 1905) 1518 Well drilled deeper, Sept. 19, 1912, to 1619	Fairment (Fairview?) (Waynesburg) Coal	-1-10	
Hittle Dunkard Sand  Top of Gas Sand  Total depth (August, 1905)  Well drilled deeper, Sept. 19, 1912, to  1105 - 1130  1518  1619	Mapletown (Sewickley) Coal	620	- 623
Top of Gas Sand  Total depth (August, 1905)  Well drilled deeper, Sept. 19, 1912, to  1919	Pittsburgh Coal		
Total depth (August, 1905)  Well drilled deeper, Sept. 19, 1912, te 1619	Mittle Dunkard Sand		_
Well drilled deeper, Sept. 19, 1912, te 1619	Top of Gas Sand	1495	
			1518
Total depth 1619	Well drilled deeper, Sept. 19, 1912, to		
	Total depth		1619

101-rew (tg-DD

<del>من</del>-

Well completed June --- 1905 Well Completed August. 1905

## Drilled by Powers Bros.

Conductor.	en e		14.feet
Fairmont Coal	440	to	443.
Mapletown Coal	620		623
Pittsburg Coal	723		728
Little Dunkard	1105		<b>1</b> 130
6 inch Casing			1325
Top of gas sand	3.33		1495
Total depth A	ugust. 1905.		1518
Well drilled deeper \S	eptember 19th.	1912.	· 1619
Total	al depth.		1619

Casing in well. 10 inch 270 ft. Pulled out 82 1018 " Pulled out 6-5/8 1325 " Left in well. Tubeing in well 4 inch 1619 "


One Packer in well 4 joints up from bottom

5" Hole havet be dulled: 1325 amhor Parka

Wiken #1

1619 166 grand 1539 725 725 7539

1/5/8



DISTRICT, MARSHALL COUNTY, W. VA.

By Cameron Heat & Light Co.

ed 9-19-12 to 1619

Elevation 1115

 Completed Aug. 19	Top.	Bottom.	andoned Thick-	Eleva-	Production  Intervals from	Pays Ft. in Thick-
 sand.	109.	Bottom,	Thick- ness.	Eleva- tion.	Intervals from Pgh. C. B. I. Sand	Ft. in Thick- Sand. ness.
Pittsburgh Coal	<b>7</b> 23	728	5	392	0	
Murphy						•
Moundsville						
1 C. E., Lit. Dunk.	1105	1130	25	10	382	
Big Dınkard		X X X				
Burning Springs						
 Gas	•		•		<b>X</b> <b>X</b>	
Lowe Gas	:					
Second Cow Run	1495	•••	• • •	-380	772	gas
1st Sit	•				***************************************	
2nd Slt						
3rd Slt						
Maxto					* The state of the	
Big Ime	. :					
Keen	ļ					
Big Ijun						
Berea	:					
 Ganta						
 50-Fot						
 30-Fot						
Gorda Stray						
Gorda						
 Four						
Fifth	:					
Sixtl						•
Speciley					V.	

## STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION SECTION OF OIL AND GAS

## WELL REGISTER ASSIGNMENT

This API Number 47-51-00755, issued to CAMERON GAS COMPANY is evidence of permission to operate the well that is referenced at the location described on the attached plat, subject to the provisions of Chapters 22 and 22B of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder. The name and telephone number of the Oil and Gas Inspector for this well is RANDAL MICK - 304-986-3324.

Spills or emergency discharges must be reported to 1-800-654-3312.

Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of your permits and in addition may result in civil and/or criminal penalties.

The enclosed WR-35 must be completed by you and returned to this office. In addition annual production reports must be submitted on this well and failure to do so may require you to plug the well.

Theodore Chief			1		
ву	_	r-1.	9	6	
Title·					

Operator's Well No: H.C. WILSON #1

Farm Name: RIGGS, BETTY

API Well Number: 47-51-00755 N

Date Issued : 07/09/93

-