API# 47-051-01095

### STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name:	T. & W	I.D. DUN	N	Operat	or Well	No.: MC	56				
LOCATION:						Camero		5"			
200,	District	Cameron		Coun		Marsha	III				
				South of 39	-	50 Min	58.15	Sec.			
	Landuc.	· ———	Get	West of 80	Den						
	rougitud	6	F881	Mest of	_Deg		·				
Well Type: 0	DIL	_GASX									
Company	Consol	idation Co	al Co	Coal Operator			-				
				or Owner	Monor	ngah, WV 26	5554				
				Coal Operator							
Agent	Ronn	ie Harsh		or Owner							
Permit Issu	ed Date	11/07/1	7								
				AFFIDA'	VIT						
STATE OF W		SINIA,		741100	•••						
County of	Marshall	ss:									
Raiph K. H		and		Kevin S. Wright				orn according t			
and say that the	ney are exp	perlenced in th	e work of	plugging and fillin	g oll and	d gas wells a	nd were en	iployed by the	above named		
well operator, the 19th	, and partic day of	cipated in the t January	vork of p 2018 .	lugging and filling , and the well wa	g the ab as pluad	ed and fille	y that sau din the foli	owing manner:			
									<del></del>		
TYPE		FROM			IPE RE	MOVED	_	LEFT			
Expandable 7" Steel Casing		983' Surface	Surf 64					847'			
7" Fiberglass Car		847*	80			D'		57*			
7" Steel Costing	3	904	11	18.		o .		221'			
						_					
	_										•
L	<u> </u>				• • • • • • • • • • • • • • • • • • • •						
		ent: 77° or 7° cash i on the 24th		y name, well #, API #, and o	2018.		and that th	e work of plugs	gnillit bns gnit		
2510 ACH AG	Milibieten	7 ()(1 () () () ( ( ) ( ) ( ) ( )	. `		. ~~ <u>~</u> .						•
And further	r deponent	la seith not.		Con Mr							
			KI	vm 8. u	Ling	et_		NOTA	RY PUBLIC OFFICE CAROL A MAYLE		
Swom and	l subscribe	before me thi	3/54	day of <u>Jaw</u>		_ 20_18_		My My	iate of West Virgir y Commission Exp eptembar 15, 202	nia kres	
My commission	on expires:	9-15 2	<u>}</u>	in Nil	ant	A Ma	July In	495 Bu	ckeye Rd Core, WV	26541	
			$\cap$	• 70.	1 1	Notary Publi	Ď.				
Affidavit revie	wed by the	e Office of Oil	and Gas	In blil	1	<u></u>	Title:	Oil & Gas	s Inspector	RECEIV ce of Oil	/ED and Ges
			U						Oiii	OI OII (	wile Colo
										CD A 1	2010

LFR AT SOIR

## Plugging Report for MSHA

١	Well Number:	MC 56 (pro	duction)	Mine: Ma	rshall County Mine	_	Surface	
	Permit Number:	47-051-01	095					Top of 7" steel casing at Surface
	Date Clean Out S	tarted:	1/19/2018					
1	Date Well Bore P	lugged:	1/24/2018	(1)				
1	Pittsburgh Coal S	eam:	882 ft.	то 889	ft.			
_	Plugs: From	То	_	Type of C	ement			
	983	Surface	•	Expand	able Cement		Expandable Cement	
-		-	_				ndab	
-					A		le Ce	
							men	
	Casing Rema	ining in Well E	lore					
	To	p Bottom	Left	Pulled	]			
	tubing				1			
5 1/2" " cas	casing Surf	ace 1125'	1068'	None	-			Bottom of 7" Steel at 847'
	casing casing		10%		1			Top of 7" Fiberglass at 847'
	asing perglass 84	7' 904'	57'	None	-	882' to		
			,		Pittsburgh	Coal 889'		Intersection of Laterals in Vertical at 887'
Cem	ont					A STATE OF THE STA		Bottom of 7" Fiberglass at 904'
Expa	ndable _	150		_sacks			Expandable Cement	Top of 7" Steel at 904'
Econ	2000 (1 m)			_ sacks _ sacks			ďabi	
Mud I Other	Flush _ ·	100	0	_gal _			2	
	op Thix _ ement Circ.	Yes		_ <sup>ft</sup>			pent	
				-				DEPTH: 983*
Cavir	ments: g: Extreme	Moderate	Normal				Hole Fill	
Lost Diffic	Circulation:	Extreme Me g Casing: <u>Extre</u> Wood	oderate e <u>me</u> Mod Steel	Normal derate Norm Other:				Bottom of 7" casing at 1125'

Surface Elevation (Surve	eyed)
<b>Bottom of Coal Structure</b>	(Map
Difference	

\_\_\_\_

RECEIVED Office of Oil and Gas

FEB 01. 2018

FORM WR-38 (Affidavit of Plugging)

# WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OIL AND GAS WELLS DIVISION

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy malled to the Division, one copy to be retained by the Weil Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 28554

Address

CONSOL MINING COMPANY LLC

Lease or Property Owner

1000 CONSOL ENERGY DRIVE CANNONSBURG, PA 15317
Address

CONSOLIDATION COAL CO.

Name of Well Operator

1 BRIDGE STREET MONONGAH, WV 26554

Complete Address
GAMERON, WV 7.5"
Well Location
GAMERON
District

MARSHALL County

MC 66 (Production)
Well No.

T. & W.D. DUNN

STATE INSPECTOR SUPERVISING PLUGGING\_

Jim Nicholson

**AFFIDAVIT** 

STATE OF WEST VIRGINIA, County of MONONGALIA 88:

EALPH K. HARMAN and KEVIN S. WRIGHT being first duly swom according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 19th day of January, 2018 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left in		
Formation				L		
	e with caliper and gamma to a total depth of fill). Attempted to remove 7" casing by	7" Steel Casing	0,	1068'		
pulling over 150% of a Set bottom plug from 8 cement. Set 7" packer 147.37% of the caloule coal seam, access hol bottom hole plug to pa laterers, intercepted at was present in the coal cemented the hole from Expandable cement. C 1125' of 7" casing from	tring weight. Attempts were unsuccessful. 183° to 930° with 10 sacks of Expandable at 702' and pumped 5,880 Gel of cement or led volume into the laterals through the s to bridge plug, production hote from cker. Until cement was visible at all 4 16E section of the mine. Note, no casing I laterals. Released from 7" packer and m 702' to the surface with 140 sacks of cement did circulate at the surface. Left in the surface to 1125' with fiberglass 7" 4' through the Pittsburgh Coal Seam (882' –	7" Fiberglass Casing 0"				
Coal Seams		Description of Monumo	nt			
Pittsburgh	(882' – 889')	77" of 7" casing w/ comp	mpany name, well number,			
		permit number and date cemented stated on 7°				
		casing. Well marker will be attached to cement				
		plug at ground level.				

... and that the work of plugging and filling said well was completed on the 24th day of Janyary, 2018

And further deponents saith not.

Ralph K. Harman

Muse S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 3/5 day of Jan 24/8

Cane A Mayle Notary Public

My commission expires: 9-15-22

NOTARY PUBLIC OFFICIAL SEAL CAROL A MAYLE State of West Vinginia My Commission Expires September 15, 2022 ASS Buckupe Ad Core, WV 35541

Permit No. <u>47-051-01085-P</u>
Well No. <u>MC 56 (production)</u>
Latifude: <u>39° 50' 58.18"N</u>
Longitude: <u>80° 33' 32,84"W</u>

RECEIVED
Office of Oil and Gas

FEB 01, 2018