WR-35 Rev (9-11)

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

DATE:	7-23-2012	V
API#:	47-051-01273	

ΓΙΟΝ: Elevation: 1,335'	Ovadenesta	O 1 Milweille					
HON: Elevation: 1,333	Quadrangle:	Quadrangle: Wileyville					
District: Meade	County: Mars						
		1. 00 Sec 1. 00 Sec					
Longhade 4100 1 cet West of 50 De	.gwill	1	. .				
Company: Chesapeake Appalachia, L.L.C.		1					
Address: P.O. Box 18496	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.			
Oklahoma City, OK 73154-0496	13 3/8"	1284'	1284'	1352 Cu. Ft			
Agent: Eric Gillespie	9 5/8"	2690'	2690'	1155 Cu. Ft			
Inspector: Tristan Jenkins	5 1/2"	12, 585'	12,585'	1772 Cu. Ft			
Date Permit Issued: 4-29-2009							
Date Well Work Commenced: 2/3/2010							
Date Well Work Completed: 8/26/2010							
Verbal Plugging:							
Date Permission granted on:							
Rotary Cable Rig							
Total Vertical Depth (ft): 7,152'							
Total Measured Depth (ft): 12,585'							
Fresh Water Depth (ft.): 220'							
Salt Water Depth (ft.): None							
Is coal being mined in area (N/Y)? N							
Coal Depths (ft.): 1123'							
Void(s) encountered (N/Y) Depth(s) N							
Producing formation Marcellus Paragrams: Initial open flow MCF/d Oil: Initial open flow MCF/d Final open flow MCF/d Final open flow time of open flow between initial and final tests 4 tatic rock Pressure 4.649° psig (surface pressure)	y zone depth (ft) I flowE DwBb Hours	^{7,638'-} 12,440' 8bl/d bl/d *Calcula s	·	JUL 2 E			
acoud mucduaing formation	rong dansk (A)						
econd producing formation Pay 2 Fas: Initial open flow MCF/d Oil: Initial open	zone depth (ft) t flow B	sbl/d					
		bl/d		•			

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this document and all the attachments and that, based on my inquiry of those individuals immediately responsible for obtaining the information I believe that the information is true, accurate, and complete.

Malas Williams
Signature

Were core samples taken? YesN	Jo <u>N</u> Were cuttii	ngs caught during drilling? Yes Y	No
Were Electrical, Mechanical or Geophysic LWD GR from 6572-12528' MD	cal logs recorded on this well? If yes,	, please list	
NOTE: IN THE AREA BELOW FRACTURING OR STIMULATING, DETAILED GEOLOGICAL RECORCOAL ENCOUNTERED BY THE WE	PHYSICAL CHANGE, ETC. 2). T D OF THE TOPS AND BOTTO	THE WELL LOG WHICH IS A SY OMS OF ALL FORMATIONS, 1	YSTEMATIC
Perforated Intervals, Fracturing, or Stimul	ating:		
(See Attached)			
			· · · · · · · · · · · · · · · · · · ·
Plug Back Details Including Plug Type an	d Depth(s):		773 %
Formations Encountered: Surface:	Top Depth		Depth Z 5
(See Attached)			·34 ·· · ·
			

PERFORATION RECORD ATTACHMENT

Well Number and Name: 627267 Arthur Waryck 10H

PERFORATION RECORD		STIMULATION RECORD								
	Interval P	erforated		Fluid Propping Agen		Fluid		ng Agent	Average	
Date	From	То	Date	Interval	Treated	Type	Amount	Туре	Amount	Injection
3/18/2010	12,118	12,440	8/4/2010	12,118	12,440	Sik wtr	7,385	Sand	480,600	83.3
8/5/2010	11,709	11,848	8/5/2010	11,709	12,040	Slk wtr	17,266	Sand	480,500	81
8/7/2010	11,318	11,640	8/9/2010	10,318		Sik wtr	18,647	Sand	400,000	76
8/9/2010	10,918	11,240	8/11/2010	10,918	11,240	Slk wtr	11,050	Sand	480,000	86
8/11/2010	10,518	10,840	8/15/2010	10,518	10,840	Sik wtr	14,885	Sand	379,800	89
8/14/2010	10,198	10,440	8/19/2010	10,198	10,440	Sik wtr	8,493	Sand	387,100	78
8/19/2010	9,878	10,120	8/20/2010	9,878		Sik wtr	8,342		386,700	
8/20/2010	9,558	9,800	8/21/2010	9,558		Sik wtr	8,450	Sand	385,800	
8/21/2010	9,238	9,480	8/22/2010	9,238		Sik wtr	10,160	Sand	386,700	
8/22/2010	8,918	9,160	8/23/2010	8,918		Slk wtr	8,627	Sand	385,200	
8/23/2010	8,598	8,840	8/23/2010	8,598		Slk wtr	8,709		389,400	
8/23/2010	8,278	8,520	8/24/2010	8,278	8,520	Slk wtr	8,538		330,000	
8/24/2010	7,958	8,200	8/24/2010	7,958		Slk wtr	8,353		417,000	
8/24/2010	7,638	7,880	8/25/2010	7,638	7,880	Slk wtr	7,229	Sand	373,300	82

JUL 25 1

01/25/2013

LATERAL SIDETRACK WELLBORE (no vertical pilot hole associated with this well)

Maximum TVD of wellbore: 7152 ft TVD @ 12585 ft MD

Formation/Lithology	Top Depth, MD (ft)	Top Depth, TVD (ft)	Bottom Depth, MD (ft)	Bottom Depth, TVD (ft)
SS/LS	0	0	570	570
SHALE	570	570	700	700
SH/LS/COAL	700	700	800	800
SHALE/SS	800	800	1030	1030
COAL/SH	1030	1030	1070	1070
SHALE	1070	1070	1151	1151
PITTSBURG COAL	1151	1151	1158	1158
SHALE	1158	1158	1210	1210
SS/LS/SH	1210	1210	1280	1280
SH/LS	1280	1280	1460	1460
SS/LS	1460	1460	1690	1690
SHALE/COAL	1690	1690	1930	1930
SS	1930	1930	2230	2230
BIG LIME (LS)	2230	2230	2307	2307
BIG INJUN (SS)	2307	2307	2550	2550
SHALE	2550	2550	7110	6962
GENESEO (SH)	7110	6962	7145	6983
TULLY (LS)	7145	6983	7262	7037
HAMILTON (SH)	7262	7037	7518	7094
MARCELLUS (SH)	7518	7094		
TD OF LATERAL			12585	7152

