

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY
Coal Operator or Owner
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802
Address
MCELROY COAL COMPANY
Coal Operator or Owner
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802
Address
DAVID LEE & KATHY SUE MAGERS
Lease or Property Owner
RR3 Box 267 Cameron, WV 26033
Address

MCELROY COAL COMPANY
Name of Well Operator
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802
Complete Address
CAMERON, WV 7.5'
Well Location
CAMERON
District
MARSHALL
County
M-1562
Well No.
MAGERS, DAVID & KATHY
Farm

STATE INSPECTOR SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROBERT L. STEEL and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10th day of July, 2012 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation		7" Casing	798'	Unknown
<p>Cleaned 12 1/2" hole from the surface to top of existing 7" casing at 255'. Pulled 798' of 7" casing in the following manner: Pulled 7" casing from 255'-501', wash-over and pulled 7" casing from 501' to 803', pulled 7" casing from 803' to 1054'. 7" casing was cemented in and extremely difficult to pull from 201'-803'. Left 7" casing from 1054' to unknown depth. Cleaned 12 1/2" hole from the surface to 803'. Cleaned 12 1/2" hole through Pittsburgh Coal (716'-722') Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 803' to 1054'.</p> <p>Cemented hole from 1054' to surface as follows: From 1054' to 922' with 90 sacks of Expandable Cement. From 922' to 616' with 390 sacks of Thixotropic Cement with green dye. From 616' to surface with 400 sacks of Expandable Cement. A total of 490 sacks of Expandable Cement and 390 sacks of Thixotropic Cement were used to fill the hole from 1054' to surface. Cement did circulate at the surface.</p>				
Coal Seams		Description of Monument		
Pittsburgh	(716' - 722')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

RECEIVED
Office of Oil & Gas
NOV 20 2012
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 20th day of August, 2012


And further deponents saith not.

Robert L. Steel
Robert L. Steel
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 8th day of October, 2012

Jacqueline L. Shriver
Notary Public

My commission expires:



Permit No. 47-051-01425-P
Well No. M-1562

March 18, 2020

11/23/2012