

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

June 05, 2012

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-5101545, issued to TRANS ENERGY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, well operators report of well work, is to be submitted to this office within 90 days of completion of drilling, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin Chief

Operator's Well No: MARTINEZ 1H

Farm Name: MARTINEZ, FERNANDA, ET AL

API Well Number: 47-5101545

Permit Type: Horizontal 6A Well

Date Issued: 06/05/2012

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours.

 Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within twenty-five hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.



west virginia department of environmental protection

Office Name Office Address Phone/fax optional Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary dep.wv.gov

June 06, 2012

Linda McCracken 6793 Dry Ridge Road Cameron, WV 26033

Re: Martinez 1H API 051-01545

Linda McCracken:

The office of Oil and Gas (OOG) has completed its review of the referenced permit application submitted by Trans Energy Inc.. The Marshall County oil and gas inspector inspected the site to ensure compliance with all applicable requirements of Article 6, Chapter 22 of the West Virginia Code and Legislative Rule Title 35, Series 4. Also, your comments were sent to the applicant to ensure it was aware of your concerns. The applicant's response is enclosed for your records.

After considering your comments, the applicant's response, and the inspector's findings, the OOG has determined that the application meets the requirements set forth in the above statute and legislative rule. Consequently, the OOG is issuing the permit today. For your information and convenience, I am including with this letter a copy of the permit as issued.

As you may know, surface owners are entitled to compensation for damages to their property resulting from oil and gas drilling activity. Absent an agreement by the parties, such damage compensation may be addressed pursuant to Article 7, Chapter 22 of the West Virginia Code. Please contact Gene Smith at (304) 926-0499, extension 1652 if you have any questions.

Sincerely,

Gene Smith

Permitting Section

Enclosure

Cc: Trans Energy Inc.

Derek Haught

51-1545

April 18, 2012

Linda McCracken 6793 Dry Ridge Road Cameron, WV 26033

RE: Comments and concerns: Trans Energy proposed in Marshall County
Martinez 1H API 051-01545

Dear Mrs. McCracken:

We just received your comments and concerns of 2/13/12, today about our proposed well in Marshall County. We would have responded immediately, but we were just notified. We would like to address all your comments and concerns. I have listed your comments/concerns in bold print and our answers below:

1. Trans Energy is proposing to drill a horizontal well on top of a ridge adjacent to our farm. As you can see from the topo map (A1) part of our farm is the bottom land below the proposed well.

Yes, Trans Energy, Inc. plans to drill a horizontal well as depicted on the map.

1A. We own the gas and oil on our property. How much of our gas and/or oil will they gather with this well.

It is impossible to provide a specific amount of gas and/or oil that we will produce from this well. We believe this is a productive area and we will produce this well to itspotential.

- 2. All areas above and around our farm drain into Wharton Run. From the map it looks like any activity which results in contaminated water runoff, Hazardous waste spills and/or contaminated Air pollution and other contamination that migrate or are leeched in some way into the Air, water and/or the ground will end up on our farm see Map in (A2)
 - a. Are you going to discharge water into the Wharton Run Watershed?

No, we will not discharge water into the Wharton Run watershed. All water will be hauled away to a disposal facility.

b. If you plan on discharging water will it be contaminated water?

We will not discharge any water.

c. Will you have the NPDES Permit and or Storm water Permit? How about a Air monttoring permit?

No, we will not have a NPDES Permit or Storm Water Permit. We will not have an Air manitoring permit. We will have a Oil and Gas Drilling permit from the WV DEP - Office of Oil and Gas?

d. What company will monitor and or sample for contaminants if you discharge contaminated water?

We will not discharge contaminated water.

e. How will you handle Hazardous waste spills or other contamination.

We do not anticipate any hazardous contamination. Our company has a safety and spill plan to handle any emergency situation. Our safety plan has been approved by the WV DEP.

f. If you have an impoundment pond any spill from it will end up on our property, how will you keep storm water or other incidents from releasing water onto our land.

We do not have an impoundment pond that will release any water onto your land.

g. I am requesting all of the monitoring and any other pertinent info that may adversely effect our land, cattle or our health. Are you willing to supply this information?

This facility will have, tanks, pits, etc available to avoid any contamination. We are willing to supply you with the information we have available.

How close to the 5, 30 inch gas transmission lines will this well be and will they have to drive across the lines to reach their well site. In the event of a fire or explosion at the well site will these 5 transmission lines be effected.

There are 2, 30 inch gas transmission lines and 2, 36" transmission lines on the property, owned by other transmission companies. Trans Energy, Inc. will need to cross these lines. All of this work will follow the Texas Eastern pipeline requirements. Trans Energy crosses transmission lines in our normal course of business. We will take every safety precaution at these areas to prevent any hazardous situation..

I hope that I had addressed all of your concerns and comments.

Sincerely,



TransEnergy

Pa	age	of
API Number 47	5 <u>L</u> -	01545H
Operator's Well No.	Martinez 1H	

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION

OFFICE OF OIL AND GAS

Environmental protection of General Permit for oil and site registration application form General Permit for oil and gas pit waste discharge

OP Code

Operator Name Trans Energy Inc.		OP Co	ode		
Watershed Wharton Run	Quadrangle Cameron				
Elevation 1338'	County Marshall	Dis	strict Cameron		
Description of anticipated Pit Waste: No					
Do you anticipate using more than 5,000	bbls of water to complet	e the proposed well work	k? Yes X		
Will a synthetic liner be used in the pit?	<u>N/A</u>	so, what mil.? N/A		Closed too	1
Reuse (at API X Off Site Dispo	ion Injection (UIC Permit) Number sal (Supply form WW-	Number 9 for disposal location) orage containers and Buckeye Water Serv.)	
Drilling medium anticipated for this well -If oil based, what type? Synthe Additives to be used? None Will closed loop system be used? Yes Drill cuttings disposal method? Leave in -If left in pit and plan to solidify -Landfill or offsite name/permit	pit, landfill, removed o	ffsite, etc. All cuttings will be sed? Cement, lime, sawe	e hauled to app		
I certify that I understand and a on August 1, 2005, by the Office of Oil a provisions of the permit are enforceable law or regulation can lead to enforcemen I certify under penalty of law application form and all attachments to obtaining the information, I believe the penalties for submitting false information. Company Official Signature Company Official (Typed Name) Leslie Company Official Title VP Operations	and Gas of the West Virgiby law. Violations of it action. that I have personally hereto and that, based at the information is true, including the possibil	ginia Department of Envi any term or condition of examined and am famil on my inquiry of thos ae, accurate, and comple	ironmental Pr f the general p liar with the se individuals ete. I am av	otection. I understand that permit and/or other application information submitted on the immediately responsible	the able this for
Subscribed and sworn before me this	20 day of	December	SI SI	OFFICIAL SEAL E OF WEST VIRGINIA WOTARY PUBLIC Debra A. Martin S Energy Incorporated -210 2nd Street L Mary's, WV 26170 nission Expires Nov. 29, 2020	


,



5/-/545 # 1545
Operator's Well No. | Martinez 1H

L	EGEND	
Property Boundary	Diversion (4.44444444444444444444444444444444444	MARINE MARINE
Rond = = = = = = = = = = = = = = = = = = =	Spring	
Existing Fence — X — X — X —	Wet Spot	
Planned Fence/_/_/	Drain Pipe with size in inches	
Stream	Waterway \longleftrightarrow	
Open Drich	Cross Drain 77777777	
Rock ESSES	Artificial Filter Strip A A AXAX	*********
North N	Pit: cut walls	ulle
Buildings	Pit: compacted fill walls	THE
Water wells	Area for Land Application of Pit V	Vaste
Drill site	E-15	
		1 -
Proposed Revegetation Treatment: Acres Disturbed3.52 = Local	Prevegetation pH _	6.5
Lime 2 T Tons/acre or to correct to pH		
Fertilizer (10-20-20 or equivalent) 500 lbs.	facre (500 lbs minimum)	
Mulch 1Tons/s	ıcre	
	120	
See	d Mixtures	
Area I	Area	Il lbs/acre
Seed Type Ibs/acre	Seed Type	
Meadow Mix 100	Meadow Mix	100
Oats or Rye 50	Oats or Rye	50
		· · · · · · · · · · · · · · · · · · ·
•		
Attach: Drawing(s) of road, location,pit and proposed area for land app	plication.	
Photocopied section of involved 7.5' topographic sheet.		
Plan Approved by:	in Men His	1018
Plan Approved by:	- Long Miller Grade	eluste
Comments:		
Title: Calina mate To marker	Date: 12-20-11	
Title: Fryson Mak Inspector		
Field Reviewed? () Ves () No	

01/15/2012




MAY \$ 5 2012

TRANS ENERGY INC.

2.24.13 Dr.14

WELL SITE SAFETY PLAN Martinez 1H



MAJORSVILLE QUADRANGLE

SCALE 1" = 1000'

TRANS ENERGY, INC.

WELL: MARTINEZ 1 H
MARTINEZ +/- 457 ACRE LEASE



CAMERON **DISTRICT**

MARSHALL COUNTY

WEST VIRGINIA

