

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 18, 2013

WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-5101682, issued to NOBLE ENERGY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SHL25CHS

Farm Name: RUTHERFORD, DAVID

API Well Number: 47-5101682

Permit Type: Horizontal 6A Well

Date Issued: 11/18/2013

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95 % compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

					51	06	648
1) Well Operator:	Noble	Energy,	Inc	494501907	Marshall	Sandhill	Valley Grove
i) ii chi operation				Operator ID	County	District	Quadrangle
2) Operator's Well 1	Number:	SHL 25 C	CHS		Well Pad Nam	e: SHL 25	
Blevation, current	t ground:	1310'	E	levation, proposed	post-construc	tion: 1	1326'
	Other _	Shallow	Oil	Undergroun Deep	d Storage	-	-
(0) 11		Horizontal	_	Beep			
5) Existing Pad? Ye	s or No:	NO					
6) Proposed Target Target-Marcellus, Dept				ited Thicknesses an	nd Associated	Pressure(s):	
7) Proposed Total V	ertical De	epth:	6823'				
8) Formation at Tota	al Vertica	l Depth:	Marcellus				
9) Proposed Total M	Aeasured I	Depth:	15,630'				
10) Approximate Fr	esh Water	r Strata De	epths:	213', 300'			
11) Method to Deter			7.00	Offset well data			
12) Approximate Sa	altwater D	epths:	None noted for	or offsets			
13) Approximate Co			810', 866' I	Pittsburgh			
14) Approximate Do			d (coal mine	, karst, other):	None anti-	cipated, drilling in	pillar-see mine maps
15) Does proposed adjacent to an ac				directly overlying and depth of mine:	Wes Cha	emaker Mine with	base at appx. 866'
16) Describe propos Drill Horizontal leg - sti				epth to the Marcellus at an on.	estimated total ver	tical depth of appro	eximately 6,823 feet.
If we should encounter an u	unanticipated vo	oid we will install	casing at a minimum	m of 50' below the void but no	t more than 100' below	the void, set a baske	et and grout to surface.
17) Describe fractur The stimulation will be mu				1: well. Stage spacing is depend	dent upon engineering	design. Slickwater	fracturing technique will
be utilized on each sta	ige using san	d, water, and	chemicals. See	attached list.		_	
	40.00	including	roads stock	xpile area, pits, etc,	(acres):	34.92 acres	Peived

20)

CASING AND TUBING PROGRAM

ТҮРЕ	Size	New or Used	Grade	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	30"	N	LS	117#	40'	40'	CTS
Fresh Water	20"	N	LS	94#	400'	400'	CTS
Coal	13 3/8"	N	J-55	54.5#	1250'	1250'	CTS
Intermediate	9 5/8"	N	J-55	36#	3260'	3260'	CTS
Production	5 1/2"	N	P110	20#	15,630'	15,630'	TOC 200' above 9.625 shoe
Tubing							
Liners							<u></u>

WRH 8-27-13

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	30"	36"	0.375		Type 1/Class A	1.2
Fresh Water	20"	26"	.438	2110	Type 1/Class A	1.2
Coal	13 3/8"	17 1/2"	.380	2730	Type 1/Class A	1.2
Intermediate	9 5/8"	12 3/8"	.352	3520	Type 1/Class A	1.19
Production	5 1/2"	8 3/4" & 8 1/2"	.361	12,640	Type 1/Class A	1.27
Tubing						
Liners						

PACKERS

Kind:		
Sizes:		
Depths Set:		Receive

SEF _

Page 2 of 3

WV Dept. of Environment of Sac /2013

21) Describe centralizer placement for each casing string.	No centralizers will be used with conductor casing. Surface
casing will have bow spring centralizers on first 2 joints then every third joint to 100' from surface. Intermediate casing w	Ill have bow spring centralizers on first 2 joints then every third joint to 100' from surface. Production
string will have a rigid bow spring every joint to KOP, rigid	bow spring every third joint from KOP to top of
cement.	
22) Describe all cement additives associated with each cement	type. Conductor-1.15% CaCl2.
*Surface-15.6 ppg Type 1 +2% XxL, 0.25# Lost Circ 2	0% Excess Yield=1.18
Intermediate- 15.6 ppg Class A +0.4% Ret, 0.15% Disp, 0	0.2% AntiFoam, 0.125#/sk Lost circ 30% Excess
Yield=1.19 to surface. Production- 14.8 ppg class A 25:75:0 Syst	em +2.6% Cement extender, 0.7% Fluid Loss additive,
0.45% high temp retarder, 0.2% friction reducer 15% E	ccess Yield=1.27 TOC greater or equal to 200'
above 9.625" shoe.	
*Cement Blend for Surface Casing is a Sclumberger B	lend which has WVDEP Approval.

23) Proposed borehole conditioning procedures.

Conductor-The hole is drilled w/air and casing is run on air. Apart from insuring the hole is clean via air circulation at TD, there are no other conditioning procedures. Surface-The hole is drilled w/air and casing is run on air. Fill with KCl water once drilled to TD. Once casing is at setting depth, circulate a minimum of one hole volume prior to pumping cement.

Coal-The hole is drilled and cased w/air or on Freshwater based mud. Once casing is at setting depth, the hole is filled w/KCl water and a minimum of one hole volume is circulated prior to pumping cement. Intermediate-Once surface casing is set and cemented, intermediate hole is drilled either on air or or SOBM and filled with KCl water once drilled to TD. Production-The hole is drilled with SOBM and once to TD, circulated at maximum allowable pump rate for at least 6x bottoms up. Once on bottom with casing, circulate a minimum of one hole volume prior to pumping cement.

*Note: Attach additional sheets as needed.





WW-9
(3/13)

	Page of	
API Number 47 -		
Operator's	Well No. SHL 25 CHS	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

-51- 01682

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Noble Energ	gy, Inc	OP Code _494	4501907
Watershed (HUC 10) Whee	eling Creek	Quadrangle Valley Grove	
	County_Marshall		
	than 5,000 bbls of water to complete	the proposed well work? Yes	No
	e anticipated pit waste: Closed Loo	p-no pit will be utilized	
Will a synthetic line	r be used in the pit? Yes N	o If so, what ml.?	
Proposed Disposal N	Method For Treated Pit Wastes:		
Ur ■ Re	nd Application Inderground Injection (UIC Permit Nucleose (at API Number TBD-Next anticipate State Disposal (Supply form WW-9)	ed well	
Ot	her (Explain	-	
Will closed loop system be us	sed? Yes		
Drilling medium anticipated	for this well? Air, freshwater, oil base	ed, etc. Air thru intermediate stri	ng then SOBM
-If oil based, what ty	pe? Synthetic, petroleum, etc. Synthe	etic	
Additives to be used in drilling	ng medium? Please see attached list		
Drill cuttings disposal method	d? Leave in pit, landfill, removed offs	site, etc	
-If left in pit and pla	n to solidify what medium will be use	d? (cement, lime, sawdust)	
-Landfill or offsite n	ame/permit number? Please see attac	ched list	
on August 1, 2005, by the Of provisions of the permit are law or regulation can lead to I certify under pena application form and all att obtaining the information, I	rstand and agree to the terms and conception of Oil and Gas of the West Virging enforceable by law. Violations of an enforcement action. The standard of the transfer of the standard of the	nia Department of Environmentary term or condition of the general amined and am familiar with my inquiry of those individuate, accurate, and complete. I ar	al Protection. I understand that the eral permit and/or other applicable the information submitted on this luals immediately responsible for a ware that there are significant
Company Official Signature_	/\ \	Notary Public, State Of V	Nest Virginia R
Company Official (Typed N		Hard Rock Explorate P.O. Box 13059 Charlesto	on, WV 25380
Company Official Title_Reg	julatory recnnician	My Commission Expires No	vember 23, 2018 TI BCEIVED
Subscribed and sworn before	me this 27th day of Qu	uqual , 20_	13 SFF
James J. C	Solkins	Notary F	Public
My commission expires	Ovember 23,2015	· · · · · · · · · · · · · · · · · · ·	Office of Oil and Gas WV Dept. of Environments 262011

Operator's Well No. SHL 25 CHS

Noble Energy, Inc		
Proposed Revegetation Treatment: Acres Disturbed 34.92	Prevegetation pH	
Lime 2 to 3 Tons/acre or to correct to pH		
Fertilizer (10-20-20 or equivalent) 500 lbs/acre (500 lbs/acre)	os minimum)	
Mulch hay or straw at 2 Tons/acre		
Seed Mixtures		
Area I	Are	
Seed Type Ibs/acre	Seed Type	lbs/acre
Tall Fescue 40 Tall	Fescue	40
Ladino Clover 5 Lad	ino Clover	5
Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet.		
Plan Approved by: Bill Hendershot	erolught	
Comments:	•	
Title: Oil and Gas Inspector	8-27-13	
Date		Receive

SEF - 1

Office of Oil and Gas
WV Dept. of Environmental Protection

west virginia department of environmental protection



Water Management Plan: Primary Water Sources



WMP-01544

API/ID Number:

047-051-01682

Operator:

Noble Energy, Inc.

SHL25CHS

Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED NOV 1 2 2013

Source Summary

WMP-01544

API Number:

047-051-01682

Operator:

Noble Energy, Inc

SHL25CHS

Purchased Water

West Virginia American Water - Weston Water Treatme Source

Regulated Stream? **Stonewall Jackson Dam** Ref. Gauge ID:

Lewis

Owner:

West Virginia American

Water

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/1/2013

500,000

9/1/2014

10,817,000

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

170.57

Min. Passby (cfs)

DEP Comments:

Source

Bethlehem Water Department

Ohio

Owner:

Bethlehem Water

Department

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/1/2013

9/1/2014

10,817,000

Ohio River Min. Flow Ref. Gauge ID:

200,000

999999

Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm):

✓ Regulated Stream?

Min. Gauge Reading (cfs):

6,468.00

Min. Passby (cfs)

DEP Comments:

Bethlehem Water Department purchases all its water from the City of Wheeling.

Thresholds are set based on the location of the City of Wheeling's raw water intake.

Source

Wellsburg Water Department

Brooke

Owner:

Wellsburg Water Department

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

9/1/2013

9/1/2014

10,817,000

200,000

Ohio River Station: Willow Island Lock & Dam

Regulated Stream?

Ohio River Min. Flow Ref. Gauge ID:

9999999

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

6,468.00

Min. Passby (cfs)

DEP Comments:

This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

Source **Moundsville Water Board** Marshall Owner: Moundsville Water **Treatment Plant** Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 9/1/2013 9/1/2014 10,817,000 2,000,000 ✓ Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs) **DEP Comments:** This alluvial groundwater well is, to some extent, under the influence of the Ohio River. Please adhere to stated minimum flow requirements on the Ohio River for withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml Source **Dean's Water Service** Ohio Owner: **Dean's Water Service** Start Date **End Date** Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 9/1/2013 9/1/2014 10,817,000 600,000 Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: Ohio River Station: Willow Island Lock & Dam 999999 Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs) **DEP Comments:**

Source Wheeling Water Department Ohio Owner: Wheeling Water Department

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 9/1/2013 9/1/2014 10,817,000 17,500 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 99999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: Refer to the specified sation on the National Weather Service's Ohio River forecasts at

the following website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source Ohio County PSD Ohio Owner: Ohio county PSD

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:


9/1/2013 9/1/2014 10,817,000 720,000 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 99999999 Ohio River Station: Willow Island Lock & Dam


Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml



Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)
1	321.23	÷.	+
2	361.67	-	
3	465.85	+	-
4	266.43		-
5	273.47	+	1.0
6	137.03		1.5
7	88.78	9/	-
8	84.77	-	- 4
9	58.98	-	*
10	57.83	4	
11	145.12		
12	247.76	-	




Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	8.08
Pump rate (cfs):	
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	24.32
Base Threshold (cfs):	- 4

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

API/ID Number: 047-051-01682 Operator: Noble Energy, Inc WMP-01544 SHL25CHS Bethlehem Water Department Source Latitude: -Source ID: 28079 Source Name Bethlehem Water Department Source Longitude: -5030106 HUC-8 Code: 9/1/2013 Anticipated withdrawal start date: Ohio 25000 Drainage Area (sq. mi.): County: Anticipated withdrawal end date: 9/1/2014 **Endangered Species?** ✓ Mussel Stream? 10,817,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? Max. Pump rate (gpm): Ohio River Min. Flow Regulated Stream? Max. Simultaneous Trucks: City of Wheeling Proximate PSD? Max. Truck pump rate (gpm) Gauged Stream? Ohio River Station: Willow Island Lock & Dam 9999999 Reference Gaug 6468 25,000.00 Gauge Threshold (cfs): Drainage Area (sq. mi.) Estimated Median Threshold monthly flow Available (+ pump Month water (cfs) (cfs) 45,700.00 1 2 49,200.00 3 65,700.00 56,100.00 Δ 38,700.00 5 6 24,300.00 16,000.00 13,400.00 8 9 12,800.00 10 15,500.00

Water Availability Profile



Water Availability Assessment of Location

Base Threshold (cfs): Upstream Demand (cfs): Downstream Demand (cfs): Pump rate (cfs): Headwater Safety (cfs): 0.00 Ungauged Stream Safety (cfs): 0.00 Min. Gauge Reading (cfs): Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

11

12


26,300.00

41,300.00

WMP-01544	API/ID Number:	047-051-01682	Operator: Noble	Energy, Inc
Source ID: 28080 Source Name	Wellsburg Water Departme		Source Latitude: -	
☐ Trout Stream? ☐ Tie		Brooke	Source Longitude: - nticipated withdrawal start date: nticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm):	9/1/2013 9/1/2014 10,817,000
_ negalated off call.	burg Water Department		Max. Simultane Max. Truck pump	
Reference Gaug 99999 Drainage Area (sq. mi.)	Ohio River Station: \ 25,000.00	Willow Island Lock 8	Dam Gauge Threshold (cfs):	6468
Median Thresho monthly flow (+ pump (cfs)	Available			

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)	
1	45,700.00	2		
2	49,200.00	÷	4	
3	65,700.00	-		
4	56,100.00	~	14	
5	38,700.00	9.1	4	
6	24,300.00	9		
7	16,000.00	±		
8	13,400.00	**	4	
9	12,800.00	-		
10	15,500.00		1.	
11	26,300.00	2	1-	
12	41,300.00	-	7-	


Water Availability Profile




Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs):	
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	
Downstream Demand (cfs):	
Upstream Demand (cfs):	
Base Threshold (cfs):	-

[&]quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.




Water Availability Profile



Base Threshold (cfs): Upstream Demand (cfs): Downstream Demand (cfs): Pump rate (cfs): 0.00 Headwater Safety (cfs): Ungauged Stream Safety (cfs): 0.00 Min. Gauge Reading (cfs): Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

	WMP-0	1544	API/ID Number: 047- SHL25CHS	051-01682 Operator: Noble E	nergy, Inc
Source ID): 28082 Sou	rce Name Dean's	s Water Service	Source Latitude: -	
		Dean's	s Water Service	Source Longitude: -	
	HUC-8 Code:	5030106			
			Obi-	Anticipated withdrawal start date:	9/1/2013
	Drainage Area ((sq. mi.): 25000	O County: Ohio	Anticipated withdrawal end date:	9/1/2014
☐ Endangered Species? ✓ Mussel Stream?			Total Volume from Source (gal):	10,817,000	
☐ Tro	out Stream?	☐ Tier 3?		Total volume from Source (gai).	
✓ Reg	gulated Stream?	Ohio River M	lin. Flow	Max. Pump rate (gpm):	
Proximate PSD?			Max. Simultaneous Trucks:		
Dro	A DESCRIPTION OF THE PROPERTY			Iviax. Simultaneou	as ilucia.
	uged Stream?			Max. Truck pump ra	
✓ Gau		9999999	Ohio River Station: Willow	Max. Truck pump r	
✓ Gau	uged Stream?		0.00 Estimated	Max. Truck pump r	
☑ Gau	uged Stream? Reference Gaug Drainage Area (sq <u>Median</u> <u>monthly flow</u>	ן. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
✓ Gau	uged Stream? Reference Gaug Drainage Area (sq Median monthly flow (cfs)	n. mi.) 25,00	0.00 Estimated	Max. Truck pump ra	ate (gpm)
Gau	uged Stream? Reference Gaug Drainage Area (sq Median monthly flow (cfs) 45,700.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
✓ Gau	uged Stream? Reference Gaug Drainage Area (sq Median monthly flow (cfs)	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
✓ Gau Wonth 1 2	Reference Gaug Drainage Area (sq Median monthly flow (cfs) 45,700.00 49,200.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Month 1 2 3	Reference Gaug Drainage Area (sq Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Month 1 2 3 4	Median monthly flow (cfs) 45,700.00 49,200.00 56,100.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
✓ Gau Month 1 2 3 4 5	Median monthly flow (cfs) 45,700.00 49,200.00 56,100.00 38,700.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Vionth 1 2 3 4 5 6	Median Me	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Month 1 2 3 4 5 6 7	Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Month 1 2 3 4 5 6 7 8 9 10	Median Me	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)
Month 1 2 3 4 5 6 7 8 9	Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00	n. mi.) 25,00	00.00 Estimated Available	Max. Truck pump ra	ate (gpm)



Base Threshold (cfs):	-
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00

Water Availability Assessment of Location

Min. Gauge Reading (cfs): Passby at Location (cfs): -

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

			Source	e Detail			
	WMP-0	1544	API/ID Number:	047-051-0168 IL25CHS	2 Operator:	Noble Er	nergy, Inc
Source II		Whee	ling Water Departme ling Water Departme			Latitude: -	
	HUC-8 Code: Drainage Area (5030106 (sq. mi.): 2500	O County:	Ohio	Anticipated withdrawal		9/1/2013 9/1/2014
	dangered Species? out Stream?	? ✓ Mussel St ☐ Tier 3?	ream?		Total Volume from S		10,817,000
✓ Regulated Stream? Ohio River Min. Flow✓ Proximate PSD? Wheeling Water Department✓ Gauged Stream?				Max. Pump rate (gpm): Max. Simultaneous Trucks: Max. Truck pump rate (gpm)			
Month	Reference Gaug Drainage Area (so Median monthly flow	9999999 1. mi.) 25,00 Threshold (+ pump	Estimated Available	Willow Island Loc		reshold (cfs):	6468
	(cfs) 45,700.00		water (cfs)				
2	49,200.00		-				
3	65,700.00		2				
4	56,100.00						
5	38,700.00						
6	24,300.00						
7	16,000.00	-					
8	13,400.00		3				
9	12,800.00	2					
10	15,500.00	-					
11	26,300.00	-					
12	41,300.00	4					

Water Availability Profile Median Monthly Flow — Threshold

Base Threshold (cfs):	-
Upstream Demand (cfs):	
Downstream Demand (cfs):	
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

WMP-01544 API/ID Number: 047-051-01682 Operator: Noble Energy, Inc SHL25CHS Ohio County PSD 28085 Source Latitude: -Source ID: Source Name Ohio county PSD Source Longitude: -5030106 HUC-8 Code: 9/1/2013 Anticipated withdrawal start date: Ohio Drainage Area (sq. mi.): 25000 County: Anticipated withdrawal end date: 9/1/2014 **Endangered Species?** ✓ Mussel Stream? 10,817,000 Total Volume from Source (gal): Trout Stream? Tier 3? Max. Pump rate (gpm): Ohio River Min. Flow Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? Wheeling Water Department Max. Truck pump rate (gpm) Gauged Stream? Ohio River Station: Willow Island Lock & Dam 9999999 Reference Gaug 25,000.00 6468 Gauge Threshold (cfs): Drainage Area (sq. mi.) **Estimated** Median Threshold Available monthly flow (+ pump Month water (cfs) (cfs) 45,700.00 1 2 49.200.00 3 65,700.00 4 56.100.00 5 38,700.00 24,300.00 6 16,000.00 8 13,400.00 9 12,800.00 10 15,500.00 11 26,300.00 41,300.00 12 Water Availability Assessment of Location Water Availability Profile Base Threshold (cfs): Upstream Demand (cfs): 80000 Downstream Demand (cfs): 60000 eam is regulated by the Army Corps of Pump rate (cfs): here to the stated thresholds to 40000 0.00 maintain the minimum guaranteed flow requirements. Headwater Safety (cfs): 20000 Ungauged Stream Safety (cfs): 0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

Min. Gauge Reading (cfs): Passby at Location (cfs):

1

2

3

5

6

7

Median Monthly Flow — Threshold

8

9

west virginia department of environmental protection



Water Management Plan: Secondary Water Sources



WMP-01544

API/ID Number

047-051-01682

Operator:

Noble Energy, Inc.

SHL25CHS

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Multi-site impoundment

Source ID: 28086 Source Name

SHL #3 Pad Tank Farm

Source start date:

9/1/2013

Source end date:

9/1/2014

Source Lat:

39.971171

Source Long:

-80.556856

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,817,000

DEP Comments:

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-1435

SHL25CHS

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

SHL #4 Pad Tank Farm Source ID: 28087 Source Name

Source start date:

Source end date:

9/1/2013 9/1/2014

Source Lat:

39.956739 Source Long: -80.5515

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,817,000

DEP Comments:

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-1436

Source ID: 28088 Source Name

SHL #1 Centralized Freshwater Impoundment

Source start date:

9/1/2013

Source end date:

9/1/2014

Source Lat:

39.979696

Source Long:

-80.579465

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,817,000

DEP Comments:

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-200

SHL25CHS

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

SHL #2 Centralized Waste Pit Source ID: 28089 Source Name

Source start date: Source end date: 9/1/2013 9/1/2014

Source Lat:

39.966973 Source Long: -80.561377

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,817,000

DEP Comments:

WV51-WPC-00001

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-201

Source ID: 28090 Source Name

SHL #3 Centralized Waste Pit

Source start date:

9/1/2013

Source end date:

9/1/2014

Source Lat:

39.974133

Source Long:

-80.55527

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,817,000

DEP Comments:

WV51-WPC-00002

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-202

WMP-01544 API/ID Number 047-051-01682 Operator: Noble Energy, Inc

SHL25CHS

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 28091 Source Name SHL #4 Centralized Waste Pit Source start date: 9/1/2013
Source end date: 9/1/2014

Source Lat: 39.963284 Source Long: -80.562743 County Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal): 10,817,000

DEP Comments: WV51-WPC-00003

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-204

Purchased Water

Source ID: 28083 Source Name Bridgeport Ohio Water Department Source start date: 9/1/2013

Public Water Provider Source end date: 9/1/2014

Source Lat: 40.08348 Source Long: -80.736488 County

Max. Daily Purchase (gal) 200,000 Total Volume from Source (gal): 10,817,000

Max. Daily Purchase (gar) 200,000 Total Volume from Source (gar).

DEP Comments: Please ensure that purchases from this source are approved by, and completed in accordance with, requirements set forth by the State of Ohio Department of

Environmental Protection.

WMP-01544 API/ID Number 047-051-01682 Operator; Noble Energy, Inc

SHL25CHS

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Recycled Frac Water

Source ID: 28092 Source Name SHL25 Well Pad Source start date:

Source end date: 9/1/2014

9/1/2013

Source Lat: Source Long: County

Max. Daily Purchase (gal) Total Volume from Source (gal): 10,817,000

DEP Comments: Sources include, but are not limited to, the SHL25 well pad.

NOTES: There are no water wells or developed springs within 250' of proposed well. There are no existing buildings within 625 of proposed well. Proposed well is greater than 100' from perennial stream, wetland, pond, reservoir or lake. There are no native trout streams within 300' of proposed well. Proposed well is greater than 1000' from surface/groundwater Intake or public water supply. D JOHN & KARA GRAY FRANKLIN J. PROVANCE SHL25CHS VALLEY GROVE FAZAL KHANW MAJORSVILLE 3 0 Golden H PREPARED FOR: SHL25CHS NOBLE ENERGY, INC. LOCATION MAP 333 TECHNOLOGY DRIVE MARSHALL COUNTY **SUITE 116** SAND HILL DISTRICT **CANNONSBURG, PA 15317 WEST VIRGINIA** LEGEND Blue Mountain Engineering TOPO QUAD: VALLEY GROVE, WV-PA (W) – WATER PURVEYOR 11023 MASON DIXON HIGHWAY BURTON, WV 26562 PHONE: (304) 662-6486 SCALE: 1" = 2000" - EXISTING WELLS DATE: July 2, 2013

