

### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

November 22, 2013

#### WELL WORK PERMIT

#### Horizontal 6A Well

This permit, API Well Number: 47-5101688, issued to NOBLE ENERGY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: SHL23CHS

Farm Name: HALL, ROBERT W. JR., ET AL

API Well Number: 47-5101688

Permit Type: Horizontal 6A Well

Date Issued: 11/22/2013

API Number: 51-01688

### PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

### **CONDITIONS**

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACOE). Through this permit, you are hereby being advised to consult with USACOE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

					51	06	453
1) Well Operator:	Noble	e Energy	, Inc	494501907	Marshall	Sandhill	Majorsville
•				Operator ID	County	District	Quadrangle
2) Operator's Well	Number	SHL 23	CHS	V	Vell Pad Nam	e: SHL 23	
3 Elevation, curren	t ground	: 1376'	1	Elevation, proposed	post-construc	tion: 1	1374.75'
4) Well Type: (a) C	Gas		Oil	Underground	d Storage		_
(b) I 5) Existing Pad? Ye			V.Y. 0.3	Deepated Thicknesses an	d Associated	Pressure(s):	
Target-Marcellus, Dep	th-6904', T	hickness-50', P	ressure-4590#				
7) Proposed Total V	ertical I	Depth:	6944'				
8) Formation at Tot	al Vertic	al Depth:	Marcellus				
9) Proposed Total N	Aeasured	Depth:	13,670				
10) Approximate Fi	resh Wat	er Strata De	epths:	264'			
11) Method to Dete	rmine Fr	esh Water	Depth:	Offset well data			
12) Approximate Sa	altwater	Depths:	None noted	for offsets			
13) Approximate Co	oal Sean	Depths:	862', 866'	Pittsburgh			
14) Approximate D	epth to F	Possible Vo	id (coal min	e, karst, other):	None antic	cipated, drilling in p	pillar-see mine maps
				s directly overlying of and depth of mine:	Yes, Shoe	emaker Mine with	ı base at appx. 866'
16) Describe propos	sed well	work:	Drill the vertical	depth to the Marcellus at an	estimated total vert	ical depth of appro	ximately 6,904 feet.
Drill Horizontal leg - st							and attitude of a
	4-4-20	to the second	and later	um of 50' below the void but not	more than 100' below	the void, set a baske	at and grout to surface.
<ol> <li>Describe fracture</li> <li>The stimulation will be mu</li> </ol>				<ul><li>well. Stage spacing is dependent</li></ul>	ent upon engineering	design. Slickwater f	fracturing technique will
be utilized on each sta	ige using sa	and, water, and	chemicals. See	attached list. Anticipated	pressures for fract	uring will not exce	ed 10,000 psi.
18) Total area to be				kpile area, pits, etc,	(acres): ( 9.16 acres		IVED I and Gas
						SEP 3 (	1201Page 1 of 3

### 20)

### CASING AND TUBING PROGRAM

TYPE	Size	New or Used	Grade	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	30"	N	LS	117#	40'	40'	CTS
Fresh Water	20"	N	LS	94#	400'	400'	CTS
Coal	13 3/8"	N	J-55	54.5#	√ 1326'	1326'	CTS
Intermediate	9 5/8"	N	J-55	36#	√ 3381′	3381'	CTS
Production	5 1/2"	N	P110	20#	13,670'	13,670'	TOC 200' above 9.625 shoe
Tubing							
Liners							

MK 1/10/2013

TYPE	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	30"	36"	0.375		Type 1/Class A	1.2
Fresh Water	20"	26"	.438	2110	Type 1/Class A	1.2
Coal	13 3/8"	17 1/2"	.380	2730	Type 1/Class A	1.2
Intermediate	9 5/8"	12 3/8"	.352	3520	Type 1/Class A	1.19
Production	5 1/2"	8 3/4" & 8 1/2"	.361	12,640	Type 1/Class A	1.27
Tubing						
Liners						

**PACKERS** 

Kind:	
Sizes:	BECEIVED
Depths Set:	Office of Oil and Gas

OCT 0 72013

WW - 6B (3/13)

) Describe centralizer placement for each casing string.	No centralizers will be used with conductor casing. Surface
casing will have bow spring centralizers on first 2 joints then every third joint to 100' from surface. Intermediate casing will	have bow spring centralizers on first 2 joints then every third joint to 100' from surface. Production
string will have a rigid bow spring every joint to KOP, rigid	bow spring every third joint from KOP to top of
cement.	
2) Describe all cement additives associated with each cement	type. Conductor-1.15% CaCl2.

Sch. Variance 10/31/13 Surface and Coal-15.6 ppg Type 1 +2% CaCl, 2% Accelerator, 0.2% Antifoam and 0.125#/sk Flake. Excess Yield 1.18 Intermediate- 15.6 ppg Class A +0.4% Ret, 0.15% Disp, 0.2% AntiFoam, 0.125#/sk Lost circ 30% Excess Yield=1.19 to surface. Production- 14.8 ppg class A 25:75:0 System +2.6% Cement extender, 0.7% Fluid Loss additive, 0.45% high temp retarder, 0.2% friction reducer 15% Excess Yield=1.27 TOC greater or equal to 200' above 9.625" shoe.

23) Proposed borehole conditioning procedures.

Conductor-The hole is drilled w/air and casing is run on air. Apart from insuring the hole is clean via air circulation at TD, there are no other conditioning procedures. Surface-The hole is drilled w/air and casing is run on air. Fill with KCI water once drilled to TD. Once casing is at setting depth, circulate a minimum of one hole volume prior to pumping cement. Coal-The hole is drilled and cased w/air or on Freshwater based mud. Once casing is at setting depth, the hole is filled w/KCI water and a minimum of one hole volume is circulated prior to pumping cement. Intermediate-Once surface casing is set and cemented, intermediate hole is drilled either on air or or SOBM and filled with KCI water once drilled to TD. Production-The hole is drilled with SOBM and once to TD, circulated at maximum allowable pump rate for at least 6x bottoms up. Once on bottom with casing, circulate a minimum of one hole volume prior to pumping cement.

\*Note: Attach additional sheets as needed.

₹ECEIVED Office of Oil and Gas

NOV 20 2013

WY Department of Environmental Protection Page 3 of 3

	n	no	ble	ЭУ					DRILLING V SHL-23C-HS ( Macellus Sha Marshall C	Marcellus HZ) le Horizontal	
						SHL-2	C SHL	(Lat/Long)	(54674	8.36N, 1713095.34	E) (NAD27)
Ground E	levation		1376'			SHL-2	3C LP (	Lat/Long)	(55001	5.23N, 1714194.29	E) (NAD27)
Azı	(500000000		325°					(Lat/Long)		341N, 1711165.36E	241 4 LD & P. L. A. B. A. C. L.
WELLBORE		HOLE	CASING	GEOLOGY	MD	TVD	MUD	CEMENT	CENTRALIZERS	CONDITIONING	COMMENTS
		36	30" 117#			tra bi	AIR	To Surface	N/A	Ensure the hole is clean at	Stabilize surface fill/soil.
		36	30 11/#	Conductor	40	40	AIR	16 Surface	N/A	TD.	Conductor casing = 0.375" v thickness
		26	20" 94#				AIR	15.6 ppg Type 1 + 2% CaCl, 0.25# Lost Circ 30% Excess	Centralized every 3 joints to surface	Fill with KCI water once drilled to TD. Once casing is at setting depth, circulate a minimum of one hole	Surface casing = 0.438" wa thickness Burst=2730 psi
				Surface Casing	400	400		Yield = 1.18		volume prior to pumping cement.	Duiot 2100 por
	201		13-3/8* 54.5#				AIR	15.6 ppg Type 1 + 2% CaCl, 0.25# Lost Circ	Bow Spring on first 2 joints then every third joint to 100' form surface	Fill with KCI water once drilled to TD. Once casing is at setting depth, circulate a minimum of one hole volume prior to pumping cement.	Intermediate casing = 0.380
x	×	17 1/2	J-55 BTC	Pittsburgh Coal	862	862		30% Excess			wall thickness Burst=2730 psi
				Int. Casing	1326	1326		Yield = 1.18			
×	×			Big Lime	2020	2020		15.6ppg Class A		En a kom-	
				Big Injun	2113	2113		+0.4% Ret, 0.15% Disp, 0.2% AntiFoam,	Bow spring centralizers	Fill with KCI water once drilled to TD. Once casing is	Casing to be ran 250' below
		12 3/8	9-5/8" 36# J-55 LTC	5th Sand Base	3131	3131	AIR	0.125#/sk Lost Circ	every third joint to 100'	at setting depth, circulate a minimum of one hole	the 5th Sand, Intermediate casing = 0.352" wall thickne
×	×		3-33 LTC					20% Excess Yield=1.19 To Surface	feet from surface,	volume prior to pumping cement.	Burst=3520 psi
				Int. Casing	3381	3381					
×	×			Warren Sand		4602			Rigid Bow Spring every third joint from KOP to TOC		
		8.75" Vertical		Java		5255	8.0ppg - 9.0ppg				
		U.75 VOILIGA		Angola		5487	SOBM	14.8ppg Class A 25:75:0			
				Rhinestreet		6117		System		Once at TD, circulate at max allowable pump rate for at least 6x bottoms up. Once on bottom with	Production casing = 0.361* wall thickness Burst=12640 psi Note:Actual centralizer schedules may be changed
								+2.6% Cement extender, 0.7% Fluid Loss			
			5-1/2"	Cashaqua		6551		additive, 0.45% high temp retarder, 0.2%			
X	X	1.7.04	20#	Middlesex		6646	12.0ppg-	friction reducer			
		8.75" Curve	HCP-110 TXP BTC	West River		6682	12.5ppg SOBM	10% Excess		casing, circulate a minimum	
24		100		Burkett		6737	20000	Yield=1.27	Rigid Bow Spring every	of one hole volume prior to pumping cement.	due to hole conditions
			1	Tully Limestone		6761		TOC >= 200'	joint to KOP	pumping cement.	
1			-	Hamilton Marcellus		6792 6904		above 9.625" shoe			
		8.75" - 8.5"	-		1545		12.0ppg-				
		Lateral		TD	13670	6944	12.5ppg SOBM				
X	X			Onondaga		6954					
		44° TVD / 8389° MD		8.75 / 8.		emented Lo	ng String			31' ft Lateral	TD @ +/-6944' TVD +/-13670' MD

RECEIVED
Office of Oil and Gas

SEP 3 0 2013

WV Department of Environmental Posteroi 43

	Pag	e	of
API Number 47 -	-	01688	
Operator's W	ell No. S	HL 23 CHS	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

### FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Noble Energy, Inc OP Code 494501907
Watershed (HUC 10) Robinson Fork-Enlow Fork Quadrangle Majorsville
Elevation 1376' County Marshall District Sandhill
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used for drill cuttings? Yes No
If so, please describe anticipated pit waste: Closed Loop-no pit will be utilized
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application
Underground Injection (UIC Permit Number)
Reuse (at API Number TBD-Next anticipated well  Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop system be used? Yes
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. Air thru intermediate string then SOBM
-If oil based, what type? Synthetic, petroleum, etc. Synthetic
Additives to be used in drilling medium? Please see attached list
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc.
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Please see attached list
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.  I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature OFFICIAL SEAL
Company Official (Typed Name) Jessica Leska Notary Public, State Of West Virginia RECEIVED
Company Official Title Regulatory Technician  Hard Rock Exploration, Inc. PO. Box 13059 Charleston, Wy 25380
My Commission Expires November 23, 2015 SEP 3 0 2013
Subscrifted and sworn before me this 25th day of September, 2013  WV Department of Environmental Protection
My commission expires Nember 23, 2015  11/22/2013

# **Site Water/Cuttings Disposal**

### **Cuttings**

### **Haul off Company:**

Eap Industries, Inc. DOT # 0876278 1575 Smith Twp State Rd. Atlasburg PA 15004 1-888-294-5227

MAX Environmental Technologies, 233 Max Lane Yukon, PA 25698 PAD004835146

### **Disposal Locations:**

Apex Environmental, LLC Permit # 06-08438 11 County Road 78 Amsterdam, OH 43903 740-543-4389

Westmoreland Waste, LLC Permit # 100277 111 Conner Lane Belle Vernon, PA 15012 724-929-7694

Sycamore Landfill (Allied Waste) R30-07900105-2010 4301 Sycamore Ridge Road Hurricane, WV 25526 304-562-2611

### **Water**

### **Haul off Company:**

Dynamic Structures, Clear Creek DOT # 720485 3790 State Route 7 New Waterford, OH 44445 330-892-0164

### **Disposal Location:**

Solidification
Waste Management, Arden Landfill Permit # 100172
200 Rangos Lane
Washington, PA 15301
724-225-1589

Solidification/Incineration Soil Remediation, Inc. Permit # 02-20753 6065 Arrel-Smith Road Lowelville, OH 44436 RECEIVED
Office of Oil and Gas

SEP 302013

WV Department of Environmental Protection

Form WW-9


Operator's Well No. SHL 23 CHS

Noble Energy, I				
Proposed Revegetation Treatm  Lime 2 to 3  Fertilizer (10-20-20 or Mulch hay or s	Tons/acre or to correct requivalent)	5.78 acres  t to pH lbs/acre (500 lbs mi		
		Seed Mixtures		
Seed Type  Tall Fescue	lbs/acre	Tall Fe	Area Seed Type SCUE	a II Ibs/acre 40
Ladino Clover	5	Ladino	Clover	5
Plan Approved by: Bill He	ndersnot	Layn J. Kn	tw Jan	- Cleekoli
Oil and Cas I	Inanastar	1	,	
Title: Oil and Gas I	HISPECTOF	Date: //	12-013	-
Field Reviewed?	Yes (	) No		

RECEIVED
Office of Oil and Gas

0 7 2013

F.



Site Safety Plan

188 (2013 1011/2013

Noble Energy, Inc. SHL 23 CHS

**JULY 2013** 

For Submission to
West Virginia Department of Environmental Protection,
Office of Oil and Gas

Noble Energy, Inc.
Appalachia Offices
333 Technology Drive, Suite 116
Canonsburg, PA 15317-9504

## west virginia department of environmental protection



# Water Management Plan: Primary Water Sources



WMP-01587

API/ID Number:

047-051-01688

Operator:

Noble Energy, Inc.

SHL23CHS

### Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- •Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- •Minimum flows required by the Army Corps of Engineers; and
- Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED NOV 2 0 2013

### **Source Summary**

WMP-01587 API Number: 047-051-01688 Operator: Noble Energy, Inc.
SHL23CHS

### Stream/River

8/21/2013

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 8/21/2013 8/21/2014 10,164,000 39.95205 -80.56189

Regulated Stream? Ref. Gauge ID: 3111955 Wheeling Creek near Majorsville, WV

Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): 18.23 Min. Passby (cfs) 16.63

**DEP Comments:** 

o Source Wheeling Creek Pump Station 2 @ CNX Land Resources Marshall Owner: CNX Land Resources, Inc.

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

10,164,000

Regulated Stream? Ref. Gauge ID: 3111955 Wheeling Creek near Majorsville, WV

Max. Pump rate (gpm): 1,000 Min. Gauge Reading (cfs): 18.23 Min. Passby (cfs) 16.24

**DEP Comments:** 

8/21/2014

39.949578

-80.531256

### Source Summary

WMP-01587

API Number:

047-051-01688

Operator:

Noble Energy, Inc.

SHL23CHS

### **Purchased Water**

West Virginia American Water - Weston Water Treatme Source

Lewis

Owner:

West Virginia American

Water

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

8/21/2013

8/21/2014

10.164.000

500,000

✓ Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

170.57

Min. Passby (cfs)

**DEP Comments:** 

Bethlehem Water Department

Ohio

Owner:

Bethlehem Water

Department

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

8/21/2013

8/21/2014

10,164,000

200,000

9999999

Ohio River Station: Willow Island Lock & Dam

✓ Regulated Stream?

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

Ohio River Min. Flow Ref. Gauge ID:

6,468.00

Min. Passby (cfs)

DEP Comments:

Bethlehem Water Department purchases all its water from the City of Wheeling. Thresholds are set based on the location of the City of Wheeling's raw water intake.

Source

Wellsburg Water Department

Brooke

Owner:

Wellsburg Water Department

Start Date

End Date

Total Volume (gal)

Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

8/21/2013

8/21/2014

10,164,000

200,000

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID:

9999999

Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm):

Min. Gauge Reading (cfs):

6,468.00

Min. Passby (cfs)

**DEP Comments:** 

This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

o Source Moundsville Water Board Marshall Owner: Moundsville Water Treatment Plant

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 2,000,000 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 99999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

Source Dean's Water Service Ohio Owner: Dean's Water Service

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 600,000 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): Min. Gauge Reading (cfs): **6,468.00** Min. Passby (cfs)

DEP Comments:

o Source Wheeling Water Department Ohio Owner: Wheeling Water Department Department

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 17,500 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: Refer to the specified sation on the National Weather Service's Ohio River forecasts at

the following website: http://www.erh.noaa.gov/ohrfc//flows.shtml

Source Ohio County PSD Ohio Owner: Ohio County PSD

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 720,000 - -

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: Refer to the specified station on the National Weather Service's Ohio River forecast

website: http://www.erh.noaa.gov/ohrfc//flows.shtml

#### Source Summary

WMP-01587

End Date

API Number:

047-051-01688

Operator:

Noble Energy, Inc

Consol Energy

SHL23CHS

### **Ground Water**

Start Date

Source Shoemaker Groundwater Well #3 Marshall Owner:

Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 40.0222 -80.73389

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): 800 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

Source Shoemaker Groundwater Well #4 Marshall Owner: Consol Energy

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 40.022293 -80.733586

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 99999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): 800 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

Source Shoemaker Groundwater Well #5 Marshall Owner: Consol Energy

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude:

8/21/2013 8/21/2014 10,164,000 40.021256 -80.734568

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): 800 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: This alluvial groundwater well is, to some extent, under the influence of the Ohio River.

Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

Source Shoemaker Groundwater Well #6 Marshall Owner: Consol Energy

Start Date End Date Total Volume (gal) Max. daily purchase (gal) Intake Latitude: Intake Longitude: 8/21/2013 8/21/2014 10,164,000 40.02076 -80.73397

Regulated Stream? Ohio River Min. Flow Ref. Gauge ID: 9999999 Ohio River Station: Willow Island Lock & Dam

Max. Pump rate (gpm): 800 Min. Gauge Reading (cfs): 6,468.00 Min. Passby (cfs)

DEP Comments: This alluvial groundwater well is, to some extent, under the influence of the Ohio River.


Please adhere to stated minimum flow requirements on the Ohio River for

withdrawals. http://www.erh.noaa.gov/er/ohrfc/flows.shtml

WMP-01587	API/ID Number:	047-051-0168 23CHS	8 Operator: Noble	Energy, Inc
Journal 197	Shoemaker Groundwater W Consol Energy		Source Latitude: 4	0.0222 80.73389
☐ Trout Stream? ☐ Tier  ✓ Regulated Stream? Ohio R ☐ Proximate PSD?	25000 County: Nossel Stream?	1arshall	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal): Max. Pump rate (gpm): Max. Simultane	
Gauged Stream?  Reference Gaug 999999  Drainage Area (sq. mi.)	99 Ohio River Station: V 25,000.00	Villow Island Loc	Max. Truck pump k & Dam Gauge Threshold (cfs)	
Median Threshold  monthly flow (+ pump	Estimated Available water (cfs)			

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)
1	45,700.00	- 19	
2	49,200.00	-	4
3	65,700.00	5	2
4	56,100.00	2	1.5
5	38,700.00		1.4
6	24,300.00	-	-
7	16,000.00	-	
8	13,400.00	9	~
9	12,800.00	-	-
10	15,500.00		
11	26,300.00	-	
12	41,300.00	-	-






### Water Availability Assessment of Location

Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	1.78
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

			Sourc	e Detail		
	WMP-0	1587	API/ID Number:	047-051-01688 IL23CHS	3 Operator: Noble	Energy, Inc
iource II	D: 30042 Sou	rec rrante	aker Groundwater \ Energy	Well #4	Source Latitude: 40	
	HUC-8 Code:  Drainage Area ( dangered Species? out Stream?			Marshall	Anticipated withdrawal start date: Anticipated withdrawal end date: Total Volume from Source (gal):	8/21/2013 8/21/2014 10,164,000
Rep	gulated Stream? oximate PSD?	Ohio River M	in. Flow		Max. Pump rate (gpm):  Max. Simultane  Max. Truck pump	
	uged Stream?	9999999	Ohio River Station:	Willow Island Loc		race (Bhill)
	Reference Gaug Drainage Area (sq			Willow Island Loci	Gauge Threshold (cfs):	6468
<u>Month</u>	Median monthly flow (cfs)	Threshold (+ pump	Estimated Available water (cfs)			
1	45,700.00	-	1-1			
2	49,200.00	751	12			
3	65,700.00		1 7			
4	56,100.00	12.0	V			
5	38,700.00					
6	24,300.00	- 1	119.1			
7	16,000.00	4.00	-			
8	13,400.00	-	1.6			
9	12,800.00		117			
10	15,500.00	-	1.2			





### Water Availability Assessment of Location

Base Threshold (cfs): Upstream Demand (cfs): 0.00 0.00 Downstream Demand (cfs): 1.78 Pump rate (cfs): Headwater Safety (cfs): 0.00 Ungauged Stream Safety (cfs): 0.00 Min. Gauge Reading (cfs):

Passby at Location (cfs):


"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

11

26,300.00 41,300.00

	WMP-0	1587	API/ID Number:	047-051-0168 SHL23CHS	3 Operator: Nob	le Energy, Inc
Source II	D: 30043 Sou	irce Name Shoer	maker Groundwater	r Well #5	Source Latitude:	40.021256
		Consc	ol Energy		Source Longitude:	-80.734568
☐ En	HUC-8 Code:  Drainage Area ( dangered Species			Marshall	Anticipated withdrawal start date Anticipated withdrawal end date	8/21/2014
-	out Stream?	☐ Tier 3?	ream:		Total Volume from Source (gal)	: 10,164,000
	gulated Stream?	Ohio River M	1in. Flow		Max. Pump rate (gpm)	
	oximate PSD?				Max. Simulta	neous Trucks:
✓ Ga	uged Stream?				Max. Truck pur	np rate (gpm)
	Reference Gaug Drainage Area (sq	9999999 <sub>1</sub> . mi.) 25,00		n: Willow Island Lock	& Dam Gauge Threshold (cf	s): 6468
	Reference Gaug Drainage Area (sq  Median  monthly flow		00.00  Estimated Available	n: Willow Island Lock		5): 6468
<u>Month</u>	Reference Gaug Drainage Area (sq  Median monthly flow (cfs)	1. mi.) 25,00 Threshold	00.00 Estimated	n: Willow Island Lock		s): 6468
Vlonth 1	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		5): 6468
Month  1 2 3	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3 4	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		5): 6468
Month  1 2 3 4 5	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3 4 5 6	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3 4 5 6 7	Reference Gaug  Drainage Area (sq. Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3 4 5 6 7 8	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00 13,400.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468
Month  1 2 3 4 5 6 7 8 9	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00	1. mi.) 25,00 Threshold	00.00  Estimated Available	n: Willow Island Lock		s): 6468

### **Water Availability Profile**



### Water Availability Assessment of Location


Base Threshold (cfs):	
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	1.78
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	
Passby at Location (cfs):	

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

Drainage Area (sq. mi.): 25000 County: Marshall  Endangered Species? ☐ Mussel Stream? Total Volu  Trout Stream? ☐ Tier 3?  ✓ Regulated Stream? Ohio River Min. Flow M  Proximate PSD?  ✓ Gauged Stream?  Reference Gaug 999999 Ohio River Station: Willow Island Lock & Dam	Source Latitude: 40. Source Longitude: -80 withdrawal start date: withdrawal end date:	
Drainage Area (sq. mi.): 25000 County: Marshall  Endangered Species? ☐ Mussel Stream? Total Volu  Trout Stream? ☐ Tier 3?  ✓ Regulated Stream? Ohio River Min. Flow M  Proximate PSD?  Gauged Stream?  Reference Gaug 999999 Ohio River Station: Willow Island Lock & Dam	withdrawal end date:	
<ul> <li>✓ Regulated Stream? Ohio River Min. Flow</li> <li>✓ Proximate PSD?</li> <li>✓ Gauged Stream?</li> <li>✓ Reference Gaug</li> <li>✓ Ohio River Station: Willow Island Lock &amp; Dam</li> </ul>	me from Source (gal):	10,164,000
Reference Gaug 9999999 Ohio River Station: Willow Island Lock & Dam	1ax. Pump rate (gpm):  Max. Simultaneou	800 us Trucks:
Hererone assay	Max. Truck pump ra	ate (gpm)
Drainage Area (sq. mi.) 25,000.00	Gauge Threshold (cfs):	6468
Month Median Threshold Estimated Available water (cfs)		
1 45,700.00		

Month	(cfs)	(+ pump	water (cfs)
1	45,700.00	-	
2	49,200.00	-	14
3	65,700.00	~	4
4	56,100.00	-	14
5	38,700.00	÷	-
6	24,300.00	-	
7	16,000.00	2	-
8	13,400.00	4)	
9	12,800.00	*1	2
10	15,500.00	5	4
11	26,300.00	-	
12	41,300.00	-	¥

### **Water Availability Profile**



### Water Availability Assessment of Location

Base Threshold (cfs):	
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	1.78
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Min. Gauge Reading (cfs):	a.
Passby at Location (cfs):	

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.


WMP-01587 API/ID Number: 047-051-01688 Operator: Noble Energy, Inc SHL23CHS West Virginia American Water - Weston Water Treat Source ID: 30045 Source Name Source Latitude: -West Virginia American Water Source Longitude: -5020002 HUC-8 Code: 8/21/2013 Anticipated withdrawal start date: Drainage Area (sq. mi.): 104.83 Lewis County: 8/21/2014 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 10,164,000 Total Volume from Source (gal): Trout Stream? Tier 3? Max. Pump rate (gpm): Stonewall Jackson Dam Regulated Stream? Max. Simultaneous Trucks: Weston WTP Proximate PSD? Max. Truck pump rate (gpm) Gauged Stream? Reference Gaug 3061000 WEST FORK RIVER AT ENTERPRISE, WV

Month	Median monthly flow (cfs)	Threshold (+ pump	Estimated  Available  water (cfs)
1	321.23	-	-
2	361.67	8	
3	465.85	8	
4	266.43	0	_
5	273.47	-	1 - 3 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
6	137.03	4	
7	88.78	F)	2
8	84.77		*
9	58.98	1 6 1	
10	57.83	9	1 D
11	145.12	6	- 2
12	247.76	-	-

### **Water Availability Profile**

759.00

Drainage Area (sq. mi.)



#### Water Availability Assessment of Location

Gauge Threshold (cfs):

Base Threshold (cfs): Upstream Demand (cfs): 24.32 Downstream Demand (cfs): 0.00 Pump rate (cfs): Headwater Safety (cfs): 8.08 Ungauged Stream Safety (cfs): 0.00 Min. Gauge Reading (cfs):


Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

234

WMP-01587 API/ID Number: 047-051-01688 Operator: Noble Energy, Inc SHL23CHS 30046 Bethlehem Water Department Source ID: Source Name Source Latitude: -Bethlehem Water Department Source Longitude: -5030106 HUC-8 Code: Anticipated withdrawal start date: 8/21/2013 25000 Ohio Drainage Area (sq. mi.): County: Anticipated withdrawal end date: 8/21/2014 **Endangered Species?** ✓ Mussel Stream? 10,164,000 Total Volume from Source (gal): Trout Stream? Tier 3? Max. Pump rate (gpm): Ohio River Min. Flow Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? City of Wheeling Max. Truck pump rate (gpm) Gauged Stream? 9999999 Ohio River Station: Willow Island Lock & Dam Reference Gaug 25,000.00 6468 Drainage Area (sq. mi.) Gauge Threshold (cfs): Median Estimated Threshold Available monthly flow (+ pump Month water (cfs) (cfs) 45,700.00 2 49,200.00 3 65,700.00 4 56,100.00 5 38,700.00 6 24,300.00 7 16,000.00 8 13,400.00 9 12,800.00 10 15,500.00 11 26,300.00 12 41,300.00 Water Availability Assessment of Location

### **Water Availability Profile**



Base Threshold (cfs):

Upstream Demand (cfs):

Downstream Demand (cfs):

Pump rate (cfs):

Headwater Safety (cfs):

0.00

Ungauged Stream Safety (cfs): 0.00

Min. Gauge Reading (cfs):

Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

WMP-01587 API/ID Number: 047-051-01688 Noble Energy, Inc Operator: SHL23CHS Wellsburg Water Department 30047 Source Name Source Latitude: -Source ID: Wellsburg Water Department Source Longitude: -5030106 HUC-8 Code: Anticipated withdrawal start date: 8/21/2013 Brooke Drainage Area (sq. mi.): 25000 County: Anticipated withdrawal end date: 8/21/2014 **Endangered Species?** ✓ Mussel Stream? Total Volume from Source (gal): 10,164,000 Trout Stream? Tier 3? Max. Pump rate (gpm): Ohio River Min. Flow Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? Wellsburg Water Department Gauged Stream? Max. Truck pump rate (gpm) Reference Gaug 9999999 Ohio River Station: Willow Island Lock & Dam 6468 25,000.00 Drainage Area (sq. mi.) Gauge Threshold (cfs): Estimated Median Threshold monthly flow Available (+ pump Month water (cfs) (cfs) 45,700.00 2 49,200.00 3 65,700.00 4 56,100.00 5 38,700.00 6 24,300.00 7 16,000.00 8 13,400.00 9 12,800.00 10 15,500.00 11 26,300.00 12 41,300.00 Water Availability Assessment of Location Water Availability Profile Base Threshold (cfs): Upstream Demand (cfs): 80000 Downstream Demand (cfs):

### 60000 tream is regulated by the Army Corps of dhere to the stated thresholds to 40000 maintain the minimum guaranteed flow requirements. 20000

5

# Median Monthly Flow — Threshold

7

8

9

6

Pump rate (cfs):

Headwater Safety (cfs): 0.00 Ungauged Stream Safety (cfs): 0.00

Min. Gauge Reading (cfs):

Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

0


1

2

3

	WMP-0	1587	API/ID Number:	047-051-01688 L23CHS	Operator:	Noble Er	nergy, Inc
Source II	D: 30048 Sou	rce Name Moun	dsville Water Board		Source La	atitude: -	
		Moun	dsville Water Treatm	ent Plant	Source Lon	ngitude: -	
	HUC-8 Code:	5030106					
			0	0.00-0-10-11	Anticipated withdrawal s	tart date:	8/21/2013
	Drainage Area (	sq. mi.): 25000	O County:	Marshall	Anticipated withdrawal	end date:	8/21/2014
-	dangered Species?		ream?		Total Volume from Sou	urce (gal):	10,164,000
	out Stream? gulated Stream?	☐ Tier 3? Ohio River M	lin. Flow		Max. Pump ra	ite (gpm):	
_	oximate PSD?				Ma	ax. Simultaneou	is Trucks:
					Max	. Truck pump ra	ate (gpm)
	Reference Gaug  Drainage Area (sq			Willow Island Lock			6468
	Reference Gaug Drainage Area (sq  Median monthly flow		Estimated Available	Willow Island Lock	& Dam		6468
<b>Month</b>	Reference Gaug Drainage Area (sq  Median monthly flow (cfs)	. mi.) 25,00	00.00 Estimated	Willow Island Lock	& Dam		6468
Month 1	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
<b>Month</b>	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4	Reference Gaug Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4 5	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4 5	Reference Gaug  Drainage Area (sq  Median monthly flow (cfs) 45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4 5 6 7	Reference Gaug Drainage Area (sq  Median monthly flow (cfs)  45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4 5 6 7 8 9 10	Reference Gaug Drainage Area (sq  Median monthly flow (cfs)  45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00 15,500.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468
Month  1 2 3 4 5 6 7 8 9	Reference Gaug Drainage Area (sq  Median monthly flow (cfs)  45,700.00 49,200.00 65,700.00 56,100.00 38,700.00 24,300.00 16,000.00 13,400.00 12,800.00	. mi.) 25,00	Estimated Available	Willow Island Lock	& Dam		6468

### **Water Availability Profile**



Base Threshold (cfs):

Upstream Demand (cfs):

Downstream Demand (cfs):

Pump rate (cfs):

0.00 Headwater Safety (cfs):

0.00 Ungauged Stream Safety (cfs):


Min. Gauge Reading (cfs):

Passby at Location (cfs):

<sup>&</sup>quot;Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.



### **Water Availability Profile**



### Water Availability Assessment of Location

Base Threshold (cfs):	-
Upstream Demand (cfs):	0.00
Downstream Demand (cfs):	0.00
Pump rate (cfs):	
Headwater Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	0.00
Ungauged Stream Safety (cfs):	
ge Reading (cfs):	
Passby at Location (cfs):	

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

15,500.00

26,300.00

41,300.00

WMP-01587 API/ID Number: 047-051-01688 Operator: Noble Energy, Inc SHL23CHS Source ID: 30051 Wheeling Water Department Source Name Source Latitude: -Wheeling Water Department Source Longitude: -HUC-8 Code: 5030106 8/21/2013 Anticipated withdrawal start date: 25000 Ohio Drainage Area (sq. mi.): County: 8/21/2014 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? Total Volume from Source (gal): 10,164,000 Trout Stream? ☐ Tier 3? Max. Pump rate (gpm): Regulated Stream? Ohio River Min. Flow Max. Simultaneous Trucks: Proximate PSD? Wheeling Water Department Max. Truck pump rate (gpm) Gauged Stream? 9999999 Ohio River Station: Willow Island Lock & Dam Reference Gaug 25,000.00 6468 Drainage Area (sq. mi.) Gauge Threshold (cfs): Median Estimated Threshold monthly flow Available (+ pump Month (cfs) water (cfs) 45,700.00 1 2 49,200.00 3 65,700.00 4 56,100.00 5 38,700.00 6 24,300.00 7 16,000.00 8 13,400.00 9 12,800.00 10 15,500.00 11 26.300.00 12 41,300.00 Water Availability Assessment of Location Water Availability Profile Base Threshold (cfs): Upstream Demand (cfs): 80000 Downstream Demand (cfs): 60000 tream is regulated by the Army Corps of Pump rate (cfs): dhere to the stated thresholds to 40000

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

10

11

12

maintain the minimum guaranteed flow requirements.

6

7

Median Monthly Flow — Threshold

8

9

5

0.00

0.00

Headwater Safety (cfs):

Ungauged Stream Safety (cfs):

Min. Gauge Reading (cfs): Passby at Location (cfs):

20000

0


1

2

3

WMP-01587 API/ID Number: 047-051-01688 Operator: Noble Energy, Inc SHL23CHS Source ID: 30052 Ohio County PSD Source Name Source Latitude: -Ohio county PSD Source Longitude: -5030106 HUC-8 Code: 8/21/2013 Anticipated withdrawal start date: Ohio 25000 Drainage Area (sq. mi.): County: 8/21/2014 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? Total Volume from Source (gal): 10,164,000 Trout Stream? ☐ Tier 3? Max. Pump rate (gpm): Regulated Stream? Ohio River Min. Flow Max. Simultaneous Trucks: Proximate PSD? Wheeling Water Department Max. Truck pump rate (gpm) Gauged Stream? 9999999 Ohio River Station: Willow Island Lock & Dam Reference Gaug 25,000.00 6468 Gauge Threshold (cfs): Drainage Area (sq. mi.) Median Estimated Threshold monthly flow Available (+ pump Month (cfs) water (cfs) 45,700.00 1 2 49,200.00 3 65,700.00 4 56,100.00 5 38,700.00 6 24,300.00 16,000.00

### **Water Availability Profile**



#### Water Availability Assessment of Location

Base Threshold (cfs):

Upstream Demand (cfs):

Downstream Demand (cfs):

Pump rate (cfs):

Headwater Safety (cfs): 0.00
Ungauged Stream Safety (cfs): 0.00

Min. Gauge Reading (cfs):

Passby at Location (cfs):

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

8

9

10

11

12

13,400.00

12,800.00

15,500.00

26,300.00


41,300.00

API/ID Number: WMP-01587 047-051-01688 Noble Energy, Inc Operator: SHL23CHS 30039 Wheeling Creek Pump Station 1 @ CNX Land Resour Source ID: Source Name Source Latitude: 39.95205 Consol Energy Source Longitude: -80.56189 5030106 HUC-8 Code: Anticipated withdrawal start date: 8/21/2013 Marshall Drainage Area (sq. mi.): 156.06 County: Anticipated withdrawal end date: 8/21/2014 **Endangered Species?** ✓ Mussel Stream? Total Volume from Source (gal): 10,164,000 Trout Stream? ☐ Tier 3? 1,000 Max. Pump rate (gpm): Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? Max. Truck pump rate (gpm) Gauged Stream? Wheeling Creek near Majorsville, WV 3111955 Reference Gaug

<u> Month</u>	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)	
1	0.00	18.66	-	
2	0.00	18.66		
3	0.00	18.66		
4	0.00	18.66		
5	0.00	18.66	4	
6	0.00	18.66	(2)	
7	0.00	18.66	-	
8	0.00	18.66	9.5	
9	0.00	18.66	10.0	
10	0.00	18.66	42	
11	0.00	18.66	-	
12	0.00	18.66	100	

### **Water Availability Profile**

152.00



#### Water Availability Assessment of Location

Gauge Threshold (cfs):

16

Min. Gauge Reading (cfs):  Passby at Location (cfs):	18.23 16.43
Ungauged Stream Safety (cfs):	0.00
Headwater Safety (cfs):	0.00
Pump rate (cfs):	2.23
Downstream Demand (cfs):	0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	16.43

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

Drainage Area (sq. mi.)


WMP-01587 API/ID Number: 047-051-01688 Operator: Noble Energy, Inc SHL23CHS Wheeling Creek Pump Station 2 @ CNX Land Resour Source Latitude: 39.949578 30040 Source Name Source ID: CNX Land Resources, Inc. Source Longitude: -80.531256 5030106 HUC-8 Code: 8/21/2013 Anticipated withdrawal start date: Marshall 152.4 Drainage Area (sq. mi.): County: 8/21/2014 Anticipated withdrawal end date: **Endangered Species?** ✓ Mussel Stream? 10,164,000 Total Volume from Source (gal): Trout Stream? ☐ Tier 3? 1,000 Max. Pump rate (gpm): Regulated Stream? Max. Simultaneous Trucks: Proximate PSD? Max. Truck pump rate (gpm) Gauged Stream? 3111955 Wheeling Creek near Majorsville, WV Reference Gaug

Month	Median monthly flow (cfs)	Threshold (+ pump	<u>Available</u> water (cfs)	
1	0.00	18.27		
2	0.00	18.27	*	
3	0.00	18.27	-	
4	0.00	18.27	-	
5	0.00	18.27	1 + <del>2</del>	
6	0.00	18.27	-	
7	0.00	18.27	-	
8	0.00	18.27		
9	0.00	18.27		
10	0.00	18.27	1.4	
11	0.00	18.27		
12	0.00	18.27	-	



152.00

Drainage Area (sq. mi.)



### Water Availability Assessment of Location

Gauge Threshold (cfs):

Min. Gauge Reading (cfs): Passby at Location (cfs):	18.23 16.04
Ungauged Stream Safety (cfs):	0.00
Pump rate (cfs): Headwater Safety (cfs):	2.23 0.00
Upstream Demand (cfs):	0.00
Base Threshold (cfs):	16.04

"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

16

## west virginia department of environmental protection



# Water Management Plan: Secondary Water Sources



WMP-01587

API/ID Number

047-051-01688

Operator:

Noble Energy, Inc

SHL23CHS

### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

### Multi-site impoundment

Source ID: 30053 Source Name SHL #1 Centralized Freshwater Impoundment

Source start date:

8/21/2013

Source end date:

8/21/2014

Source Lat:

39.979696

Source Long: -80.579465

County

Marshall

Max. Daily Purchase (gal)

Total Volume from Source (gal):

10,164,000

**DEP Comments:** 

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-200

WMP-01587 API/ID Number 047-051-01688 Operator: Noble Energy, Inc

SHL23CHS

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 30054 Source Name SHL #2 Centralized Waste Pit Source start date: 8/21/2013

Source end date: 8/21/2014

Source Lat: 39.966973 Source Long: -80.561377 County Marshall

Max. Daily Purchase (gal) Total Volume from Source (gal): 10,164,000

DEP Comments: WV51-WPC-00001

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-201

Source ID: 30055 Source Name SHL #3 Centralized Waste Pit Source start date: 8/21/2013

Source end date: 8/21/2014

Source Lat: 39.974133 Source Long: -80.55527 County Marshall

Max. Daily Purchase (gal) Total Volume from Source (gal): 10,164,000

DEP Comments: WV51-WPC-00002

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-202

WMP-01587 API/ID Number 047-051-01688 Operator: Noble Energy, Inc

SHL23CHS

#### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Source ID: 30056 Source Name SHL #4 Centralized Waste Pit Source start date: 8/21/2013

Source end date: 8/21/2014

Source Lat: 39.963284 Source Long: -80.562743 County Marshall

Max. Daily Purchase (gal) Total Volume from Source (gal): 10,164,000

DEP Comments: WV51-WPC-00003

The intake identified above has been defined in a previous water management plan. The thresholds established in that plan govern this water management plan unless otherwise noted.

Reference: WMP-204

### **Purchased Water**

Source ID: 30050 Source Name Bridgeport Ohio Water Department Source start date: 8/21/2013

Public Water Provider Source end date: 8/21/2014

Source Lat: 40.08348 Source Long: -80.736488 County

Max. Daily Purchase (gal) 200,000 Total Volume from Source (gal): 10,164,000

DEP Comments: Please ensure that purchases from this source are approved by, and completed in

accordance with, requirements set forth by the State of Ohio Department of

Environmental Protection.

WMP-01587 API/ID Number 047-051-01688 Operator: Noble Energy, Inc

SHL23CHS

### Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

### **Recycled Frac Water**

Source ID: 30057 Source Name Various Source start date: 8/21/2013

Source end date: 8/21/2014

Source Lat: Source Long: County

Max. Daily Purchase (gal) Total Volume from Source (gal): 10,164,000

DEP Comments: Sources include, but are not limited to, the SHL17 and SHL23 well pads.

