

04/05/2019



## Actual Wellpath Report

Taylor B 2H AWP Proj:  
Page 1 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

REPORT SETUP INFORMATION			
Projection System	NAD83 / Lambert West Virginia SP, Northern Zone (4701), US feet	Software System	WellArchitect® 4.0.0
North Reference	True	User	Smitgre01
Scale	0.999949	Report Generated	10/Mar/2016 at 01:56
Convergence at slot	n/a	Database/Source file	WellArchitectDB/Taylor_B_2H_AWB.xml

WELLPATH LOCATION						
	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	-9.07	11.35	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W
Facility Reference Pt			1634965.02	496435.74	39°51'24.872"N	80°41'17.241"W
Field Reference Pt			1644569.15	516963.83	39°54'48.972"N	80°39'17.476"W

WELLPATH DATUM			
Calculation method	Minimum curvature	Nabors X07 (RKB) to Facility Vertical Datum	32.00ft
Horizontal Reference Pt	Slot	Nabors X07 (RKB) to Mean Sea Level	1242.00ft
Vertical Reference Pt	Nabors X07 (RKB)	Nabors X07 (RKB) to Mud Line at Slot (Slot #02)	32.00ft
MD Reference Pt	Nabors X07 (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	320.29°

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection

04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:

Page 2 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWP
Facility	Taylor B Pad		

WELLPATH DATA (204 stations) † = interpolated/extrapolated station															
MD	Inclination	Azimuth	TVD	Vert	North	East	Grid East	Grid North	Latitude	Longitude	Closure	Closure	DLS	Build	Turn
[ft]	[°]	[°]	[ft]	Sect	[ft]	[ft]	[US ft]	[US ft]			Dist	Dir	[°/100ft]	Rate	Rate
				[ft]							[ft]	[°]		[°/100ft]	[°/100ft]
0.00	0.00	250.900	0.00	0.00	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	0.00	0.000	0.00	0.00	0.00
32.00	0.00	250.900	32.00	0.00	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	0.00	0.000	0.00	0.00	0.00
65.33	0.180	250.900	65.33	0.02	-0.02	-0.05	1634976.20	496426.50	39°51'24.782"N	80°41'17.096"W	0.05	250.900	0.54	0.54	0.00
90.33	0.310	255.230	90.33	0.06	-0.05	-0.15	1634976.10	496426.47	39°51'24.782"N	80°41'17.098"W	0.16	252.739	0.52	0.52	17.32
115.33	0.430	269.020	115.33	0.15	-0.07	-0.31	1634975.94	496426.46	39°51'24.782"N	80°41'17.100"W	0.32	258.013	0.59	0.48	55.16
140.33	0.330	261.640	140.33	0.24	-0.08	-0.48	1634975.77	496426.45	39°51'24.782"N	80°41'17.102"W	0.48	260.681	0.44	-0.40	-29.52
165.33	0.120	182.810	165.33	0.26	-0.11	-0.55	1634975.70	496426.41	39°51'24.781"N	80°41'17.103"W	0.56	258.187	1.31	-0.84	-315.32
190.33	0.360	110.900	190.33	0.17	-0.17	-0.48	1634975.77	496426.36	39°51'24.781"N	80°41'17.102"W	0.51	250.485	1.37	0.96	-287.64
215.33	0.560	117.250	215.33	-0.01	-0.25	-0.29	1634975.95	496426.27	39°51'24.780"N	80°41'17.100"W	0.39	229.361	0.82	0.80	25.40
240.33	0.540	126.540	240.33	-0.23	-0.38	-0.09	1634976.15	496426.14	39°51'24.779"N	80°41'17.097"W	0.39	193.556	0.37	-0.08	37.16
265.33	0.400	131.810	265.33	-0.43	-0.51	0.07	1634976.31	496426.01	39°51'24.777"N	80°41'17.095"W	0.51	172.329	0.59	-0.56	21.08
290.33	0.320	169.630	290.33	-0.58	-0.63	0.15	1634976.39	496425.88	39°51'24.776"N	80°41'17.094"W	0.65	167.040	0.98	-0.32	151.28
315.33	0.340	155.390	315.33	-0.71	-0.77	0.19	1634976.43	496425.75	39°51'24.775"N	80°41'17.093"W	0.79	166.186	0.34	0.08	-56.96
340.33	0.330	162.730	340.33	-0.85	-0.91	0.24	1634976.48	496425.61	39°51'24.773"N	80°41'17.093"W	0.94	165.072	0.18	-0.04	29.36
365.33	0.260	210.190	365.33	-0.94	-1.02	0.23	1634976.47	496425.49	39°51'24.772"N	80°41'17.093"W	1.05	167.104	0.98	-0.28	189.84
390.33	0.150	241.380	390.33	-0.95	-1.09	0.18	1634976.41	496425.43	39°51'24.772"N	80°41'17.094"W	1.10	170.754	0.61	-0.44	124.76
415.33	0.170	297.160	415.33	-0.91	-1.09	0.12	1634976.35	496425.43	39°51'24.772"N	80°41'17.094"W	1.09	173.937	0.60	0.08	223.12
440.33	0.120	284.220	440.33	-0.86	-1.06	0.06	1634976.29	496425.46	39°51'24.772"N	80°41'17.095"W	1.07	176.926	0.24	-0.20	-51.76
465.33	0.100	198.430	465.33	-0.85	-1.08	0.02	1634976.26	496425.44	39°51'24.772"N	80°41'17.096"W	1.08	178.679	0.60	-0.08	-343.16
490.33	0.240	165.440	490.33	-0.90	-1.15	0.03	1634976.27	496425.37	39°51'24.771"N	80°41'17.095"W	1.15	178.449	0.66	0.56	-131.96
515.33	0.410	155.270	515.33	-1.04	-1.28	0.08	1634976.31	496425.24	39°51'24.770"N	80°41'17.095"W	1.28	176.352	0.72	0.68	-40.68
529.33	0.460	161.580	529.33	-1.14	-1.38	0.12	1634976.35	496425.14	39°51'24.769"N	80°41'17.094"W	1.39	175.015	0.49	0.36	45.07
605.33	0.570	187.440	605.33	-1.68	-2.04	0.17	1634976.39	496424.47	39°51'24.762"N	80°41'17.094"W	2.05	175.307	0.33	0.14	34.03
636.33	0.480	190.310	636.33	-1.87	-2.33	0.12	1634976.34	496424.19	39°51'24.759"N	80°41'17.094"W	2.33	176.931	0.30	-0.29	9.26
672.33	0.560	182.570	672.33	-2.10	-2.65	0.09	1634976.30	496423.87	39°51'24.756"N	80°41'17.095"W	2.65	178.059	0.30	0.22	-21.50
734.33	0.740	171.390	734.33	-2.66	-3.35	0.14	1634976.34	496423.17	39°51'24.749"N	80°41'17.094"W	3.35	177.671	0.35	0.29	-18.03
797.33	0.950	187.870	797.33	-3.36	-4.27	0.13	1634976.32	496422.25	39°51'24.740"N	80°41'17.094"W	4.27	178.315	0.51	0.33	26.16
854.33	1.780	205.910	854.29	-4.05	-5.53	-0.33	1634975.85	496420.99	39°51'24.728"N	80°41'17.100"W	5.54	183.372	1.62	1.46	31.65
885.33	2.450	206.250	885.27	-4.52	-6.56	-0.83	1634975.33	496419.97	39°51'24.718"N	80°41'17.106"W	6.61	187.207	2.16	2.16	1.10
916.33	3.170	208.740	916.23	-5.10	-7.91	-1.53	1634974.61	496418.64	39°51'24.704"N	80°41'17.115"W	8.05	190.986	2.36	2.32	8.03

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection  
10/Mar/2016



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:

Page 3 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations)															
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [%/100ft]	Build Rate [%/100ft]	Turn Rate [%/100ft]
947.33	3.720	210.370	947.17	-5.76	-9.52	-2.46	1634973.67	496417.03	39°51'24.688"N	80°41'17.127"W	9.84	194.455	1.80	1.77	5.26
978.33	4.100	211.180	978.10	-6.46	-11.34	-3.54	1634972.56	496415.23	39°51'24.670"N	80°41'17.141"W	11.88	197.324	1.24	1.23	2.61
1040.33	4.030	204.950	1039.95	-8.12	-15.21	-5.60	1634970.45	496411.38	39°51'24.632"N	80°41'17.168"W	16.21	200.223	0.72	-0.11	-10.05
1103.33	4.070	203.600	1102.79	-10.07	-19.27	-7.43	1634968.56	496407.35	39°51'24.592"N	80°41'17.191"W	20.65	201.095	0.16	0.06	-2.14
1134.33	3.700	208.630	1133.72	-10.94	-21.15	-8.35	1634967.62	496405.48	39°51'24.573"N	80°41'17.203"W	22.74	201.546	1.62	-1.19	16.23
1165.33	3.310	212.340	1164.66	-11.58	-22.79	-9.31	1634966.64	496403.86	39°51'24.557"N	80°41'17.215"W	24.62	202.224	1.45	-1.26	11.97
1197.33	2.920	220.810	1196.61	-12.00	-24.19	-10.34	1634965.59	496402.47	39°51'24.543"N	80°41'17.228"W	26.30	203.143	1.88	-1.22	26.47
1228.33	2.700	229.480	1227.58	-12.14	-25.26	-11.41	1634964.51	496401.42	39°51'24.533"N	80°41'17.242"W	27.71	204.308	1.54	-0.71	27.97
1259.33	2.880	233.500	1258.54	-12.11	-26.20	-12.59	1634963.32	496400.50	39°51'24.523"N	80°41'17.257"W	29.06	205.669	0.86	0.58	12.97
1290.33	2.940	240.590	1289.50	-11.92	-27.05	-13.91	1634961.99	496399.66	39°51'24.515"N	80°41'17.274"W	30.42	207.212	1.18	0.19	22.87
1321.33	3.030	239.120	1320.46	-11.65	-27.86	-15.30	1634960.58	496398.87	39°51'24.507"N	80°41'17.292"W	31.79	208.781	0.38	0.29	-4.74
1352.33	3.220	242.380	1351.41	-11.35	-28.68	-16.78	1634959.09	496398.06	39°51'24.499"N	80°41'17.311"W	33.23	210.325	0.84	0.61	10.52
1383.33	3.310	244.720	1382.36	-10.94	-29.47	-18.36	1634957.50	496397.30	39°51'24.491"N	80°41'17.331"W	34.72	211.922	0.52	0.29	7.55
1414.33	2.980	256.340	1413.31	-10.36	-30.04	-19.95	1634955.90	496396.75	39°51'24.485"N	80°41'17.352"W	36.06	213.589	2.31	-1.06	37.48
1446.33	2.840	265.090	1445.27	-9.55	-30.31	-21.55	1634954.30	496396.50	39°51'24.483"N	80°41'17.372"W	37.19	215.415	1.45	-0.44	27.34
1477.33	2.570	271.730	1476.24	-8.65	-30.35	-23.01	1634952.84	496396.48	39°51'24.482"N	80°41'17.391"W	38.09	217.166	1.33	-0.87	21.42
1508.33	1.980	272.770	1507.21	-7.83	-30.30	-24.24	1634951.61	496396.54	39°51'24.483"N	80°41'17.407"W	38.81	218.655	1.91	-1.90	3.35
1539.33	1.580	271.580	1538.20	-7.18	-30.27	-25.20	1634950.65	496396.59	39°51'24.483"N	80°41'17.419"W	39.38	219.782	1.30	-1.29	-3.84
1571.33	1.070	282.220	1570.19	-6.66	-30.19	-25.93	1634949.92	496396.68	39°51'24.484"N	80°41'17.428"W	39.80	220.663	1.76	-1.59	33.25
1602.33	0.640	283.890	1601.19	-6.29	-30.09	-26.39	1634949.47	496396.78	39°51'24.485"N	80°41'17.434"W	40.02	221.248	1.39	-1.39	5.39
1664.33	0.240	351.540	1663.19	-5.90	-29.88	-26.74	1634949.12	496397.00	39°51'24.487"N	80°41'17.439"W	40.10	221.829	0.95	-0.65	109.11
1726.33	0.710	15.830	1725.18	-5.57	-29.38	-26.65	1634949.21	496397.50	39°51'24.492"N	80°41'17.438"W	39.67	222.217	0.81	0.76	39.18
1789.33	0.690	25.030	1788.18	-5.19	-28.66	-26.39	1634949.49	496398.21	39°51'24.499"N	80°41'17.434"W	38.96	222.637	0.18	-0.03	14.60
1851.33	0.990	30.250	1850.17	-4.85	-27.86	-25.96	1634949.93	496399.01	39°51'24.507"N	80°41'17.429"W	38.08	222.980	0.50	0.48	8.42
1914.33	1.160	19.520	1913.16	-4.33	-26.79	-25.47	1634950.43	496400.07	39°51'24.518"N	80°41'17.422"W	36.97	223.559	0.42	-0.27	-17.03
1976.33	1.140	329.490	1975.15	-3.40	-25.66	-25.58	1634950.34	496401.20	39°51'24.529"N	80°41'17.424"W	36.23	224.901	1.57	-0.03	-80.69
2039.33	1.760	283.350	2038.13	-2.01	-24.90	-26.84	1634949.09	496401.98	39°51'24.536"N	80°41'17.440"W	36.61	227.141	2.02	0.98	-73.24
2101.33	1.850	277.690	2100.10	-0.51	-24.55	-28.75	1634947.18	496402.36	39°51'24.540"N	80°41'17.465"W	37.81	229.512	0.32	0.15	-9.13
2164.33	1.030	281.740	2163.08	0.68	-24.30	-30.32	1634945.62	496402.63	39°51'24.542"N	80°41'17.485"W	38.85	231.290	1.31	-1.30	6.43
2309.00	0.740	298.510	2307.73	2.56	-23.59	-32.41	1634943.53	496403.37	39°51'24.549"N	80°41'17.511"W	40.08	233.956	0.27	-0.20	11.59

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:

Page 4 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations)															
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
2404.00	0.74	289.40	2402.73	3.66	-23.09	-33.53	1634942.42	496403.88	39°51'24.554"N	80°41'17.526"W	40.71	235.447	0.12	0.00	-9.59
2499.00	0.72	282.72	2497.72	4.66	-22.75	-34.69	1634941.27	496404.23	39°51'24.557"N	80°41'17.541"W	41.49	236.737	0.09	-0.02	-7.03
2592.00	0.69	279.85	2590.71	5.55	-22.53	-35.81	1634940.15	496404.47	39°51'24.560"N	80°41'17.555"W	42.31	237.825	0.05	-0.03	-3.09
2686.00	0.71	284.82	2684.70	6.45	-22.28	-36.93	1634939.03	496404.73	39°51'24.562"N	80°41'17.569"W	43.13	238.894	0.07	0.02	5.29
2781.00	0.67	284.75	2779.70	7.38	-21.99	-38.04	1634937.93	496405.03	39°51'24.565"N	80°41'17.584"W	43.94	239.965	0.04	-0.04	-0.07
2875.00	0.47	293.35	2873.69	8.18	-21.70	-38.92	1634937.05	496405.34	39°51'24.568"N	80°41'17.595"W	44.56	240.861	0.23	-0.21	9.15
2970.00	0.61	300.38	2968.69	9.00	-21.29	-39.72	1634936.26	496405.76	39°51'24.572"N	80°41'17.605"W	45.06	241.808	0.16	0.15	7.40
3065.00	0.77	292.29	3063.68	10.04	-20.79	-40.74	1634935.24	496406.27	39°51'24.577"N	80°41'17.618"W	45.74	242.965	0.20	0.17	-8.52
3160.00	0.54	282.31	3158.67	10.95	-20.45	-41.77	1634934.21	496406.62	39°51'24.580"N	80°41'17.631"W	46.51	243.911	0.27	-0.24	-10.51
3254.00	0.57	279.75	3252.67	11.66	-20.28	-42.67	1634933.32	496406.81	39°51'24.582"N	80°41'17.643"W	47.24	244.577	0.04	0.03	-2.72
3349.00	0.22	279.04	3347.67	12.15	-20.17	-43.31	1634932.68	496406.92	39°51'24.583"N	80°41'17.651"W	47.78	245.027	0.37	-0.37	-0.75
3443.00	0.76	112.94	3441.67	11.74	-20.39	-42.92	1634933.07	496406.70	39°51'24.581"N	80°41'17.646"W	47.51	244.591	1.04	0.57	-176.70
3538.00	0.39	99.88	3536.66	10.93	-20.69	-42.02	1634933.97	496406.39	39°51'24.578"N	80°41'17.635"W	46.83	243.787	0.41	-0.39	-13.75
3633.00	0.13	115.22	3631.66	10.59	-20.79	-41.60	1634934.38	496406.28	39°51'24.577"N	80°41'17.629"W	46.51	243.448	0.28	-0.27	16.15
3728.00	0.14	314.92	3726.66	10.60	-20.75	-41.58	1634934.40	496406.32	39°51'24.577"N	80°41'17.629"W	46.48	243.480	0.28	0.01	-168.74
3822.00	0.26	309.79	3820.66	10.93	-20.53	-41.83	1634934.15	496406.54	39°51'24.579"N	80°41'17.632"W	46.60	243.854	0.13	0.13	-5.46
3916.00	0.47	318.81	3914.66	11.52	-20.11	-42.25	1634933.74	496406.97	39°51'24.584"N	80°41'17.638"W	46.79	244.548	0.23	0.22	9.60
4011.00	0.61	315.76	4009.65	12.42	-19.45	-42.86	1634933.14	496407.64	39°51'24.590"N	80°41'17.645"W	47.07	245.587	0.15	0.15	-3.21
4105.00	0.43	328.34	4103.65	13.27	-18.79	-43.39	1634932.62	496408.30	39°51'24.597"N	80°41'17.652"W	47.29	246.582	0.23	-0.19	13.38
4200.00	0.40	316.24	4198.65	13.95	-18.25	-43.81	1634932.21	496408.85	39°51'24.602"N	80°41'17.658"W	47.46	247.383	0.10	-0.03	-12.74
4294.00	0.56	54.52	4292.64	14.24	-17.75	-43.66	1634932.36	496409.35	39°51'24.607"N	80°41'17.656"W	47.13	247.879	0.78	0.17	104.55
4389.00	0.72	41.90	4387.64	14.30	-17.03	-42.88	1634933.15	496410.06	39°51'24.614"N	80°41'17.646"W	46.14	248.337	0.22	0.17	-13.28
4483.00	0.63	29.13	4481.63	14.57	-16.14	-42.24	1634933.80	496410.94	39°51'24.623"N	80°41'17.637"W	45.22	249.084	0.19	-0.10	-13.59
4578.00	0.54	336.51	4576.63	15.19	-15.28	-42.16	1634933.89	496411.80	39°51'24.631"N	80°41'17.636"W	44.84	250.084	0.55	-0.09	-55.39
4672.00	0.70	44.08	4670.62	15.67	-14.46	-41.94	1634934.13	496412.62	39°51'24.639"N	80°41'17.634"W	44.36	250.981	0.75	0.17	71.88
4767.00	0.65	28.61	4765.62	15.94	-13.57	-41.28	1634934.80	496413.50	39°51'24.648"N	80°41'17.625"W	43.45	251.806	0.20	-0.05	-16.28
4862.00	0.40	14.43	4860.61	16.33	-12.77	-40.94	1634935.15	496414.29	39°51'24.656"N	80°41'17.621"W	42.88	252.672	0.29	-0.26	-14.93
4956.00	0.56	327.88	4954.61	16.98	-12.07	-41.10	1634935.00	496415.00	39°51'24.663"N	80°41'17.623"W	42.83	253.639	0.43	0.17	-49.52
5050.00	0.69	213.81	5048.61	17.27	-12.15	-41.66	1634934.44	496414.93	39°51'24.662"N	80°41'17.630"W	43.39	253.744	1.12	0.14	-121.35
5145.00	0.56	215.06	5143.60	16.99	-13.00	-42.24	1634933.84	496414.08	39°51'24.654"N	80°41'17.638"W	44.20	252.892	0.14	-0.14	1.32

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:  
Page 5 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations) † = interpolated/extrapolated station															
MD	Inclination	Azimuth	TVD	Vert	North	East	Grid East	Grid North	Latitude	Longitude	Closure	Closure	DLS	Build	Turn
[ft]	[°]	[°]	[ft]	Sect [ft]	[ft]	[ft]	[US ft]	[US ft]			Dist [ft]	Dir [°]	[°/100ft]	Rate [°/100ft]	Rate [°/100ft]
5240.00	0.720	247.040	5238.60	17.04	-13.62	-43.06	1634933.02	496413.48	39°51'24.648"N	80°41'17.648"W	45.16	252.454	0.40	0.17	33.66
5335.00	0.670	269.870	5333.59	17.56	-13.85	-44.17	1634931.91	496413.26	39°51'24.645"N	80°41'17.662"W	46.29	252.590	0.29	-0.05	24.03
5430.00	0.660	270.160	5428.58	18.27	-13.85	-45.27	1634930.81	496413.27	39°51'24.645"N	80°41'17.676"W	47.34	252.989	0.01	-0.01	0.31
5525.00	0.690	263.800	5523.58	18.93	-13.91	-46.38	1634929.69	496413.23	39°51'24.645"N	80°41'17.691"W	48.42	253.307	0.08	0.03	-6.69
5619.00	0.800	269.480	5617.57	19.66	-13.98	-47.60	1634928.47	496413.18	39°51'24.644"N	80°41'17.706"W	49.61	253.637	0.14	0.12	6.04
5703.00†	1.610	286.229	5701.55	21.01	-13.65	-49.32	1634926.75	496413.52	39°51'24.647"N	80°41'17.728"W	51.18	254.528	1.04	0.96	19.94
5707.00	1.650	286.610	5705.55	21.10	-13.62	-49.43	1634926.65	496413.56	39°51'24.648"N	80°41'17.730"W	51.27	254.595	1.04	1.01	9.53
5801.00	8.420	303.060	5799.13	28.81	-9.47	-56.50	1634919.63	496417.79	39°51'24.689"N	80°41'17.820"W	57.29	260.482	7.29	7.20	17.50
5896.00	13.960	304.150	5892.29	46.48	0.76	-71.83	1634904.44	496428.23	39°51'24.790"N	80°41'18.017"W	71.83	270.607	5.84	5.83	1.15
5990.00	19.990	295.730	5982.17	72.01	14.12	-95.71	1634880.74	496441.90	39°51'24.922"N	80°41'18.323"W	96.75	278.390	6.91	6.41	-8.96
6085.00	22.200	297.810	6070.80	103.37	29.54	-126.22	1634850.44	496457.73	39°51'25.074"N	80°41'18.714"W	129.63	283.173	2.46	2.33	2.19
6179.00	24.250	305.330	6157.19	138.44	49.00	-157.68	1634819.24	496477.59	39°51'25.267"N	80°41'19.118"W	165.12	287.261	3.83	2.18	8.00
6274.00	30.560	306.270	6241.49	180.76	74.59	-193.11	1634784.15	496503.65	39°51'25.519"N	80°41'19.572"W	207.01	291.120	6.66	6.64	0.99
6368.00	37.860	312.290	6319.20	232.59	108.19	-233.78	1634743.93	496537.79	39°51'25.852"N	80°41'20.094"W	257.60	294.835	8.55	7.77	6.40
6463.00	46.390	315.480	6389.60	295.86	152.42	-279.55	1634698.75	496582.61	39°51'26.289"N	80°41'20.680"W	318.40	298.600	9.25	8.98	3.36
6558.00	55.420	314.800	6449.44	369.21	204.61	-331.52	1634647.48	496635.48	39°51'26.804"N	80°41'21.347"W	389.58	301.682	9.52	9.51	-0.72
6651.00	64.250	314.400	6496.13	449.14	261.00	-388.73	1634591.03	496692.62	39°51'27.362"N	80°41'22.080"W	468.22	303.878	9.50	9.49	-0.43
6746.00	74.390	318.120	6529.65	537.67	325.18	-450.01	1634530.60	496757.61	39°51'27.996"N	80°41'22.866"W	555.21	305.852	11.28	10.67	3.92
6840.00	84.820	320.480	6546.59	629.98	395.19	-510.19	1634471.36	496828.40	39°51'28.688"N	80°41'23.638"W	645.35	307.761	11.37	11.10	2.51
6923.00†	89.721	320.331	6550.54	712.86	459.06	-563.02	1634419.38	496892.96	39°51'29.319"N	80°41'24.315"W	726.44	309.192	5.91	5.91	-0.18
6935.00	90.430	320.310	6550.52	724.86	468.29	-570.68	1634411.85	496902.30	39°51'29.410"N	80°41'24.414"W	738.22	309.372	5.91	5.91	-0.18
7029.00	90.340	315.240	6549.89	818.74	537.88	-633.83	1634349.62	496972.70	39°51'30.098"N	80°41'25.224"W	831.29	310.319	5.39	-0.10	-5.39
7124.00	90.180	313.510	6549.46	913.23	604.31	-701.73	1634282.61	497040.03	39°51'30.754"N	80°41'26.094"W	926.08	310.734	1.83	-0.17	-1.82
7219.00	89.850	314.280	6549.43	1007.63	670.18	-770.19	1634215.04	497106.79	39°51'31.405"N	80°41'26.972"W	1020.94	311.028	0.88	-0.35	0.81
7313.00	89.940	315.910	6549.61	1101.25	736.76	-836.54	1634149.57	497174.23	39°51'32.063"N	80°41'27.823"W	1114.72	311.371	1.74	0.10	1.73
7407.00	90.250	319.950	6549.45	1195.15	806.52	-899.51	1634087.53	497244.82	39°51'32.753"N	80°41'28.631"W	1208.14	311.880	4.31	0.33	4.30
7502.00	89.780	323.690	6549.42	1290.10	881.18	-958.22	1634029.81	497320.25	39°51'33.491"N	80°41'29.383"W	1301.80	312.602	3.97	-0.49	3.94
7597.00	91.050	326.280	6548.74	1384.76	958.98	-1012.73	1633976.35	497398.76	39°51'34.259"N	80°41'30.082"W	1394.72	313.439	3.04	1.34	2.73
7692.00	90.650	324.810	6547.33	1479.35	1037.30	-1066.47	1633923.65	497477.78	39°51'35.033"N	80°41'30.772"W	1487.73	314.206	1.60	-0.42	-1.55
7786.00	89.570	324.660	6547.15	1573.07	1114.05	-1120.74	1633870.40	497555.23	39°51'35.792"N	80°41'31.468"W	1580.24	314.829	1.16	-1.15	-0.16

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:

Page 6 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations)															
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
7881.00	90.250	322.570	6547.50	1667.90	1190.53	-1177.09	1633815.07	497632.44	39°51'36.548"N	80°41'32.190"W	1674.18	315.325	2.31	0.72	-2.20
7976.00	90.370	320.710	6546.78	1762.87	1265.01	-1236.04	1633757.11	497707.70	39°51'37.284"N	80°41'32.946"W	1768.63	315.664	1.96	0.13	-1.96
8071.00	90.280	320.980	6546.24	1857.86	1338.68	-1296.03	1633698.11	497782.15	39°51'38.012"N	80°41'33.716"W	1863.26	315.927	0.30	-0.09	0.28
8165.00	90.180	320.120	6545.87	1951.86	1411.26	-1355.75	1633639.35	497855.51	39°51'38.729"N	80°41'34.481"W	1956.97	316.149	0.92	-0.11	-0.91
8260.00	90.180	319.930	6545.57	2046.86	1484.06	-1416.79	1633579.29	497929.11	39°51'39.448"N	80°41'35.264"W	2051.76	316.329	0.20	0.00	-0.20
8355.00	90.220	319.480	6545.24	2141.85	1556.52	-1478.22	1633518.82	498002.37	39°51'40.164"N	80°41'36.052"W	2146.60	316.478	0.48	0.04	-0.47
8449.00	90.220	318.160	6544.87	2235.82	1627.27	-1540.11	1633457.87	498073.92	39°51'40.863"N	80°41'36.846"W	2240.52	316.576	1.40	0.00	-1.40
8544.00	90.180	317.650	6544.54	2330.74	1697.76	-1603.80	1633395.13	498145.25	39°51'41.560"N	80°41'37.663"W	2335.50	316.630	0.54	-0.04	-0.54
8639.00	90.180	316.390	6544.24	2425.58	1767.26	-1668.56	1633331.29	498215.60	39°51'42.247"N	80°41'38.493"W	2430.49	316.645	1.33	0.00	-1.33
8733.00	90.580	316.710	6543.62	2519.38	1835.50	-1733.21	1633267.56	498284.68	39°51'42.921"N	80°41'39.322"W	2524.49	316.642	0.54	0.43	0.34
8828.00	90.490	318.410	6542.73	2614.26	1905.60	-1797.31	1633204.39	498355.62	39°51'43.614"N	80°41'40.144"W	2619.47	316.675	1.79	-0.09	1.79
8922.00	90.580	318.990	6541.86	2708.22	1976.22	-1859.35	1633143.30	498427.05	39°51'44.312"N	80°41'40.940"W	2713.41	316.745	0.62	0.10	0.62
9017.00	90.490	320.020	6540.97	2803.21	2048.46	-1921.03	1633082.58	498500.09	39°51'45.026"N	80°41'41.731"W	2808.30	316.839	1.09	-0.09	1.08
9111.00	90.620	321.140	6540.06	2897.20	2121.07	-1980.72	1633023.86	498573.48	39°51'45.743"N	80°41'42.497"W	2902.10	316.960	1.20	0.14	1.19
9206.00	90.620	324.610	6539.03	2992.08	2196.80	-2038.05	1632967.54	498649.96	39°51'46.492"N	80°41'43.232"W	2996.59	317.147	3.65	0.00	3.65
9300.00	90.520	325.810	6538.09	3085.73	2273.99	-2091.68	1632914.94	498727.85	39°51'47.254"N	80°41'43.920"W	3089.68	317.391	1.28	-0.11	1.28
9395.00	90.580	326.570	6537.18	3180.22	2352.92	-2144.53	1632863.13	498807.47	39°51'48.034"N	80°41'44.598"W	3183.59	317.653	0.80	0.06	0.80
9490.00	90.580	327.550	6536.22	3274.55	2432.64	-2196.19	1632812.54	498887.86	39°51'48.822"N	80°41'45.260"W	3277.35	317.924	1.03	0.00	1.03
9584.00	90.620	327.540	6535.24	3367.80	2511.96	-2246.63	1632763.15	498967.83	39°51'49.606"N	80°41'45.907"W	3370.06	318.191	0.04	0.04	-0.01
9679.00	90.580	323.740	6534.24	3462.36	2590.36	-2300.23	1632710.59	499046.94	39°51'50.381"N	80°41'46.595"W	3464.25	318.395	4.00	-0.04	-4.00
9774.00	90.580	322.100	6533.28	3557.25	2666.15	-2357.51	1632654.33	499123.47	39°51'51.130"N	80°41'47.329"W	3558.96	318.516	1.73	0.00	-1.73
9868.00	90.580	323.080	6532.33	3651.17	2740.81	-2414.61	1632598.22	499198.87	39°51'51.867"N	80°41'48.062"W	3652.72	318.620	1.04	0.00	1.04
9963.00	90.520	323.140	6531.42	3746.05	2816.78	-2471.63	1632542.21	499275.59	39°51'52.618"N	80°41'48.793"W	3747.43	318.734	0.09	-0.06	0.06
10058.00	90.680	325.210	6530.42	3840.82	2893.80	-2527.23	1632487.64	499353.33	39°51'53.379"N	80°41'49.506"W	3842.00	318.868	2.19	0.17	2.18
10153.00	90.650	324.510	6529.32	3935.51	2971.48	-2581.91	1632434.00	499431.73	39°51'54.147"N	80°41'50.207"W	3936.49	319.013	0.74	-0.03	-0.74
10248.00	90.650	323.320	6528.24	4030.31	3048.25	-2637.86	1632379.07	499509.22	39°51'54.905"N	80°41'50.925"W	4031.14	319.128	1.25	0.00	-1.25
10343.00	90.550	321.700	6527.25	4125.23	3123.62	-2695.67	1632322.26	499585.35	39°51'55.650"N	80°41'51.666"W	4125.97	319.206	1.71	-0.11	-1.71
10437.00	90.710	320.500	6526.21	4219.22	3196.77	-2754.69	1632264.22	499659.27	39°51'56.373"N	80°41'52.423"W	4219.92	319.248	1.29	0.17	-1.28
10532.00	90.680	316.300	6525.06	4314.14	3267.79	-2817.75	1632202.11	499731.11	39°51'57.075"N	80°41'53.232"W	4314.88	319.229	4.42	-0.03	-4.42
10627.00	90.620	314.960	6523.98	4408.82	3335.69	-2884.18	1632136.59	499799.88	39°51'57.746"N	80°41'54.084"W	4409.69	319.152	1.41	-0.06	-1.41

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:  
Page 7 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations)															
MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
10721.00	90.650	312.760	6522.94	4502.21	3400.82	-2951.94	1632069.69	499865.90	39°51'58.389"N	80°41'54.953"W	4503.28	319.042	2.34	0.03	-2.34
10816.00	90.520	311.220	6521.97	4596.21	3464.37	-3022.55	1631999.94	499930.37	39°51'59.017"N	80°41'55.859"W	4597.57	318.896	1.63	-0.14	-1.62
10910.00	90.490	309.950	6521.14	4688.86	3525.52	-3093.93	1631929.37	499992.46	39°51'59.622"N	80°41'56.775"W	4690.60	318.730	1.35	-0.03	-1.35
11005.00	90.550	312.930	6520.28	4782.71	3588.38	-3165.14	1631859.01	500056.25	39°52'00.243"N	80°41'57.688"W	4784.83	318.586	3.14	0.06	3.14
11099.00	90.580	315.020	6519.35	4876.13	3653.64	-3232.78	1631792.24	500122.40	39°52'00.888"N	80°41'58.555"W	4878.52	318.497	2.22	0.03	2.22
11194.00	90.580	318.550	6518.39	4970.94	3722.87	-3297.81	1631728.13	500192.47	39°52'01.572"N	80°41'59.390"W	4973.46	318.465	3.72	0.00	3.72
11288.00	90.520	320.460	6517.49	5064.92	3794.34	-3358.85	1631668.05	500264.75	39°52'02.278"N	80°42'00.173"W	5067.44	318.484	2.03	-0.06	2.03
11383.00	90.580	319.400	6516.58	5159.91	3867.04	-3420.00	1631607.87	500338.24	39°52'02.996"N	80°42'00.957"W	5162.40	318.511	1.12	0.06	-1.12
11477.00	90.650	317.780	6515.57	5253.86	3937.53	-3482.17	1631546.64	500409.54	39°52'03.693"N	80°42'01.754"W	5256.39	318.512	1.72	0.07	-1.72
11572.00	90.550	318.430	6514.57	5348.79	4008.24	-3545.60	1631484.15	500481.08	39°52'04.392"N	80°42'02.568"W	5351.38	318.505	0.69	-0.11	0.68
11666.00	90.620	320.710	6513.61	5442.77	4079.79	-3606.56	1631424.15	500553.42	39°52'05.099"N	80°42'03.350"W	5445.36	318.523	2.43	0.07	2.43
11761.00	90.580	321.090	6512.62	5537.76	4153.51	-3666.47	1631365.22	500627.93	39°52'05.827"N	80°42'04.118"W	5540.27	318.564	0.40	-0.04	0.40
11855.00	90.520	322.320	6511.72	5631.72	4227.28	-3724.72	1631307.96	500702.46	39°52'06.556"N	80°42'04.866"W	5634.13	318.616	1.31	-0.06	1.31
11950.00	90.620	322.100	6510.77	5726.66	4302.35	-3782.93	1631250.75	500778.29	39°52'07.298"N	80°42'05.612"W	5728.94	318.676	0.25	0.11	-0.23
12044.00	90.580	321.970	6509.79	5820.62	4376.45	-3840.75	1631193.91	500853.14	39°52'08.030"N	80°42'06.354"W	5822.77	318.730	0.14	-0.04	-0.14
12139.00	90.580	320.650	6508.82	5915.59	4450.60	-3900.13	1631135.52	500928.06	39°52'08.763"N	80°42'07.116"W	5917.67	318.771	1.39	0.00	-1.39
12328.00	90.520	321.260	6507.01	6104.57	4597.38	-4019.18	1631018.43	501076.40	39°52'10.213"N	80°42'08.643"W	6106.53	318.839	0.32	-0.03	0.32
12422.00	90.620	322.200	6506.07	6198.54	4671.17	-4077.40	1630961.19	501150.95	39°52'10.942"N	80°42'09.390"W	6200.41	318.883	1.01	0.11	1.00
12517.00	90.550	322.660	6505.10	6293.46	4746.46	-4135.32	1630904.28	501227.00	39°52'11.686"N	80°42'10.133"W	6295.22	318.936	0.49	-0.07	0.48
12611.00	90.520	321.630	6504.23	6387.41	4820.68	-4193.00	1630847.58	501301.97	39°52'12.420"N	80°42'10.873"W	6389.07	318.983	1.10	-0.03	-1.10
12705.00	90.490	321.210	6503.40	6481.39	4894.16	-4251.62	1630789.95	501376.21	39°52'13.146"N	80°42'11.625"W	6482.98	319.019	0.45	-0.03	-0.45
12800.00	90.620	320.910	6502.48	6576.37	4968.05	-4311.32	1630731.23	501450.88	39°52'13.876"N	80°42'12.390"W	6577.92	319.048	0.34	0.14	-0.32
12895.00	90.680	321.800	6501.40	6671.35	5042.24	-4370.65	1630672.90	501525.85	39°52'14.609"N	80°42'13.151"W	6672.84	319.081	0.94	0.06	0.94
12989.00	90.460	322.090	6500.47	6765.31	5116.25	-4428.59	1630615.94	501600.62	39°52'15.340"N	80°42'13.895"W	6766.72	319.121	0.39	-0.23	0.31
13084.00	90.550	319.250	6499.63	6860.29	5189.73	-4488.79	1630556.72	501674.88	39°52'16.066"N	80°42'14.667"W	6861.67	319.142	2.99	0.09	-2.99
13178.00	90.620	317.500	6498.67	6954.23	5259.99	-4551.22	1630495.22	501745.95	39°52'16.760"N	80°42'15.468"W	6955.65	319.132	1.86	0.07	-1.86
13273.00	90.710	317.450	6497.57	7049.11	5329.99	-4615.43	1630431.95	501816.80	39°52'17.452"N	80°42'16.292"W	7050.61	319.110	0.11	0.09	-0.05
13367.00	90.710	318.620	6496.40	7143.03	5399.88	-4678.28	1630370.04	501887.51	39°52'18.143"N	80°42'17.098"W	7144.58	319.095	1.24	0.00	1.24
13462.00	90.770	316.810	6495.17	7237.92	5470.16	-4742.19	1630307.06	501958.62	39°52'18.837"N	80°42'17.918"W	7239.54	319.077	1.91	0.06	-1.91
13557.00	90.740	314.240	6493.92	7332.57	5537.93	-4808.73	1630241.42	502027.26	39°52'19.507"N	80°42'18.771"W	7334.34	319.031	2.71	-0.03	-2.71

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection

04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:  
Page 8 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

WELLPATH DATA (204 stations)															
MD	Inclination	Azimuth	TVD	Vert	North	East	Grid East	Grid North	Latitude	Longitude	Closure	Closure	DLS	Build	Turn
[ft]	[°]	[°]	[ft]	Seet	[ft]	[ft]	[US ft]	[US ft]			Dist	Dir	[°/100ft]	Rate	Rate
				[ft]							[ft]	[°]		[°/100ft]	[°/100ft]
13651.00	91.110	313.490	6492.40	7425.97	5603.06	-4876.50	1630174.53	502093.28	89°52'20.150"N	80°42'19.641"W	7427.95	318.966	0.89	0.39	-0.80
13745.00	91.080	312.990	6490.61	7519.24	5667.44	-4944.96	1630106.93	502158.56	89°52'20.786"N	80°42'20.519"W	7521.47	318.895	0.53	-0.03	-0.53
13840.00	91.020	313.720	6488.87	7613.53	5732.65	-5014.03	1630038.74	502224.67	89°52'21.431"N	80°42'21.405"W	7616.02	318.826	0.77	-0.06	0.77
13935.00	91.110	315.330	6487.10	7708.03	5799.25	-5081.74	1629971.91	502292.16	89°52'22.089"N	80°42'22.274"W	7710.74	318.773	1.70	0.09	1.69
14029.00	91.570	318.170	6484.90	7801.82	5867.69	-5146.12	1629908.44	502361.44	89°52'22.765"N	80°42'23.099"W	7804.64	318.748	3.06	0.49	3.02
14124.00	91.600	320.520	6482.27	7896.76	5939.73	-5207.99	1629847.54	502434.29	89°52'23.477"N	80°42'23.893"W	7899.59	318.756	2.47	0.03	2.47
14218.00	90.920	321.110	6480.21	7990.73	6012.58	-5267.37	1629789.13	502507.90	89°52'24.196"N	80°42'24.655"W	7993.51	318.780	0.96	-0.72	0.63
14313.00	90.980	322.540	6478.63	8085.68	6087.25	-5326.07	1629731.42	502583.34	89°52'24.934"N	80°42'25.408"W	8088.36	318.815	1.51	0.06	1.51
14408.00	90.770	324.870	6477.18	8180.50	6163.80	-5382.30	1629676.22	502660.63	89°52'25.691"N	80°42'26.129"W	8183.00	318.872	2.46	-0.22	2.45
14502.00	90.890	320.700	6475.82	8274.38	6238.63	-5439.13	1629620.38	502736.20	89°52'26.430"N	80°42'26.859"W	8276.76	318.917	4.44	0.13	-4.44
14596.00	90.370	320.480	6474.79	8368.37	6311.26	-5498.80	1629561.68	502809.60	89°52'27.148"N	80°42'27.624"W	8370.71	318.935	0.60	-0.55	-0.23
14691.00	90.490	322.460	6474.07	8463.34	6385.57	-5557.98	1629503.50	502884.69	89°52'27.882"N	80°42'28.383"W	8465.61	318.964	2.09	0.13	2.08
14786.00	90.180	324.110	6473.52	8558.21	6461.72	-5614.77	1629447.72	502961.58	89°52'28.634"N	80°42'29.112"W	8560.34	319.012	1.77	-0.33	1.74
14879.00	90.030	325.060	6473.35	8650.95	6537.51	-5668.66	1629394.84	503038.07	89°52'29.383"N	80°42'29.803"W	8652.90	319.072	1.03	-0.16	1.02
14974.00	90.220	324.820	6473.14	8745.63	6615.27	-5723.23	1629341.30	503116.54	89°52'30.152"N	80°42'30.504"W	8747.41	319.135	0.32	0.20	-0.25
15069.00	90.490	325.830	6472.55	8840.26	6693.39	-5777.28	1629288.30	503195.37	89°52'30.924"N	80°42'31.197"W	8841.86	319.202	1.10	0.28	1.06
15163.00	90.680	324.900	6471.59	8933.89	6770.73	-5830.70	1629235.91	503273.40	89°52'31.688"N	80°42'31.882"W	8935.31	319.266	1.01	0.20	-0.99
15258.00	90.710	326.030	6470.44	9028.49	6848.98	-5884.55	1629183.10	503352.36	89°52'32.461"N	80°42'32.573"W	9029.76	319.331	1.19	0.03	1.19
15352.00	90.400	325.080	6469.53	9122.09	6926.50	-5937.71	1629130.96	503430.56	89°52'33.227"N	80°42'33.255"W	9123.20	319.395	1.06	-0.33	-1.01
15447.00	90.520	323.120	6468.76	9216.87	7003.45	-5993.42	1629076.29	503508.24	89°52'33.987"N	80°42'33.970"W	9217.88	319.444	2.07	0.13	-2.06
15542.00	90.520	323.310	6467.90	9311.75	7079.53	-6050.30	1629020.42	503585.06	89°52'34.739"N	80°42'34.700"W	9312.67	319.482	0.20	0.00	0.20
15636.00	91.170	323.820	6466.52	9405.58	7155.14	-6106.12	1628965.61	503661.40	89°52'35.486"N	80°42'35.416"W	9406.42	319.523	0.88	0.69	0.54
15731.00	90.860	322.350	6464.83	9500.45	7231.09	-6163.17	1628909.57	503738.09	89°52'36.236"N	80°42'36.148"W	9501.22	319.559	1.58	-0.33	-1.55
15765.00	90.860	322.350	6464.32	9534.42	7258.00	-6183.94	1628889.16	503765.28	89°52'36.502"N	80°42'36.415"W	9535.18	319.568	0.00	0.00	0.00

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection



04/05/2019



# Actual Wellpath Report

Taylor B 2H AWP Proj:

Page 9 of 9



REFERENCE WELLPATH IDENTIFICATION			
Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #02
Area	Marshall County, WV	Well	Taylor B 2H
Field	Marshall County	Wellbore	Taylor B 2H AWB
Facility	Taylor B Pad		

TARGETS									
Name	MD [ft]	TYD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Taylor B 2H BHL Rev-3		6411.50	7236.52	-6210.09	1628862.73	503744.14	39°52'36.290"N	80°42'36.750"W	point
Taylor B 2H LP Rev-3		6565.00	471.32	-591.88	1634390.69	496905.60	39°51'29.440"N	80°41'24.686"W	point
Taylor B Buffer1		6753.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer2		6753.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer3		6753.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer4		6753.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B LL1		6803.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B LL2		6803.33	0.00	0.00	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon

WELLPATH COMPOSITION - Ref Wellbore: Taylor B 2H AWB Ref Wellpath: Taylor B 2H AWP Proj:					
Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore	
32.00	529.33	Generic gyro - northseeking (Standard)	01 Gyrodata MS Gyro <17-1/2"> (50'-514')	Taylor B 2H AWB	
529.33	636.33	NaviTrak (MagCorr)	02 APS EM <12-1/4"> (514')(590'-621')	Taylor B 2H AWB	
636.33	797.33	Generic gyro - northseeking (Standard)	03 Gyrodata MS Gyro <12-1/4"> (621')(657'-782')	Taylor B 2H AWB	
797.33	2164.33	NaviTrak (MagCorr)	04 APS EM <12-1/4"> (782')(839'-2149') Proj:2251'	Taylor B 2H AWB	
2164.33	15731.00	NaviTrak (MagCorr)	05 BHI MWD <8-1/2"> (2164.33')(xxxx'-	Taylor B 2H AWB	
15731.00	15765.00	Blind Drilling (std)	Projection to bit	Taylor B 2H AWB	

RECEIVED  
Office of Oil and Gas

2019

WV Department of  
Environmental Protection

10/Mar/2016