



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 1 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

REPORT SETUP INFORMATION

Projection System	NAD83 / Lambert West Virginia SP, Northern Zone (4701), US feet	Software System	WellArchitect® 5.1
North Reference	True	User	Edsaryar
Scale	0.999949	Report Generated	25/Nov/2017 at 14:29
Convergence at slot	0.76° West	Database/Source file	WA_MPL_EASTERNUS_Defn/Taylor_B_6H_AWP_Proj_13501_.xml

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North[ft]	East[ft]	Easting[US ft]	Northing[US ft]	Latitude	Longitude
Slot Location	-22.59	69.81	1635034.52	496412.23	39°51'24.649"N	80°41'16.346"W
Facility Reference Pt			1634965.02	496435.74	39°51'24.872"N	80°41'17.241"W
Field Reference Pt			1644569.15	516963.83	39°54'48.972"N	80°39'17.476"W

WELLPATH DATUM

Calculation method	Minimum curvature	Precision 560 (RKB) to Facility Vertical Datum	25.00ft
Horizontal Reference Pt	Slot	Precision 560 (RKB) to Mean Sea Level	1235.00ft
Vertical Reference Pt	Precision 560 (RKB)	Precision 560 (RKB) to Mud Line at Slot (Slot #06)	25.00ft
MD Reference Pt	Precision 560 (RKB)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	140.22°

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 2 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

WELLPATH DATA (197 stations) † = interpolated/extrapolated station

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert Sect (ft)	North (ft)	East (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00†	0.000	187.770	0.00	0.00	0.00	0.00	1635034.52	496412.23	39°51'24.649"N	80°41'16.346"W	0.00	0.000	0.00	0.00	0.00
25.00	0.000	187.770	25.00	0.00	0.00	0.00	1635034.52	496412.23	39°51'24.649"N	80°41'16.346"W	0.00	0.000	0.00	0.00	0.00
58.33	0.300	187.770	58.33	0.06	-0.09	-0.01	1635034.51	496412.14	39°51'24.648"N	80°41'16.346"W	0.09	187.770	0.90	0.90	-516.74
83.33	0.360	189.560	83.33	0.15	-0.23	-0.03	1635034.48	496412.00	39°51'24.646"N	80°41'16.347"W	0.23	188.378	0.24	0.24	7.16
108.33	0.330	192.390	108.33	0.25	-0.38	-0.06	1635034.45	496411.85	39°51'24.645"N	80°41'16.347"W	0.38	189.378	0.14	-0.12	11.32
133.33	0.380	201.910	133.33	0.33	-0.52	-0.11	1635034.40	496411.71	39°51'24.644"N	80°41'16.348"W	0.53	191.710	0.31	0.20	38.08
158.33	0.360	208.150	158.33	0.40	-0.67	-0.18	1635034.33	496411.56	39°51'24.642"N	80°41'16.348"W	0.69	194.764	0.18	-0.08	24.96
183.33	0.330	202.930	183.33	0.46	-0.81	-0.24	1635034.27	496411.43	39°51'24.641"N	80°41'16.349"W	0.84	196.700	0.17	-0.12	-20.88
208.33	0.300	212.780	208.33	0.52	-0.93	-0.31	1635034.20	496411.31	39°51'24.640"N	80°41'16.350"W	0.98	198.224	0.25	-0.12	39.40
233.33	0.230	238.320	233.33	0.53	-1.01	-0.38	1635034.12	496411.23	39°51'24.639"N	80°41'16.351"W	1.08	200.815	0.54	-0.28	102.16
258.33	0.110	284.610	258.33	0.50	-1.03	-0.45	1635034.06	496411.21	39°51'24.639"N	80°41'16.352"W	1.12	203.594	0.69	-0.48	185.16
283.33	0.090	345.930	283.33	0.47	-1.00	-0.48	1635034.03	496411.23	39°51'24.639"N	80°41'16.352"W	1.11	205.435	0.41	-0.08	245.28
308.33	0.160	9.460	308.33	0.43	-0.95	-0.48	1635034.03	496411.29	39°51'24.639"N	80°41'16.352"W	1.06	206.627	0.34	0.28	94.12
333.33	0.140	10.280	333.33	0.38	-0.89	-0.47	1635034.04	496411.35	39°51'24.640"N	80°41'16.352"W	1.00	207.710	0.08	-0.08	3.28
358.33	0.120	4.320	358.33	0.34	-0.83	-0.46	1635034.05	496411.41	39°51'24.641"N	80°41'16.352"W	0.95	208.892	0.10	-0.08	-23.84
383.33	0.170	0.890	383.33	0.30	-0.77	-0.46	1635034.05	496411.47	39°51'24.641"N	80°41'16.352"W	0.89	210.712	0.20	0.20	-13.72
408.33	0.170	59.800	408.33	0.28	-0.71	-0.42	1635034.09	496411.53	39°51'24.642"N	80°41'16.352"W	0.83	210.740	0.67	0.00	235.64
433.33	0.030	125.920	433.33	0.29	-0.70	-0.39	1635034.13	496411.54	39°51'24.642"N	80°41'16.351"W	0.80	208.972	0.64	-0.56	264.48
458.33	0.070	177.010	458.33	0.31	-0.71	-0.38	1635034.13	496411.52	39°51'24.642"N	80°41'16.351"W	0.81	207.939	0.22	0.16	204.36
483.33	0.070	274.450	483.33	0.31	-0.73	-0.39	1635034.12	496411.51	39°51'24.642"N	80°41'16.351"W	0.83	208.365	0.42	0.00	389.76
508.33	0.080	245.670	508.33	0.29	-0.73	-0.42	1635034.09	496411.50	39°51'24.641"N	80°41'16.352"W	0.85	210.022	0.15	0.04	-115.12
518.33	0.090	233.820	518.33	0.29	-0.74	-0.44	1635034.07	496411.49	39°51'24.641"N	80°41'16.352"W	0.86	210.504	0.20	0.10	-118.50
598.33	0.070	219.430	598.33	0.30	-0.82	-0.52	1635033.99	496411.42	39°51'24.641"N	80°41'16.353"W	0.97	212.425	0.04	-0.03	-17.99
630.33	0.000	81.310	630.33	0.30	-0.83	-0.53	1635033.98	496411.41	39°51'24.641"N	80°41'16.353"W	0.99	212.563	0.22	-0.22	439.28
661.33	0.050	270.430	661.33	0.29	-0.83	-0.54	1635033.96	496411.41	39°51'24.641"N	80°41'16.353"W	0.99	213.223	0.16	0.16	-288.94
692.33	0.130	237.870	692.33	0.28	-0.85	-0.59	1635033.92	496411.39	39°51'24.640"N	80°41'16.354"W	1.03	214.666	0.30	0.26	-105.03
723.33	0.110	209.860	723.33	0.28	-0.90	-0.63	1635033.88	496411.34	39°51'24.640"N	80°41'16.354"W	1.10	215.280	0.20	-0.06	-90.35
754.33	0.070	193.310	754.33	0.30	-0.94	-0.65	1635033.86	496411.30	39°51'24.639"N	80°41'16.355"W	1.14	214.765	0.15	-0.13	-53.39
785.33	0.100	149.340	785.33	0.34	-0.98	-0.64	1635033.86	496411.26	39°51'24.639"N	80°41'16.354"W	1.17	213.224	0.22	0.10	-141.84
817.33	0.240	32.650	817.33	0.35	-0.95	-0.59	1635033.92	496411.29	39°51'24.639"N	80°41'16.354"W	1.12	211.975	0.93	0.44	-364.72

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 3 of 10



REFERENCE WELLPATH IDENTIFICATION

	Slot	Slot #06
Operator	CHEVRON APPALACHIA, LLC	
Area	Marshall County, WV	Taylor B 6H
Field	Marshall County	Taylor B 6H AWB
Facility	Taylor B Pad	

WELLPATH DATA (197 stations)

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert Sect (ft)	North (ft)	East (ft)	Grid East (JUS ft)	Grid North (JUS ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
848.33	0.776	32.080	848.32	0.27	-0.72	-0.45	1635034.06	496411.52	39°51'24.642"N	80°41'16.352"W	0.85	211.899	1.71	1.71	-1.77
879.33	1.250	26.230	879.32	0.06	-0.24	-0.19	1635034.33	496411.99	39°51'24.646"N	80°41'16.349"W	0.30	218.121	1.58	1.55	-18.87
910.33	1.620	29.150	910.31	-0.23	0.45	0.18	1635034.70	496412.68	39°51'24.653"N	80°41'16.344"W	0.48	21.476	1.22	1.19	9.42
941.33	1.990	27.810	941.29	-0.59	1.31	0.64	1635035.18	496413.53	39°51'24.662"N	80°41'16.338"W	1.46	26.121	1.20	1.19	-4.32
973.33	2.390	27.790	973.27	-1.06	2.39	1.21	1635035.76	496414.60	39°51'24.672"N	80°41'16.331"W	2.68	26.887	1.25	1.25	-0.06
1004.33	2.820	28.510	1004.24	-1.59	3.63	1.88	1635036.44	496415.84	39°51'24.685"N	80°41'16.322"W	4.09	27.333	1.39	1.39	2.32
1035.33	3.140	29.610	1035.20	-2.17	5.04	2.66	1635037.25	496417.23	39°51'24.699"N	80°41'16.312"W	5.70	27.830	1.05	1.03	3.55
1066.33	3.270	33.300	1066.15	-2.73	6.52	3.56	1635038.17	496418.70	39°51'24.713"N	80°41'16.301"W	7.43	28.683	0.79	0.42	11.90
1097.33	3.330	43.380	1097.10	-3.09	7.91	4.67	1635039.29	496420.08	39°51'24.727"N	80°41'16.286"W	9.18	30.552	1.88	0.19	32.52
1129.33	3.570	45.190	1129.04	-3.29	9.29	6.01	1635040.66	496421.44	39°51'24.741"N	80°41'16.269"W	11.06	32.925	0.82	0.75	5.66
1160.33	3.490	44.390	1159.98	-3.47	10.64	7.36	1635042.02	496422.77	39°51'24.754"N	80°41'16.252"W	12.94	34.664	0.30	-0.26	2.58
1191.33	3.490	46.140	1190.92	-3.63	11.97	8.70	1635043.38	496424.08	39°51'24.767"N	80°41'16.235"W	14.80	36.008	0.34	0.00	5.65
1222.33	3.640	51.260	1221.86	-3.68	13.24	10.15	1635044.84	496425.33	39°51'24.780"N	80°41'16.216"W	16.68	37.468	1.13	0.48	16.52
1253.33	3.730	57.100	1252.80	-3.54	14.40	11.76	1635046.47	496426.48	39°51'24.791"N	80°41'16.195"W	18.59	39.235	1.24	0.29	18.84
1285.33	3.880	59.950	1284.73	-3.24	15.51	13.57	1635048.30	496427.56	39°51'24.802"N	80°41'16.172"W	20.61	41.188	0.75	0.47	8.91
1316.33	3.930	60.630	1315.66	-2.87	16.56	15.41	1635050.14	496428.58	39°51'24.812"N	80°41'16.149"W	22.62	42.938	0.22	0.16	2.19
1347.33	4.090	64.790	1346.58	-2.40	17.55	17.33	1635052.08	496429.55	39°51'24.822"N	80°41'16.124"W	24.66	44.644	1.07	0.52	13.42
1378.33	4.340	61.120	1377.50	-1.90	18.59	19.36	1635054.12	496430.56	39°51'24.832"N	80°41'16.098"W	26.84	46.168	1.19	0.81	-11.84
1409.33	4.110	59.330	1408.41	-1.50	19.72	21.34	1635056.12	496431.66	39°51'24.844"N	80°41'16.073"W	29.06	47.263	0.86	-0.74	-5.77
1441.33	3.140	53.040	1440.35	-1.27	20.83	23.03	1635057.82	496432.75	39°51'24.855"N	80°41'16.051"W	31.05	47.868	3.27	-3.03	-19.66
1472.33	2.680	47.010	1471.31	-1.27	21.84	24.24	1635059.04	496433.74	39°51'24.865"N	80°41'16.035"W	32.62	47.984	1.78	-1.48	-19.45
1503.33	2.430	41.890	1502.28	-1.41	22.82	25.21	1635060.02	496434.71	39°51'24.874"N	80°41'16.023"W	34.00	47.846	1.09	-0.81	-16.52
1534.33	2.330	40.780	1533.25	-1.61	23.79	26.06	1635060.89	496435.67	39°51'24.884"N	80°41'16.012"W	35.28	47.609	0.36	-0.32	-3.58
1565.33	2.390	40.680	1564.22	-1.82	24.75	26.89	1635061.73	496436.62	39°51'24.893"N	80°41'16.001"W	36.55	47.369	0.19	0.19	-0.32
1596.33	2.530	42.150	1595.20	-2.02	25.75	27.77	1635062.63	496437.61	39°51'24.903"N	80°41'15.990"W	37.87	47.161	0.50	0.45	4.74
1627.33	2.460	40.830	1626.17	-2.23	26.76	28.66	1635063.53	496438.61	39°51'24.913"N	80°41'15.979"W	39.21	46.967	0.29	-0.23	-4.26
1659.33	2.740	40.490	1658.13	-2.47	27.86	29.61	1635064.49	496439.70	39°51'24.924"N	80°41'15.967"W	40.66	46.742	0.88	0.88	-1.06
1690.33	2.950	39.370	1689.10	-2.74	29.04	30.60	1635065.50	496440.86	39°51'24.936"N	80°41'15.954"W	42.19	46.493	0.70	0.68	-3.61
1721.33	3.090	37.460	1720.05	-3.08	30.32	31.61	1635066.53	496442.13	39°51'24.948"N	80°41'15.941"W	43.80	46.192	0.56	0.45	-6.16
1752.33	3.150	37.350	1751.01	-3.45	31.66	32.64	1635067.57	496443.46	39°51'24.962"N	80°41'15.928"W	45.47	45.867	0.19	0.19	-0.35

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 4 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

WELLPATH DATA (197 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
1783.33	3.350	35.360	1781.96	-3.87	33.08	33.68	1635068.63	496444.86	39°51'24.976"N	80°41'15.914"W	47.20	45.514	0.74	0.65	-6.42
1814.33	3.100	36.850	1812.91	-4.30	34.49	34.70	1635069.67	496446.25	39°51'24.990"N	80°41'15.901"W	48.93	45.179	0.85	-0.81	4.81
1846.33	2.300	32.230	1844.87	-4.70	35.72	35.56	1635070.55	496447.48	39°51'25.002"N	80°41'15.890"W	50.41	44.873	2.59	-2.50	-14.44
1877.33	1.810	38.800	1875.85	-4.99	36.63	36.20	1635071.20	496448.38	39°51'25.011"N	80°41'15.882"W	51.50	44.664	1.75	-1.58	21.19
1939.33	1.050	52.650	1937.83	-5.16	37.74	37.27	1635072.28	496449.47	39°51'25.022"N	80°41'15.868"W	53.04	44.641	1.34	-1.23	22.34
2002.33	1.010	72.180	2000.82	-4.92	38.26	38.26	1635073.28	496449.98	39°51'25.027"N	80°41'15.856"W	54.10	44.998	0.56	-0.06	31.00
2064.33	0.710	81.560	2062.82	-4.52	38.48	39.16	1635074.18	496450.19	39°51'25.029"N	80°41'15.844"W	54.90	45.497	0.53	-0.48	15.13
2126.33	0.200	175.670	2124.81	-4.23	38.43	39.54	1635074.57	496450.13	39°51'25.029"N	80°41'15.839"W	55.14	45.818	1.21	-0.82	151.79
2185.33	0.290	162.990	2183.81	-4.01	38.19	39.60	1635074.62	496449.89	39°51'25.026"N	80°41'15.838"W	55.01	46.039	0.18	0.15	-21.49
2286.00	0.280	162.820	2284.48	-3.55	37.71	39.74	1635074.76	496449.41	39°51'25.021"N	80°41'15.837"W	54.78	46.506	0.01	-0.01	-0.17
2331.00	0.340	165.920	2329.48	-3.33	37.47	39.81	1635074.82	496449.17	39°51'25.019"N	80°41'15.836"W	54.67	46.731	0.14	0.13	6.89
2421.00	0.100	289.990	2419.48	-3.15	37.24	39.80	1635074.81	496448.94	39°51'25.017"N	80°41'15.836"W	54.51	46.903	0.45	-0.27	137.86
2510.00	0.280	248.100	2508.48	-3.29	37.19	39.52	1635074.53	496448.89	39°51'25.016"N	80°41'15.839"W	54.27	46.746	0.24	0.20	-47.07
2600.00	0.250	243.660	2598.48	-3.40	37.02	39.14	1635074.15	496448.72	39°51'25.015"N	80°41'15.844"W	53.87	46.600	0.04	-0.03	-4.93
2690.00	0.180	311.980	2688.48	-3.59	37.02	38.86	1635073.87	496448.73	39°51'25.015"N	80°41'15.848"W	53.68	46.389	0.28	-0.08	75.91
2779.00	0.120	310.020	2777.48	-3.82	37.18	38.69	1635073.69	496448.89	39°51'25.016"N	80°41'15.850"W	53.66	46.141	0.07	-0.07	-2.20
2869.00	0.190	316.870	2867.48	-4.06	37.35	38.51	1635073.52	496449.06	39°51'25.018"N	80°41'15.852"W	53.65	45.881	0.08	0.08	7.61
2958.00	0.220	10.080	2956.48	-4.32	37.62	38.44	1635073.45	496449.34	39°51'25.021"N	80°41'15.853"W	53.79	45.618	0.21	0.03	59.79
3048.00	0.370	347.110	3046.48	-4.69	38.08	38.41	1635073.43	496449.79	39°51'25.025"N	80°41'15.854"W	54.08	45.249	0.21	0.17	-25.52
3138.00	0.290	347.020	3136.47	-5.15	38.58	38.29	1635073.32	496450.30	39°51'25.030"N	80°41'15.855"W	54.36	44.785	0.09	-0.09	-0.10
3227.00	0.430	341.010	3225.47	-5.66	39.12	38.13	1635073.16	496450.84	39°51'25.035"N	80°41'15.857"W	54.63	44.271	0.16	0.16	-6.75
3317.00	0.360	348.360	3315.47	-6.23	39.71	37.97	1635073.01	496451.44	39°51'25.041"N	80°41'15.859"W	54.94	43.712	0.10	-0.08	8.17
3407.00	0.240	317.700	3405.47	-6.66	40.13	37.78	1635072.83	496451.85	39°51'25.045"N	80°41'15.862"W	55.12	43.275	0.22	-0.13	-34.07
3497.00	0.280	342.840	3495.47	-7.06	40.48	37.59	1635072.64	496452.21	39°51'25.049"N	80°41'15.864"W	55.24	42.881	0.13	0.04	27.93
3586.00	0.480	288.630	3584.47	-7.57	40.81	37.17	1635072.23	496452.54	39°51'25.052"N	80°41'15.870"W	55.20	42.333	0.44	0.22	-60.91
3676.00	0.540	303.460	3674.46	-8.30	41.16	36.46	1635071.52	496452.90	39°51'25.056"N	80°41'15.879"W	54.99	41.536	0.16	0.07	16.48
3765.00	0.760	289.570	3763.46	-9.21	41.59	35.56	1635070.62	496453.34	39°51'25.060"N	80°41'15.890"W	54.72	40.528	0.30	0.25	-15.61
3855.00	0.590	298.850	3853.45	-10.16	42.01	34.59	1635069.66	496453.78	39°51'25.064"N	80°41'15.903"W	54.42	39.464	0.22	-0.19	10.31
3945.00	0.570	290.660	3943.45	-10.98	42.39	33.76	1635068.84	496454.17	39°51'25.068"N	80°41'15.913"W	54.20	38.534	0.09	-0.02	-9.10
4034.00	0.900	298.240	4032.44	-12.01	42.88	32.73	1635067.82	496454.67	39°51'25.073"N	80°41'15.927"W	53.95	37.356	0.39	0.37	8.52

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 5 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

WELLPATH DATA (197 stations)

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert. Sect (ft)	North (ft)	East (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4124.00	0.900	296.690	4122.43	-13.31	43.53	31.48	1635066.57	496455.34	39°51'25.079"N	80°41'15.943"W	53.72	35.871	0.03	0.00	-1.72
4213.00	0.960	26.320	4211.42	-14.26	44.52	31.18	1635066.29	496456.33	39°51'25.089"N	80°41'15.946"W	54.35	35.013	1.47	0.07	100.71
4303.00	0.860	28.430	4301.41	-14.81	45.78	31.84	1635066.96	496457.59	39°51'25.101"N	80°41'15.938"W	55.77	34.816	0.12	-0.11	2.34
4392.00	0.610	12.350	4390.40	-15.35	46.83	32.26	1635067.39	496458.63	39°51'25.112"N	80°41'15.933"W	56.87	34.559	0.36	-0.28	-18.07
4482.00	0.530	3.180	4480.40	-15.95	47.72	32.39	1635067.53	496459.51	39°51'25.120"N	80°41'15.931"W	57.67	34.164	0.13	-0.09	-10.15
4572.00	0.530	336.020	4570.39	-16.66	48.51	32.24	1635067.31	496460.31	39°51'25.128"N	80°41'15.933"W	58.25	33.605	0.28	0.00	-30.18
4661.00	0.640	0.540	4659.39	-17.43	49.39	32.08	1635067.25	496461.19	39°51'25.137"N	80°41'15.935"W	58.89	33.003	0.30	0.12	27.55
4751.00	4.840	45.440	4749.27	-18.13	52.56	34.79	1635070.00	496464.32	39°51'25.168"N	80°41'15.900"W	63.03	33.502	4.90	4.67	49.89
4792.00	5.870	44.050	4790.09	-18.50	55.28	37.48	1635072.72	496467.00	39°51'25.195"N	80°41'15.866"W	66.78	34.138	2.53	2.51	-3.39
4882.00	8.380	44.890	4879.39	-19.60	63.23	45.31	1635080.66	496474.85	39°51'25.274"N	80°41'15.765"W	77.79	35.623	2.79	2.79	0.93
4971.00	16.440	48.780	4966.24	-20.52	76.15	59.38	1635094.90	496487.58	39°51'25.401"N	80°41'15.585"W	96.56	37.948	9.10	9.06	4.37
5060.00	24.110	51.330	5049.66	-20.49	95.83	83.08	1635118.86	496506.95	39°51'25.596"N	80°41'15.281"W	126.83	40.924	8.67	8.62	2.87
5150.00	32.280	56.210	5128.93	-17.62	120.73	117.47	1635153.57	496531.39	39°51'25.842"N	80°41'14.840"W	168.45	44.216	9.43	9.08	5.42
5239.00	39.710	56.880	5200.89	-11.83	149.52	161.09	1635197.57	496559.60	39°51'26.126"N	80°41'14.281"W	219.79	47.134	8.36	8.35	0.75
5329.00	46.940	57.260	5266.31	-4.46	183.06	212.90	1635249.81	496592.45	39°51'26.458"N	80°41'13.616"W	280.78	49.310	8.04	8.03	0.42
5418.00	54.000	56.340	5322.93	3.37	220.64	270.29	1635307.68	496629.27	39°51'26.829"N	80°41'12.880"W	348.91	50.774	7.97	7.93	-1.03
5508.00	54.960	54.870	5375.22	10.24	262.03	330.72	1635368.66	496669.85	39°51'27.238"N	80°41'12.105"W	421.94	51.611	1.70	1.07	-1.63
5597.00	54.930	53.660	5426.34	15.38	304.58	389.86	1635428.35	496711.61	39°51'27.659"N	80°41'11.347"W	494.73	52.002	1.11	-0.03	-1.36
5686.00	54.880	54.520	5477.51	20.30	347.28	448.84	1635487.89	496753.53	39°51'28.081"N	80°41'10.591"W	567.51	52.269	0.79	-0.06	0.97
5776.00	54.940	55.190	5529.24	26.25	389.68	509.06	1635548.66	496795.12	39°51'28.500"N	80°41'09.819"W	641.08	52.566	0.61	0.07	0.74
5865.00	55.010	55.130	5580.32	32.52	431.31	568.87	1635609.02	496835.96	39°51'28.911"N	80°41'09.051"W	713.90	52.831	0.10	0.08	-0.07
5954.00	54.890	55.920	5631.44	39.26	472.55	628.94	1635669.62	496876.40	39°51'29.319"N	80°41'08.281"W	786.68	53.080	0.74	-0.13	0.89
6044.00	54.850	57.280	5683.23	47.44	513.07	690.38	1635731.59	496916.10	39°51'29.719"N	80°41'07.493"W	860.16	53.381	1.24	-0.04	1.51
6133.00	54.990	58.390	5734.38	57.09	551.84	752.04	1635793.75	496954.05	39°51'30.102"N	80°41'06.703"W	932.79	53.729	1.03	0.16	1.25
6223.00	54.860	58.950	5786.10	67.91	590.14	814.95	1635857.16	496991.52	39°51'30.481"N	80°41'05.896"W	1006.19	54.030	0.53	-0.14	0.62
6312.00	54.950	57.860	5837.27	78.28	628.29	876.98	1635919.68	497028.84	39°51'30.858"N	80°41'05.101"W	1078.82	54.381	1.01	0.10	-1.22
6401.00	54.930	57.900	5888.39	87.99	667.03	938.68	1635981.88	497066.75	39°51'31.241"N	80°41'04.309"W	1151.54	54.602	0.04	-0.02	0.04
6491.00	54.980	56.980	5940.07	97.25	706.68	1000.78	1636044.50	497105.58	39°51'31.632"N	80°41'03.513"W	1225.14	54.773	0.84	0.06	-1.02
6580.00	55.010	56.490	5991.13	105.52	746.67	1061.73	1636105.98	497144.76	39°51'32.028"N	80°41'02.731"W	1298.00	54.883	0.45	0.03	-0.55
6669.00	55.040	56.380	6042.14	113.42	786.99	1122.50	1636167.27	497184.27	39°51'32.426"N	80°41'01.952"W	1370.90	54.966	0.11	0.03	-0.12

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'
Page 6 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

WELLPATH DATA (197 stations)

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert. Sect (ft)	North (ft)	East (ft)	Grid East (ft)	Grid North (ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
6759.00	55.060	56.300	6093.70	121.28	827.88	1183.90	1636229.20	497224.34	39°51'32.830"N	80°41'01.165"W	1444.65	55.036	0.08	0.02	-0.09
6848.00	55.000	56.230	6144.71	128.96	868.38	1244.55	1636290.38	497264.03	39°51'33.230"N	80°41'00.387"W	1517.56	55.095	0.09	-0.07	-0.08
6937.00	55.280	60.380	6195.60	139.23	906.73	1306.67	1636352.99	497301.56	39°51'33.609"N	80°40'59.590"W	1590.45	55.242	3.84	0.31	4.66
7027.00	56.390	70.510	6246.23	158.79	937.57	1374.28	1636421.00	497331.50	39°51'33.914"N	80°40'58.723"W	1663.63	55.697	9.39	1.23	11.26
7116.00	58.020	79.630	6294.50	190.22	956.76	1445.45	1636493.42	497349.73	39°51'34.104"N	80°40'57.798"W	1734.25	56.517	8.80	1.83	10.25
7205.00	59.940	86.790	6340.41	231.75	965.72	1522.12	1636569.19	497357.69	39°51'34.192"N	80°40'56.828"W	1802.63	57.607	7.22	2.16	8.04
7295.00	62.360	92.890	6383.86	282.02	965.89	1600.89	1636647.95	497356.82	39°51'34.194"N	80°40'55.817"W	1869.70	58.895	6.52	2.69	6.78
7384.00	64.400	100.720	6423.79	339.78	956.43	1679.80	1636726.73	497346.31	39°51'34.100"N	80°40'54.806"W	1932.99	60.344	8.19	2.29	8.80
7473.00	67.620	108.770	6460.02	405.96	935.69	1758.32	1636804.96	497324.54	39°51'33.895"N	80°40'53.799"W	1991.78	61.980	9.02	3.62	9.04
7562.00	71.080	115.450	6491.43	479.38	904.32	1835.39	1636881.60	497292.15	39°51'33.585"N	80°40'52.810"W	2046.08	63.770	8.03	3.89	7.51
7652.00	71.560	122.320	6520.29	558.74	863.16	1909.98	1636958.64	497250.01	39°51'33.178"N	80°40'51.854"W	2095.96	65.681	7.25	0.53	7.63
7741.00	76.750	126.800	6544.59	641.14	814.58	1980.42	1637025.43	497200.51	39°51'32.698"N	80°40'50.951"W	2141.40	67.642	7.58	5.83	5.03
7831.00	82.100	131.530	6561.11	727.92	758.72	2048.95	1637093.21	497143.75	39°51'32.146"N	80°40'50.072"W	2184.91	69.681	7.87	5.94	5.26
7920.00	86.090	134.640	6570.27	815.74	698.26	2113.58	1637157.03	497082.45	39°51'31.548"N	80°40'49.243"W	2225.93	71.718	5.67	4.48	3.49
8010.00	89.080	141.370	6574.07	905.53	631.48	2173.69	1637216.26	497014.88	39°51'30.888"N	80°40'48.472"W	2263.56	73.801	8.18	3.32	7.48
8099.00	88.340	144.450	6576.07	994.39	560.51	2227.35	1637288.97	496943.21	39°51'30.187"N	80°40'47.785"W	2296.79	75.875	3.56	-0.83	3.46
8188.00	86.860	146.030	6579.80	1082.97	487.46	2278.04	1637318.69	496869.50	39°51'29.465"N	80°40'47.135"W	2329.61	77.922	2.43	-1.66	1.78
8278.00	86.980	146.130	6584.63	1172.37	412.88	2328.19	1637367.85	496794.27	39°51'28.728"N	80°40'46.492"W	2364.52	79.944	0.17	0.13	0.11
8367.00	86.610	146.010	6589.61	1260.77	339.15	2377.79	1637416.46	496719.90	39°51'27.999"N	80°40'45.856"W	2401.86	81.882	0.44	-0.42	-0.13
8456.00	88.920	146.600	6593.08	1349.19	265.17	2427.13	1637464.81	496645.27	39°51'27.268"N	80°40'45.223"W	2441.57	83.765	2.68	2.60	0.66
8545.00	88.250	140.230	6595.28	1437.98	193.76	2480.13	1637516.86	496573.17	39°51'26.562"N	80°40'44.544"W	2487.69	85.533	7.19	-0.75	-7.16
8635.00	88.150	137.980	6598.11	1527.91	125.77	2539.02	1637574.84	496504.41	39°51'25.890"N	80°40'43.789"W	2542.13	87.164	2.50	-0.11	-2.50
8724.00	88.150	136.780	6600.98	1616.76	60.31	2599.25	1637634.20	496438.17	39°51'25.243"N	80°40'43.016"W	2599.95	88.671	1.35	0.00	-1.35
8813.00	88.030	136.110	6603.95	1705.51	-4.15	2660.54	1637694.63	496372.90	39°51'24.606"N	80°40'42.230"W	2660.54	90.089	0.76	-0.13	-0.75
8903.00	87.940	136.960	6607.11	1795.27	-69.43	2722.41	1637755.63	496306.81	39°51'23.951"N	80°40'41.437"W	2723.30	91.461	0.95	-0.10	0.94
8992.00	88.770	136.460	6609.67	1884.07	-134.19	2783.41	1637815.77	496241.26	39°51'23.321"N	80°40'40.655"W	2786.65	92.760	1.09	0.93	-0.56
9081.00	89.880	137.720	6610.72	1972.92	-199.37	2844.01	1637875.49	496175.29	39°51'22.677"N	80°40'39.876"W	2850.98	94.010	1.89	1.25	1.42
9171.00	90.000	136.710	6610.81	2062.80	-265.42	2905.13	1637935.74	496108.44	39°51'22.024"N	80°40'39.094"W	2917.23	95.220	1.13	0.13	-1.12
9260.00	89.380	135.170	6611.29	2151.55	-329.37	2967.02	1637996.77	496043.68	39°51'21.392"N	80°40'38.301"W	2985.25	96.334	1.87	-0.70	-1.73
9350.00	89.750	133.480	6611.97	2241.07	-392.25	3031.40	1638060.31	495979.95	39°51'20.770"N	80°40'37.475"W	3056.68	97.373	1.92	0.41	-1.88

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 7 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

WELLPATH DATA (197 stations)

MD (ft)	Inclination (°)	Azimuth (°)	TVD (ft)	Vert Sect (ft)	North (ft)	East (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude	Closure Dist (ft)	Closure Dir (°)	DLS (F/100ft)	Build Rate (F/100ft)	Turn Rate (F/100ft)
9439.00	90.280	137.460	6611.95	2329.74	-455.68	3093.80	1638121.86	495915.70	39°51'20.144"N	80°40'36.675"W	3127.18	98.379	4.51	0.60	4.47
9528.00	90.400	137.940	6611.42	2418.65	-621.51	3153.70	1638180.88	495849.10	39°51'19.493"N	80°40'35.907"W	3196.53	99.390	0.56	0.13	0.54
9617.00	89.600	136.040	6611.42	2507.51	-586.59	3214.41	1638240.72	495783.23	39°51'18.850"N	80°40'35.129"W	3267.49	100.342	2.32	-0.90	-2.13
9707.00	89.780	135.850	6611.91	2597.26	-651.27	3276.99	1638302.44	495717.73	39°51'18.210"N	80°40'34.327"W	3341.08	101.240	0.29	0.20	-0.21
9796.00	89.690	141.840	6612.32	2686.19	-718.25	3335.53	1638360.09	495649.98	39°51'17.548"N	80°40'33.576"W	3411.99	102.152	6.73	-0.10	6.73
9885.00	89.350	144.940	6613.07	2775.04	-789.68	3388.60	1638412.20	495577.86	39°51'16.842"N	80°40'32.896"W	3479.40	103.118	3.50	-0.38	3.48
9975.00	89.260	145.530	6614.16	2864.69	-863.61	3439.91	1638462.53	495503.27	39°51'16.112"N	80°40'32.238"W	3546.66	104.093	0.66	-0.10	0.66
10064.00	89.480	145.960	6615.14	2953.27	-937.16	3490.01	1638511.65	495429.06	39°51'15.385"N	80°40'31.596"W	3613.64	105.031	0.54	0.25	0.48
10154.00	89.850	145.540	6615.66	3042.85	-1011.55	3540.66	1638561.31	495354.01	39°51'14.650"N	80°40'30.947"W	3682.32	105.944	0.62	0.41	-0.47
10243.00	89.510	143.390	6616.16	3131.60	-1083.97	3592.38	1638612.06	495280.91	39°51'13.934"N	80°40'30.283"W	3752.36	106.791	2.45	-0.38	-2.42
10333.00	89.420	141.320	6617.00	3221.52	-1155.23	3647.35	1638666.08	495208.94	39°51'13.230"N	80°40'29.579"W	3825.92	107.575	2.30	-0.10	-2.30
10422.00	89.290	141.970	6618.00	3310.49	-1225.02	3702.57	1638720.37	495138.43	39°51'12.540"N	80°40'28.871"W	3899.96	108.307	0.74	-0.15	0.73
10512.00	89.450	142.370	6618.99	3400.43	-1296.10	3757.76	1638774.62	495066.63	39°51'11.837"N	80°40'28.163"W	3975.00	109.030	0.48	0.18	0.44
10601.00	89.420	140.360	6619.87	3489.41	-1365.61	3813.33	1638829.25	494996.39	39°51'11.150"N	80°40'27.451"W	4050.48	109.703	2.26	-0.03	-2.26
10691.00	89.510	140.510	6620.71	3579.40	-1434.99	3870.65	1638885.65	494926.27	39°51'10.464"N	80°40'26.716"W	4128.09	110.342	0.19	0.10	0.17
10781.00	89.480	142.030	6621.50	3669.38	-1505.19	3926.95	1638941.02	494855.33	39°51'09.771"N	80°40'25.994"W	4205.54	110.972	1.69	-0.03	1.69
10870.00	89.200	140.620	6622.53	3758.36	-1574.67	3982.57	1638995.71	494785.13	39°51'09.084"N	80°40'25.281"W	4282.57	111.573	1.62	-0.31	-1.58
10959.00	89.850	139.430	6623.27	3847.35	-1642.87	4039.74	1639051.97	494716.18	39°51'08.410"N	80°40'24.548"W	4361.02	112.130	1.52	0.73	-1.34
11049.00	89.780	136.350	6623.56	3937.26	-1709.63	4100.08	1639111.42	494648.63	39°51'07.750"N	80°40'23.775"W	4442.24	112.635	3.42	-0.08	-3.42
11138.00	89.780	137.820	6623.90	4026.13	-1774.81	4160.68	1639171.15	494582.66	39°51'07.106"N	80°40'22.998"W	4523.41	113.101	1.65	0.00	1.65
11228.00	89.230	138.110	6624.68	4116.05	-1841.65	4220.94	1639230.52	494515.03	39°51'06.445"N	80°40'22.225"W	4605.22	113.572	0.69	-0.61	0.32
11317.00	88.890	140.820	6625.14	4205.03	-1909.28	4278.77	1639287.45	494446.65	39°51'05.777"N	80°40'21.484"W	4685.43	114.047	3.07	-0.38	3.04
11406.00	89.720	142.220	6625.22	4293.99	-1978.94	4334.14	1639341.89	494376.27	39°51'05.088"N	80°40'20.774"W	4764.56	114.541	1.83	0.93	1.57
11496.00	89.820	138.250	6625.58	4383.98	-2048.11	4391.70	1639398.52	494306.35	39°51'04.404"N	80°40'20.036"W	4845.80	115.002	4.41	0.11	-4.41
11585.00	89.600	133.340	6626.03	4472.68	-2111.89	4453.73	1639459.71	494241.76	39°51'03.774"N	80°40'19.241"W	4929.08	115.370	5.52	-0.25	-5.52
11675.00	89.290	131.240	6626.90	4561.81	-2172.44	4520.30	1639525.47	494180.33	39°51'03.175"N	80°40'18.388"W	5015.24	115.669	2.36	-0.34	-2.33
11764.00	89.600	137.310	6627.76	4650.29	-2234.54	4583.99	1639588.33	494117.40	39°51'02.562"N	80°40'17.571"W	5099.62	115.988	6.83	0.35	6.82
11854.00	89.630	139.640	6630.37	4740.24	-2301.91	4643.65	1639647.09	494049.25	39°51'01.896"N	80°40'16.807"W	5182.89	116.368	2.59	0.03	2.59
11943.00	89.420	138.960	6631.11	4829.22	-2369.38	4701.69	1639704.22	493981.02	39°51'01.229"N	80°40'16.063"W	5264.96	116.745	0.80	-0.24	-0.76
12033.00	89.540	142.400	6631.92	4919.20	-2438.99	4758.71	1639760.31	493910.66	39°51'00.541"N	80°40'15.332"W	5347.33	117.137	3.82	0.13	3.82

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'
Page 8 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Slot #06
CHEVRON APPALACHIA, LLC	Taylor B 6H
Area	Wellbore
Field	Taylor B 6H AWB
Facility	

WELLPATH DATA (197 stations)

MD [ft]	Inclination [°]	Azimuth [°]	TVD [ft]	Vert Sect [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Closure Dist [ft]	Closure Dir [°]	DLS [°/100ft]	Build Rate [°/100ft]	Turn Rate [°/100ft]
12122.00	89.320	141.640	6632.81	5008.15	-2509.14	4813.47	1639814.14	4938339.80	39°50'59.847"N	80°40'14.630"W	5428.20	117.532	0.89	-0.25	-0.85
12211.00	89.820	141.130	6633.48	5097.13	-2578.68	4869.01	1639868.76	493769.54	39°50'59.160"N	80°40'13.918"W	5509.71	117.906	0.80	0.56	-0.57
12301.00	89.780	135.200	6633.79	5187.03	-2645.71	4929.02	1639927.86	493701.73	39°50'58.498"N	80°40'13.149"W	5594.19	118.225	6.59	-0.04	-6.59
12390.00	89.480	134.150	6634.37	5275.61	-2708.28	4992.30	1639990.31	493638.33	39°50'57.879"N	80°40'12.337"W	5679.60	118.479	1.23	-0.34	-1.18
12480.00	88.950	137.280	6635.60	5365.32	-2772.69	5052.73	1640052.28	493573.09	39°50'57.242"N	80°40'11.532"W	5765.60	118.744	3.53	-0.59	3.48
12569.00	88.580	139.680	6637.52	5454.25	-2839.31	5114.11	1640110.37	493505.70	39°50'56.584"N	80°40'10.776"W	5849.43	119.039	2.73	-0.42	2.70
12658.00	88.500	143.510	6639.75	5543.18	-2909.02	5169.37	1640164.70	493435.27	39°50'55.895"N	80°40'10.068"W	5931.67	119.368	4.30	-0.03	4.30
12748.00	89.540	148.110	6641.25	5632.71	-2983.43	5219.92	1640214.26	493360.20	39°50'55.159"N	80°40'09.420"W	6012.36	119.750	5.23	1.10	5.11
12837.00	90.150	147.860	6641.49	5720.89	-3058.90	5267.10	1640260.44	493284.12	39°50'54.414"N	80°40'08.815"W	6090.91	120.146	0.74	0.69	-0.28
12927.00	90.030	146.360	6641.35	5810.24	-3134.47	5315.97	1640308.30	493207.92	39°50'53.667"N	80°40'08.189"W	6171.26	120.525	1.67	-0.13	-1.67
13016.00	89.690	143.560	6641.57	5898.93	-3207.33	5367.07	1640358.43	493134.39	39°50'52.946"N	80°40'07.594"W	6252.39	120.862	3.17	-0.38	-3.15
13105.00	89.600	141.180	6642.12	5987.86	-3277.81	5421.40	1640411.82	493063.20	39°50'52.250"N	80°40'06.837"W	6335.27	121.157	2.68	-0.10	-2.67
13195.00	89.290	135.830	6642.99	6077.78	-3345.19	5481.01	1640470.53	492995.04	39°50'51.584"N	80°40'06.073"W	6421.20	121.397	5.95	-0.34	-5.94
13284.00	89.290	133.210	6644.09	6166.33	-3407.59	5544.46	1640533.14	492931.82	39°50'50.967"N	80°40'05.260"W	6507.89	121.575	2.94	0.00	-2.94
13374.00	88.460	131.380	6645.86	6255.44	-3468.14	5611.01	1640598.89	492870.40	39°50'50.368"N	80°40'04.407"W	6596.32	121.720	2.23	-0.92	-2.03
13463.00	88.620	134.840	6648.13	6343.72	-3528.93	5675.95	1640663.02	492808.75	39°50'49.768"N	80°40'03.574"W	6683.55	121.871	3.89	0.18	3.89
13501.00	88.620	134.840	6649.04	6381.54	-3555.72	5702.89	1640689.60	492781.61	39°50'49.503"N	80°40'03.229"W	6720.57	121.943	0.00	0.00	0.00

HOLE & CASING SECTIONS - Ref Wellbore: Taylor B 6H AWB Ref Wellpath: Taylor B 6H AWP Proj: 13501'

String/Diameter	Start MD [ft]		End MD [ft]		Interval [ft]		Start TVD [ft]		End TVD [ft]		Start N/S [ft]		End N/S [ft]		Start E/W [ft]		End E/W [ft]	
	Start	End	Start	End	Start	End	Start	End	Start	End	Start	End	Start	End	Start	End	Start	End
17.5in Open Hole	25.00	558.33	533.33	25.00	533.33	533.33	25.00	558.33	0.00	558.33	0.00	0.00	0.00	-0.78	0.00	0.00	0.00	-0.48
13.375in Casing Surface	25.00	558.33	533.33	25.00	533.33	533.33	25.00	558.33	0.00	558.33	0.00	0.00	0.00	-0.78	0.00	0.00	0.00	-0.48
12.25in Open Hole	558.33	2259.33	1701.00	558.33	1701.00	2259.33	2257.81	2248.48	-0.78	2257.81	-0.78	-0.48	37.83	39.70	37.83	39.70	37.83	39.70
9.625in Casing Intermediate	25.00	2250.00	2225.00	25.00	2225.00	2225.00	2248.48	2248.48	0.00	2248.48	0.00	0.00	37.88	39.69	37.88	39.69	37.88	39.69
8.5in Open Hole	2259.33	13501.00	11241.67	2259.33	11241.67	13501.00	6649.04	6649.04	37.83	6649.04	37.83	39.70	-3555.72	5702.89	-3555.72	5702.89	-3555.72	5702.89
5.5in Casing Production	25.00	13501.00	13476.00	25.00	13476.00	13501.00	6649.04	6649.04	0.00	6649.04	0.00	0.00	-3555.72	5702.89	-3555.72	5702.89	-3555.72	5702.89

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 9 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	CHEVRON APPALACHIA, LLC	Slot	Slot #06
Area	Marshall County, WV	Well	Taylor B 6H
Field	Marshall County	Wellbore	Taylor B 6H AWB
Facility	Taylor B Pad		

TARGETS

Name	TVD [ft]	North [ft]	East [ft]	Grid East [US ft]	Grid North [US ft]	Latitude	Longitude	Shape
Taylor B 6H LP Rev-4	6546.00	694.40	2122.95	1637166.35	497078.46	39°51'31.510"N	80°40'49.123"W	point
Taylor B 6H BHL Rev-4	6584.80	-3575.93	5678.83	1640665.27	492761.72	39°50'49.303"N	80°40'03.538"W	point
Taylor B Buffer1	6746.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer2	6746.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer3	6746.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B Buffer4	6746.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B LL1	6796.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon
Taylor B LL2	6796.33	13.52	-58.46	1634976.25	496426.52	39°51'24.782"N	80°41'17.096"W	polygon

WELLPATH COMPOSITION - Ref Wellbore: Taylor B 6H AWB Ref Wellpath: Taylor B 6H AWP Proj: 13501'

Start MD [ft]	End MD [ft]	Positional Uncertainty Model	Log Name/Comment	Wellbore
25.00	518.33	BHI Generic gyro - northseeking (Standard)	01 Gyrodatta MS Gyro <17-1/2"> (50'-510')	Taylor B 6H AWB
518.33	2185.33	BHI NaviTrak (Standard)	02 APS EM <12-1/4"> (510')(590'-2177') Proj:2251'	Taylor B 6H AWB
2185.33	4751.00	NaviTrak (Magcorr+IFR1)	03 BHI NaviTrak IFR <8-1/2">(2185.33')(2286'-4751')	Taylor B 6H AWB
4751.00	13463.00	BHI AutoTrak Curve (IFR1, Short)	04 BH AT Curve IFR <8-1/2">(4751')(4792'-13463)	Taylor B 6H AWB
13463.00	13501.00	Blind Drilling (std)	Projection to bit	Taylor B 6H AWB

03/29/2019

RECEIVED
Office of Oil and Gas
JAN 30 2019
WV Department of
Environmental Protection



Actual Wellpath Report

Taylor B 6H AWP Proj: 13501'

Page 10 of 10



REFERENCE WELLPATH IDENTIFICATION

Operator	Area	Field	Facility	Slot	Well	Wellbore	Slot #06
CHEVRON APPALACHIA, LLC	Marshall County, WV	Marshall County	Taylor B Pad	Well	Wellbore		Taylor B 6H
							Taylor B 6H AWB

COMMENTS

Wellpath general comments

API: 47-051-01796-0000
 BH Job #: 8816311
 Rig: Precision 560
 Duration: 10/19/2017-10/26/2017
 Gyrodatta MS Gyro <17-1/2"> (50'-510')
 APS EM <12-1/4"> (510')(590'-2177')
 BH NavTrak + IFR1 <8-1/2"> (2185.33')(2286'-4751')
 BH AT Curve + IFR1 <8-1/2"> (4751')(4792'-13463')
 Projected MD at TD: 13501'

03/29/2019

RECEIVED
 Office of Oil and Gas
 JAN 30 2019
 WV Department of
 Environmental Protection