

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

April 06, 2015

WELL WORK PERMIT Horizontal 6A Well

This permit, API Well Number: 47-5101823, issued to CHEVRON APPALACHIA, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chie

Operator's Well No: TAYLOR B 5H

Farm Name: WILLIAMS OHIO VALLEY MIDS]

API Well Number: 47-5101823

Permit Type: Horizontal 6A Well

Date Issued: 04/06/2015

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit</u> conditions may result in enforcement action.

CONDITIONS

- This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 9. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

					51	2	370
1) Well Operator:	Chevron	Appalachia	a, LLC	49449935	Marshall	Clay	Glen Easton, WV 7.5'
	·			Operator ID	County	District	Quadrangle
2) Operator's Well	Number:	5H		Well Pac	l Name: Taylor	гВ	
3) Farm Name/Sur	face Owne	er: Williams Ohi	io Valley Mid	dstream Public Roa	d Access: CR	17 Fork Rid	ge Road
4) Elevation, curre	nt ground:	1257'	Ele	evation, proposed	post-constructi	on: 1257'	
5) Well Type (a)) Gas _		Oil	Unde	erground Storag	ge	
Ot	her _						
(b)If Gas	Shallow	_=	Deep			
	J	Horizontal				JN	1/7/15
6) Existing Pad: Y) <u>-</u>			TI TOTALISME SE OF	.	0	
7) Proposed Targe Marcellus, 6535',			s), Antic	ipated Thickness a	and Associated	Pressure(s)	:
8) Proposed Total	Vertical D	epth: 6533'					
9) Formation at To	otal Vertica	al Depth: N	MARCELL	US			
10) Proposed Tota	l Measure	d Depth: 1	5,957'				
11) Proposed Hori	zontal Leg	Length: Bro	05*				
12) Approximate l	Fresh Wate	er Strata Dep	ths:	528' GL			
13) Method to Det	termine Fro	esh Water De	epths: 2	2 mi radius offset we	lls, freshwater we	ells, and fres	hwater base level
14) Approximate S	Saltwater I	Depths: 12	76', 1880'	-2370' KB: Francis 1	V offset well		
15) Approximate	Coal Seam	Depths: 79	90' GL				
16) Approximate	Depth to P	ossible Void	(coal mi	ine, karst, other):	NA - Solid coal a	inticipated	
17) Does Proposed directly overlying				Yes	No	√	
(a) If Yes, provide	de Mine In	fo: Name:	<u> </u>				
e 2		Depth:					
		Seam:					
		Owner	:				

WW-6B (9/13)

18)

CASING AND TUBING PROGRAM

TYPE	Size	New or Used	<u>Grade</u>	Weight per ft. (lb/ft)	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill-up (Cu. Ft.)
Conductor	20"	New		-	40'	40'	141.8 CT
Fresh Water	13-3/8"	New	J-55	54.5#	600'	600'	691.0 CT
Coal							
Intermediate	9-5/8"	New	N-80	40#	2,240'	2,240'	905.0 CT
Production	5-1/2"	New	P-110	20#	15,957'	15,957'	3824.0 CT
Tubing							
Liners							

JN 1/7/15

ТҮРЕ	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	26"	-			,
Fresh Water	13-3/8"	17-1/2"	0.380"	2,730 psi	Class A	1.18
Coal						
Intermediate	9-5/8"	12-1/4"	0.395"	5,750 psi	Class A	1.29
Production	5-1/2"	8-1/2"	0.361"	12,640 psi	Class A	1.61
Tubing						
Liners						

PACKERS

Kind:	None		
Sizes:			
Depths Set:			

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:
Drill 17-1/2" hole to 600 then run and cement 13-3/8" casing to surface covering the fresh water. Drill 12.25" hole to 2,240' then run and cement to surface 9 5/8" casing, covering the Big Injun. Drill 8 1/2" hole to KOP at 5,688. Drill 8 1/2" curve and lateral to 15,957' MD and 6,533 TVD. Run 5 1/2" production casing and cement back to surface'.
20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:
Chevron will utilizing plug and perf method with 44 stages using 8,572 bbl of fluid and 315,000 lbm of sand per stage
21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres):
22) Area to be disturbed for well pad only, less access road (acres): 4.3
23) Describe centralizer placement for each casing string:
There will be a bow spring centralizer every two jts on the Water string and intermediate. The production string will have two centralizer every jt in the lateral and curve, then one every jt from KOP to surface.
24) Describe all cement additives associated with each cement type:
For the Water String the blend will contain class A cement, 3% CaCl2, and flake. The intermediate will contain class A
cement, 10% CaCl2, Salt, and flake. The Production cement will have a lead and tail cement. The lead will contain class A cement, KCl, dispersant, suspension agent, and retarder. The tail will contain class A cement, Calcium Carbonate, KCl, dispersant, de-foamer, suspension agent, and friction reducer.
25) Proposed borehole conditioning procedures:
Well will be circulated a minimum of 3 bottoms up once casing point has been reached on all hole sections and until uniform mud properties are achieved.

Received
Office of Oil & Gas

^{*}Note: Attach additional sheets as needed.

Cement Additives

Water String the blend will contain class A cement, 3% CaCl2, and flake.


The intermediate will contain class A cement, 10% CaCl2, Salt, and flake.

The Production cement will have a lead and tail cement.

The lead will contain class A cement, KCl, dispersant, suspension agent, and retarder.

The tail will contain class A cement, Calcium Carbonate, KCl, dispersant, de-foamer, suspension agent, and friction reducer.

Received
Office of Oil & Gas



Received Office of Oil & Gas

4	7	0	5	1	0	1	8	2	3
· ·	a	10	4	- 12	U	- 8	v	flow.	2.1

API Number 47 -	
Operator's Well N	O. Taylor B 5H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Chevron Appalachia,	LLC		OP Code _4944993	5
Watershed (HUC 10) Middle Grav	e Creek - Grave Creek	Quadrangle	Glen Easton, WV	
Elevation 1257	County_Marshall		DistrictClay	
Do you anticipate using more than Will a pit be used? Yes		ete the proposed v	vell work? Yes	/ No
If so, please describe antic	ipated pit waste:			
Will a synthetic liner be us	sed in the pit? Yes	No If	so, what ml.?	
Proposed Disposal Method	d For Treated Pit Wastes:			
Reuse (Off Site	ound Injection (UIC Permit at API Number	-9 for disposal loc	eation))
Will closed loop system be used?	f so, describe. the drilling	fluid The di	ill Cuttings are	then prepared for
Drilling medium anticipated for thi	s well (vertical and horizontal	171000 ± 00000 1)? Air, freshwate	er, oil based, etc. air, c	ove drill cuttings from then prepared for lifty.
-If oil based, what type?	Synthetic, petroleum, etc. <u>synth</u>	etic		
Additives to be used in drilling med	dium? barite, fluid loss, emulsifier	s, rheologicial contro	I	
Drill cuttings disposal method? Le	ave in pit, landfill, removed	offsite, etc. remove	d offsite	
	olidify what medium will be			\\
5. 5.	permit number?Arden Landfill -			
on August 1, 2005, by the Office of provisions of the permit are enformation on lead to enform a certify under penalty of application form and all attachm obtaining the information, I belie penalties for submitting false information.	f Oil and Gas of the West Vinceable by law. Violations of the sement action. If law that I have personally ents thereto and that, based we that the information is the mation, including the possibility.	rginia Department any term or conc examined and ar I on my inquiry rue, accurate, and lity of fine or imp	of Environmental Pr lition of the general p m familiar with the i of those individuals complete. I am av	nformation submitted on this immediately responsible for
Company Official Signature	nna Shumak	2)		Received
Company Official (Typed Name)	Anna Shumaker		Of	fice of Oil & Gas
Company Official Title Permitting				FEB 0 5 2015
Subscribed and sworn before me the Hunter But My commission expires Subscribed and sworn before me the Subscribed and subscrib		Vouembe 2018.		DMMONWEALTH OF PENNSYLVAN C NOTARIAL SEAL Kristen Brooks, Notary Public Smithfield Boro, Fayette County My Commission Darks 20213
			ME	MBER, PENNSYLVANIA ASSOCIATION OF NOTARI

Form WW-9 Operator's Well No. Taylor B 5H Chevron Appalachia, LLC Prevegetation pH 5.5-6.3 Proposed Revegetation Treatment: Acres Disturbed 18.3 Lime soil test Tons/acre or to correct to pH 10-20-20 Fertilizer type Fertilizer amount 1,000 lbs/acre Mulch Straw 2 Tons/acre Seed Mixtures Temporary Permanent Seed Type lbs/acre Seed Type lbs/acre Birdsfoot Trefoil 15 Winter Rye 170 Weeping Lovegrass 8/15-2/28 45 Plant Perennial Ryegrass 10 Plant 3/1-6/15 8/15-9/15 Attach: Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided) Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Received Office of Oil & Gas FEB 0 5 2015 Title: 01/8 Cas fuspector Date: 12/15/20/5 Field Reviewed?

CHEVRON APPALACHIA, LLC



West Virginia Well Site Safety Plan

Taylor B Site Well 5H Marshall County, West Virginia

Prepared in Conformance with:

West Virginia's Code §22-6A and Legislative Rule §35-8-5.7 and

West Virginia Department of Environmental Protection's, Office of Oil and Gas documents:
"Well Site Safety Plan Standards" (issued August 25, 2011), and
"Deep Well Drilling Procedures and Site Safety Plan Requirements" (issued October 22, 2012)

JN 1/7/15

Revision 1

Received
Office of Oil & Gas


FEH 0 5 2015

Original: September 2012

Revised: June 2013

Revised: May 2014

WATER SUPPLY EXHIBIT TAYLOR UNIT B



1	Wilson, Cary & Trudy	4-10-19.2	9	Kuhn, Howard	3-12-3.1	17	Consolidation Coal Company	4-10-17	25	Aston, Lewis A. Jr. et ux	4-9-23
2	Taylor, Lee et ux Williams Energy Co.	4-10-21	10	Hardman, Mary	3-12-3.2	18	McCarthy, Brendan & Joseph Bojalad III	4-10-19	26	Standiford, William Roger et ux	4-9-23.8
3	Hudson, Brandy Jo & Douglas	3-11-7	11	Bungard, John	3-12-4	19	Taylor, Lee et ux Williams Energy Co.	4-10-20	27	Taylor, Lee et ux Williams Energy Co.	4-9-27
4	Blake, Herman & Evelyn	3-11-8	12	Kuhn, Howard & Mary	3-12-4.2	20	Sullivan, Robert Morris	4-10-22	28	Wilson, Cary & Trudy	4-10-19.1
5	Kuhn, Philip Est- Life/Howard Kuhn	3-12-1	13	Wells, Roger Dale et al	3-12-4.3	21	Consolidation Coal Company	4-10-23	29	Conkle, Lawrence & Shirley Ests (Roy Conkle)	9-2-4
6	Kuhn, Philip Est- Life/Howard Kuhn	3-12-2	14	Kuhn, Hubert & Andrea	3-12-4.4	22	Fletcher, Nelson et ux - life	4-9-19			
7	Kuhn, Hubert & Andrea	3-12-2.1	15	Wells, Roger Dale et al	3-12-4.5	23	Rulong, James Standiford, William - exec.	4-9-20			
8	Kuhn, Hubert & Andrea	3-12-3	16	Conner, David Shawn	4-10-16	24	Rulong, James Standiford, William - exec.	4-9-22			

SURFACE OWNER: LEE TAYLOR, ET UX.

Date: 9/19/2014

COUNTY: MARSHALL

OIL/GAS OWNER: LEE R. & SHERRI L. TAYLOR

DISTRICT: CLAY

WELL OPERATOR: CHEVRON APPALACHIA, LLC

SURVEYOR: BLUE MOUNTAIN INC.

ADDRESS: 800 MOUNTAIN VIEW DRIVE

ADDRESS: 11023 MASON DIXON HIGHWAY

470 Bjue Mountain Inc. 3


BURTON, WV 26562

SMITHFIELD, PA 15478

PHONE: 724-564-3700

PHONE: 304-662-6486

04/10/201



TAYLOR B 5H PAGE 2 OF 2

	SURFACE OWNER	DIST-TM/PAR
1	WILLIAMS OHIO VALLEY MIDSTREAM LLC	4-10/20
2	BRANDAN J. MCCARTHY & JOSEPH E. BOJALAD III	4-10/19
3	PHILIP L. KUHN EST LIFE	3-12/2
4	LAWRENCE & SHIRLEY CONKLE ESTATES	9-2/4
5	CONSOLIDATION COAL COMPANY	3-12/28
6	TRACIE L. WEST ET AL	9-2/5
7	GEORGE B. & MARY L. CROW	9-2/6
8	SHARON L. GRUBE, ET AL	3-12/6
9	JAMES POMPEO	9-2/8
10	WILLIAM E. & AMANDA N. TOLAND	9-2/9

	LESSOR
A B	LEE R. & SHERRI L. TAYLOR
	ROBERT S. & BETTY J. BIRD
С	HOWARD LEE KUHN ET AL
D	LAURA ANN CASEY
Ε	CNX GAS COMPANY LLC
F	TRACIE J. WEST
G	CHARLES R. KERNAN ET UX
Н	CHARLES A. & LINDA J. RILEY
J	FREDDIE C. & VIOLET L. WHITE
K	HAYHURST COMPANY (50% INT)
K	FREDDIE C. & VIOLET L. WHITE
K	BONNIE WHITE
K	BRENDA WEST
K	CHAROLETTE A. WHITE
K	LORETTA CHAMBERS
K	COREY WHITE
K	SHAWN AYERS
K	TIMOTHY POGUE
K	POLLY FAYE GRIFFIN
K	RUTH ANN WHIPKEY

SURFACE HOLE LOCATION (SHL)

SURFACE HOLE LOCATION (SHL)

UTM 17—NADB3(M)
N:44411916.44
E:526694.11
NAD 83. W NORTH
N:496415.80
E:1635019.95
LAT/LON DATUM—NADB3
LAT:39.856856
LON:—80.687925

APPROX. LANDING POINT APPROX. LANDING POINT

UTM 17—NAD83(M)
N:4411607.58
E:526652.15
NAD 83, WY NORTH
N:495404.59
E:1634865.34
LAT/LON DATUM—NAD83
LAT:39.854075
LON:—80.688428 BOTTOM HOLE LOCATION (BHL) UTM 17-NADB3(M)
N:4409556.86
E:528340.46
NAD 83, WY NORTH
N:488582.59
E:1640293.01
LAT/LON DATUM-NAD83
LAT:39.835544
LON:-80.668781

47-051-01823 HGA

04/10/2015

JANUARY 8, 2015



INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that -

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or				
Number Gra	ntor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

See Attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Branden Weimer Perinitting Team Lead Chevron Appalachia, LLC By: Its: Office of Oil & Gas

Page 1 of 3 FEB 0 5 2015

									-
-1	===	<u> </u>	71 <	m	DL	0	 (><	Parcel
White, Freddie C. & Violet L.	Riley, Charles A. & Linda J.	Kernan, Charles R., et ux	West, Tracie J.	CNX Gas Company LLC	Casey, Laura Ann	Kuhn, Howard Lee, et al	Bird, Robert S. & Betty J.	Taylor, Lee R. & Sherri L.	Lessor
TriEnergy, Inc.	Great Lakes Energy Partners, LLC (previous name of Range Resources Appalachia, LLC see Certificate of Amendment in BK19/PG443)	Central Michigan Exploration, LLC	Chesapeake Appalachia, LLC	Chevron U.S.A., INC.	Chevron U.S.A., INC.	TriEnergy, Inc.	TriEnergy, Inc.	TriEnergy, Inc.	Lessee
12.50%	12.5%	16%	12.5%	25%	16%	12.5%	12.5%	12.5%	Royalty
655/554	652/36	668/151	682/532	818/553	813/571	687/299; 741/30	748/107	741/94	DB/PG
BK19/PG623 TriEnergy, Inc. to AB Resources LLC	BK23/PG368 Range Resources Appalachia, LLC to Chesapeake Appalachia, LLC	BK21/PG288-Central Michigan Exploration, LLC to Stone Energy Corporation	BK30/PG461 Chesapeake Appalachia, L.L.C. to Chevron U.S.A. Inc.	N/A	N/A	BK19/PG138 TriEnergy, Inc. to AB Resources LLC	BK19/PG138 TriEnergy, Inc. to AB Resources LLC	BK19/PG138 TriEnergy, Inc. to AB Resources LLC	ASSIGNMENT 1
BK24/PG319AB Resources LLC to Chief Exploration & Development LLC, et al.	BK32/PG226 Chesapeake Appalachia, L.L.C. to Chevron U.S.A. Inc.	BK33/PG276 Stone Energy Corporation to Chevron U.S.A. Inc.	N/A	N/A	N/A	BK24/PG319AB Resources LLC to Chief Exploration & Development LLC, et al.	BK24/PG319AB Resources LLC to Chief Exploration & Development LLC, et al.	BK24/PG319AB Resources LLC to Chief Exploration & Development LLC, et al.	ASSIGNMENT 2
BK25/1Chief Exploration & Development LLC, et al to Chevron U.S.A. Inc.	N/A	N/A	N/A	N/A	N/A	BK25/1Chief Exploration & Development LLC, et al to Chevron U.S.A. Inc.	BK25/1Chief Exploration & Development LLC, et al to Chevron U.S.A. Inc.	BK25/1Chief Exploration & Development LLC, et al to Chevron U.S.A. Inc.	ASSIGNMENT 3

~	~	~	~	~	~	~	~	~	~	~\
Whipkey, Ruth Ann	Griffin, Polly Faye	Pogue, Timothy	Ayers, Shawn	White, Corey	Chambers, Loretta	White, Charolette A.	West, Brenda	White, Bonnie	White, Freddie C. & Violet L.	Hayhurst Company (50% int)
Chevron U.S.A., INC.	Chesapeake Appalachia, LLC									
18%	18%	18%	18%	18%	18%	18%	18%	18%	18%	17%
848/400	848/304	848/369	848/286	848/291	848/407	849/626	848/391	848/295	848/299	708/65
N/A	BK30/PG461 Chesapeake Appalachia, L.L.C. to Chevron U.S.A. Inc.									
N/A	N/A									
N/A	N/A									



Branden Weimer Permitting Team Lead Chevron Appalachia, LLC 800 Mountain View Drive Smithfield, PA 15478 Tel 724 564 3745 Fax 724 564 3894 bwkb@chevron.com

January 6, 2015

West Virginia D.E.P. Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

To Whom It May Concern:

Please be advised that Chevron Appalachia, LLC and Chevron U.S.A. Inc. are affiliated entities. Unless and until revoked, and as evidenced by the signatures of authorized representatives of each entity below, Chevron Appalachia, LLC is authorized to operate assets owned by Chevron U.S.A. Inc. which are located in West Virginia, including oil and gas leases. More particularly, Chevron Appalachia, LLC is authorized to obtain well work permits for assets owned by Chevron U.S.A. Inc. I trust that this will alleviate any concerns the Department may have about Chevron Appalachia, LLC applying for well work permit applications on properties either leased or owned by Chevron U.S.A. Inc. If you have any further questions or concerns, please do not hesitate to contact me.

Branden Weimer

Attorney-In-Fact for Chevron Appalachia, LLC

Marc Tate

Attorney-In-Fact for Chevron U.S.A. Inc.

Received Office of Oil & Gas



Ian J. Durham Land Representative Appalachian/Michigan SBU Chevron North America Exploration and Production Company (a Chevron U.S.A. Inc. division) 1550 Coraopolis Heights Road Moon Township, PA 15108 Tel (412) 865-0062 Mobile (412) 627-0622 idurham@chevron.com

West Virginia D.E.P. Office of Oil & Gas 601 57th Street SE Charleston, WV 25304-2345

November 6, 2014

RE: Taylor B #2H, 3H, 4H, 5H, 6H, 7H, 8H, 9H

The

To whom it may concern,

This letter is to confirm that Chevron Appalachia, LLC owns the rights to access minerals under any road along the above referenced laterals. If you should have any further questions or need additional documentation, please feel free to contact me.

Sincerely,

Ian J. Durham Land Representative

> Received Office of Oil & Gas FEB 0 5 2015

WW-PN (5-04-2012)

Horizontal Natural Gas Well Work Permit Application Notice By Publication

Notice is hereby given:

Pursuant to West Virginia Code 22-6A-10(e) prior to filing an application for a permit for a horizontal well the applicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Paper: Moundsville Daily Echo	7		*		, H 5 345
Public Notice Date: 11/19/14 & 11/26/14					
The following applicant intends to apply for a surface excluding pipelines, gathering lines and any thirty day period.	horizontal ı d roads or u	tilizes more than	two hundred ten th	arbs three acres	or more of of water in
Applicant: Chevron Appalachia, LLC	<u> </u>	Well Num	ber: Taylor B - 5H		
Address: 800 Mountain View Drive Smithfield, PA 15476	8		*-	41 14/12 - 475 - 1	= -
	T.				<u> </u>
Business Conducted: Natural gas production	1.	1			3 2 Z
Location -	e e Pog in			8 .W 2 ¥	, * , , , , ,
State: West Virginia		County:	Marshall	- 'c '	or a
District: Clay	74	Quadrangle:	Glen Easton, WV 7.5'	, C , S	. ===
UTM Coordinate NAD83 Northing:	4411916.44	. /			
UTM coordinate NAD83 Easting: Watershed: Middle Grave Creek - Grave	526694.11 Creek			10	
Watershed.			11		

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http://tagis.dep.wv.gov/convert/llutm_conus.php

Electronic notification:

To receive an email when applications have been received or issued by the Office of Oil and Gas, visit http://www.dep.wv.gov/insidedep/Pages/DEPMailingLists.aspx to sign up.

Reviewing Applications:

Copies of the proposed permit application may be reviewed at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE Charleston, WV 25304 (304-926-0450). Full copies or scans of the proposed permit application will cost \$15, whether mailed or obtained at DEP headquarters. Copies may be requested by calling the office or by sending an email to DEP.oog@wv.gov.

Submitting Comments:

Comments may be submitted online at https://apps.dep.wv.gov/oog/comments/comments.cfm, or by letter to Permit Review, Office of Oil and Gas, 601 57th Street, SE Charleston, WV 25304. Please reference the county, well number, and operator when using this option.

Regardless of format for comment submissions, they must be received no later than thirty days after the permit application is received by the Office of Oil and Gas.

For information related to horizontal drilling visit: www.dep.wv.gov/oil-and-gas/pages/default.aspx

P.O. BOX 369 MOUNDSVILLE WEST VIRGINIA (304) 845-2660

AFFIDAVIT OF PUBLICATION

COUNTY OF MARSHALL, to wit

STATE OF WEST VIRGINIA.

being first duly sworn upon my Melanie S. Murdock

 that I am Legal Advertising Manager of the MOUNDSVILLE oath, do depose and say

DAILY ECHO, a Republican newspaper;

that I have been duly authorized to execute this affidavit;

 that such newspaper is a newspaper of "general circulation" as defined in Art. 3, Chap. 59 of the Code of West Virginia 1931 as amended, within Moundsville and Marshall County; that such newspaper has been published for over 119 years, is regularly published afternoons dally except Saturdays and Sundays, for at least fifty weeks during the calendar year, in the municipality of Moundsville, Marshall County, West Virginia.

that such newspaper averages in length four or more pages.

exclusive of any cover, per Issue;

· that such newspaper is circulated to the general public at a definite price or consideration;

resorts far passing events of a political, religious, commercial and social nature and for current happenings, announcements, miscellaneous reading matters, advertisements and other notices; · that such newspaper Is a newspaper to which the general public

and that the annexed notice described as follows:

Legal Advertisement

PARTY(ies)

Gas Well Permit / Taylor B - 5H

NATURE (and agency if heard before one,

CERTIF-BILL TO

800 Mountain View Drive Smithfield, PA 15478 Chevron Appalachia Kristen Brooks

WAS PUBLISHED IN-SAID NEWSPAPER AS FOLLOWS

Times

Dates

November 19,

PUBLICATION

EGALADVERTISEMENT

Horizontal Natural Gas Well Work

Pursuant to West Virginia Code Application Notice By Publication Notice is hereby given:

tion for a permit for a horizontal well the 22-6A-10(e) prior to filing an applicaapplicant shall publish in the county in which the well is located or is proposed to be located a Class II legal advertisement.

Public Notice Date: November 19, Paper: Moundsville Daily Echo 2014 & November 26, 2014.

The following applicant intends to apply for a horizontal natural well work permit which disturbs three acres or more of surface excluding pipelines, gathering ines and roads or utilizes more than two hundred ten thousand gallons of water in any thirty day period.

Applicant: Chevron Appalachia

Address: 800 Mountain View Drive, Well Number: Taylor B - 5H Smithfield, PA 15478

production.

Business Conducted: Natural

State: West Vinginia County: Marshall Location

UTM Coordinate NAD83 North Quadrangle: Glen Easton, WV 7.5' District: Clay ing: 4411916.44

UTM Coordinate NAD 83 Easting: 526694.11

'Watershed: Middle Grave Creek Grave Creek

Coordinate Conversion:

To convert the coordinates above into longitude and latitude, visit: http:// tagis.dep.wv.gov/convert/llutm_conus.

Electronic Notification:

tions have been received or issued by the To receive an email when applica-Office of Oil and Gas. visit http://www.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

		TAL A 110	API No. 47					
		Operate	or's Well No. <u>5H</u>					
		Well Pa	ad Name: Taylor B	<u> </u>				
Notice has I								
		22-6A, the Operator has provided the	required parties w	ith the Notice Forms listed				
	tract of land as follows:							
State:	West Virginia	UTM NAD 83 Easting						
County:	Marshall	Northin	g: 4411916.44					
District:	Clay	Public Road Access:	CR 17 Fork Ridge	e Rd				
Quadrangle:	Glen Easton, WV 7.5'	Generally used farm name	e: Taylor B					
Watershed:	Middle Grave Creek - Grave Creek							
information r of giving the requirements Virginia Cod	equired by subsections (b) and (c), se surface owner notice of entry to su of subsection (b), section sixteen or	ped in subdivisions (1), (2) and (4), section sixteen of this article; (ii) that the rvey pursuant to subsection (a), section f this article were waived in writing ender proof of and certify to the secret t.	e requirement was on ten of this arti- by the surface ov	deemed satisfied as a result cle six-a; or (iii) the notice vner; and Pursuant to West				
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the required ECK ALL THAT APPLY	erator has attached proof to this Notice d parties with the following:	ce Certification	OOG OFFICE USE ONLY				
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED BESEISMIC ACTIVITY WAS COND		☐ RECEIVED/ NOT REQUIRED				
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	YEY or NO PLAT SURVEY WAS	S CONDUCTED	☐ RECEIVED				
■ 3. NO	TICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUIRED BE NOTICE OF ENTRY FOR PLAT S' WAS CONDUCTED or		☐ RECEIVED/ NOT REQUIRED				
		☐ WRITTEN WAIVER BY SUR (PLEASE ATTACH)	RFACE OWNER					
■ 4. NO	TICE OF PLANNED OPERATION	Received		RECEIVED				
■ 5. PU	BLIC NOTICE	Office of Oil & Gas		RECEIVED				
1		^^45		I				

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

WW-6AC (1/12)

Certification of Notice is hereby given:

THEREFORE, I ANNASHUMA CODE, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	Chevron Appalachia, LLC	Address:	800 Mountain View Dr
By:	annashumaka	N .	Smithfield, PA 15487
Its:	Permittina Coord	LINATOY Facsimile:	724-564-3894
Telephone:	724-564-3700	Email:	
H Sr My C	NOTARY SEAL NWEALTH OF PENNSYLVANIA NOTARIAL SEAL Kristen Brooks, Notary Public mithfield Boro, Fayette County commission Expires Sept. 2, 2018 ENNSYLVANIA ASSOCIATION OF NOTARIES		orn before me this 4th day of January. With BOYD Notary Public September 2, 2018.

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Received
Office of Oil & Gas
FEB 0 5 2015

WW-6A	
(9-13)	

-		
ELL NO.	5H	
Taylor B		
		ELL NO. 5H Taylor B

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than	the filing date of permit application.
Date of Notice: 11/14/2014 Date Permit Application Filed: 12/2014 Notice of:	<u>u 1</u> 5
PERMIT FOR ANY WELL WORK CONSTRUCTION OF A	ROVAL FOR THE N IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code § 22-6A-10(b)
	DD OF DELIVERY THAT REQUIRES A PT OR SIGNATURE CONFIRMATION
certificate of approval for the construction of an impoundment or pit registered mail or by any method of delivery that requires a receipt or sediment control plan required by section seven of this article, and the the surface of the tract on which the well is or is proposed to be located oil and gas leasehold being developed by the proposed well work, if described in the erosion and sediment control plan submitted pursuan operator or lessee, in the event the tract of land on which the well promore coal seams; (4) The owners of record of the surface tract or trace well work, if the surface tract is to be used for the placement, construint impoundment or pit as described in section nine of this article; (5) An have a water well, spring or water supply source located within one the provide water for consumption by humans or domestic animals; and opposed well work activity is to take place. (c)(1) If more than three subsection (b) of this section hold interests in the lands, the applicant records of the sheriff required to be maintained pursuant to section eigenvision of this article to the contrary, notice to a lien holder is not re-	r signature confirmation, copies of the application, the erosion and e well plat to each of the following persons: (1) The owners of record of ed; (2) The owners of record of the surface tract or tracts overlying the the surface tract is to be used for roads or other land disturbance as at to subsection (c), section seven of this article; (3) The coal owner, posed to be drilled is located [sic] is known to be underlain by one or ets overlying the oil and gas leasehold being developed by the proposed action, enlargement, alteration, repair, removal or abandonment of any my surface owner or water purveyor who is known to the applicant to housand five hundred feet of the center of the well pad which is used to (6) The operator of any natural gas storage field within which the tenants in common or other co-owners of interests described in the application, chapter eleven-a of this code. (2) Notwithstanding any notice to a landowner, unless the lien holder is the landowner. W. Va. ovide the Well Site Safety Plan ("WSSP") to the surface owner and any
☐ Application Notice ☐ WSSP Notice ☐ E&S Plan Notice	☑ Well Plat Notice is hereby provided to:
Name: Williams Ohio Valley Midstream LLC Address: 100 Teletech Drive, Suite 2 Moundsville, WV 26041 Name: Address:	☐ COAL OWNER OR LESSEE Name: Consolidation Coal Company Address: 1000 Consol Energy Drive Canonsburg, PA 15317 ☐ COAL OPERATOR Name: Address:
SURFACE OWNER(s) (Road and/or Other Disturbance) Name: Address: Name: Address:	☑ SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s) Name: Brendan McCarthy & Joseph Bojalad III Address: 215 Brighton Rd. Pittsburgh, PA 15202 ☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits) Name: Address:	Name: Address: *Please attach additional forms if necessary

WW-6A (9-13)

API NO. 47	
OPERATOR WELL NO. 5H	_
Well Pad Name: Taylor B	_

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Noti	ice Time Requireme	nt: notice shall be provide	ded no later that	n the filing date of permit application.	
	e of Notice: 11/14/2014 ice of:	Date Permit Applicat	tion Filed:		
7	PERMIT FOR ANY	∕ □ CERTIFIC	CATE OF APP	ROVAL FOR THE	
ت	WELL WORK			AN IMPOUNDMENT OR PIT	
	WELL WORK	CONSTR	LUCTION OF A	AN IMPOONDMENT OR FIT	
Deli	very method pursua	nt to West Virginia Co	de § 22-6A-10	(b)	
	PERSONAL	☑ REGISTERED	■ METHO	OD OF DELIVERY THAT REQUIRES A	
	SERVICE	MAIL		PT OR SIGNATURE CONFIRMATION	
sedii the soil a descoper more well impo have prov prop prov prov Cod	ment control plan require urface of the tract on vind gas leasehold being ribed in the erosion and ator or lessee, in the every coal seams; (4) The country work, if the surface transment or pit as designed as water well, spring of ide water for consump osed well work activitiection (b) of this section of the sheriff requires of the sheriff	ired by section seven of the which the well is or is progressively developed by the proposed sediment control plan sevent the tract of land on whomers of record of the subject is to be used for the place is to take place. (c)(1) It is not hold interests in the larged to be maintained pursuit the contrary, notice to a light in part, that the open	his article, and the posed to be local sed well work, if submitted pursual which the well proposed to the well proposed to the well proposed to the well proposed to the well accement, construction article; (5) A stated within one to the well article animals; and for more than three ends, the applicant suant to section even holder is not that the well article and the well article article and the well article art	or signature confirmation, copies of the application, the erosion and the well plat to each of the following persons: (1) The owners of record ted; (2) The owners of record of the surface tract or tracts overlying to the surface tract is to be used for roads or other land disturbance as and to subsection (c), section seven of this article; (3) The coal owner, oposed to be drilled is located [sic] is known to be underlain by one octs overlying the oil and gas leasehold being developed by the propostuction, enlargement, alteration, repair, removal or abandonment of art any surface owner or water purveyor who is known to the applicant to thousand five hundred feet of the center of the well pad which is used (6) The operator of any natural gas storage field within which the elements in common or other co-owners of interests described in the sight, article one, chapter eleven-a of this code. (2) Notwithstanding a notice to a landowner, unless the lien holder is the landowner. W. Varovide the Well Site Safety Plan ("WSSP") to the surface owner and a supprovided in section 15 of this rule.	or sed hy o d to
Ø A	application Notice	☑ WSSP Notice ☑ E&	S Plan Notice	☑ Well Plat Notice is hereby provided to:	
□SU	JRFACE OWNER(s))		☐ COAL OWNER OR LESSEE	
Nan	ne:		_	Name: Murray Energy Corporation	
Add	ress:		_	Address: 46226 National Road	
				St. Clairsville, OH 43950	
Nan	ne:		_	COAL OPERATOR	
Add	ress:		_	Name:	
=-	innian our inni	(D 1 1/ 0/1 D:	-	Address:	
		(Road and/or Other Dis		SURFACE OWNER OF WATER WELL	
Nan	ne:		-		
Add	ress:		_	AND/OR WATER PURVEYOR(s)	
			_	Name:	
Nan	ne:		-	Address:	
Add	ress:		_	OPERATOR OF ANY NATURAL GAS STORAGE FIELD	
	IDEACE OWNIED) (Impoundments or Pits	<u>7</u>		
		(Impoundments or Pits		Name:Address:	
Add	ress:		-		
			_	*Please attach additional forms if necessary	

WW-6A	
(8-13)	

API NO. 47	72
OPERATOR WE	ELL NO. 5H
Well Pad Name:	Taylor B

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

Office of Oil & Gas

WW-6A	
(8-13)	

API NO. 47
OPERATOR WELL NO. 5H
Well Pad Name: Taylor B

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Received
Office of Oil & Gas

FEB 0 5 2015

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

WW-6A (8-13)

API NO. 47-___OPERATOR WELL NO. 5H
Well Pad Name: Taylor B

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Received Office of Oil & Gas


WW-6A	API NO. 47-					
(8-13)	OPERATOR WELL NO. 5H					
	We'll Pad Name: Taylor B					
Notice is hereby given by:						
Well Operator: Chevron Appalachia, LLC	Address: 800 Mountain View Drive					
Telephone: 724-564-3700	Smithfield, PA 15478					
Email:	/// Facsimile: 724-564-3894					
	I,, swear or affirm and verify that the statements made in the foregoing					
Oil and Gas Privacy Notice:	Notice of Application are true and accurate to the best of my knowledge, information and belief. Date $\frac{1}{1-1}$					
•	nformation, such as name, address and telephone number, as part of our regulator					
	I to other State agencies or third parties in the normal course of business or a					
The state of the s	equirements, including Freedom of Information Act requests. Our office wil					
	ou have any questions about our use or your personal information, please contact					
DEP's Chief Privacy Officer at depprivacyofficer@w						
	COMMONWEATLTH OF PENNSYLVANIA					
	COUNTY OF FAYETTE					
COMMONWEALTH OF PENNSYLVANIA	La November 2014					
NOTARIAL SEAL	Subscribed and sworn before me this 4 day of November 2614.					
Laura Savage, Notary Public Georges Twp., Fayette County	Sauch avage Notary Public					
My Commission Expires Sept. 17, 2018						
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES	My Commission Expires September 17,2018					

Received Office of Oil & Gas

WATER SUPPLY EXHIBIT TAYLOR UNIT B

Blue Mountain Inc.

Date: 9/19/2014



SURFACE OWNER: LEE TAYLOR, ET UX.

PHONE: 724-564-3700

COUNTY: MARSHALL

OIL/GAS OWNER: LEE R. & SHERRI L. TAYLOR

DISTRICT: CLAY

WELL OPERATOR: CHEVRON APPALACHIA, LLC

SURVEYOR: BLUE MOUNTAIN INC.

ADDRESS: 800 MOUNTAIN VIEW DRIVE

Received ADDRESS: 11023 MASON DIXON HIGHWAY

SMITHFIELD, PA 15478

Office of Oil & Gas 04/10/2015 PHONE: 304-662-6486

WATER SUPPLY EXHIBIT TAYLOR UNIT B



NO.	NAME	SUPPLY	ADDRESS	PHONE
			845 SPOON LN	
A	Wilson, Cary & Trudy	WELL	MOUNDSVILLE, WV 26041	NA
			330 BUNSON LANE	
В	Hudson, Brandy Jo & Douglas	SPRING 1	GLEN EASTON, WV 26039	304-280-4175
			330 BUNSON LANE	
C	Hudson, Brandy Jo & Douglas	POND 1	GLEN EASTON, WV 26039	304-280-4175
			330 BUNSON LANE	
D	Hudson, Brandy Jo & Douglas	SPRING 2	GLEN EASTON, WV 26039	304-280-4175
			330 BUNSON LANE	
E	Hudson, Brandy Jo & Douglas	POND 2	GLEN EASTON, WV 26039	304-280-4175
			330 BUNSON LANE	
F	Hudson, Brandy Jo & Douglas	SPRING 3	GLEN EASTON, WV 26039	304-280-4175
			330 BUNSON LANE	
G	Hudson, Brandy Jo & Douglas	STREAM	GLEN EASTON, WV 26039	304-280-4175
			654 SAWMILL LN	
Н	Blake, Herman & Evelyn	WELL 1	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
1	Blake, Herman & Evelyn	SPRING 1	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
j	Blake, Herman & Evelyn	SPRING 2	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
К	Blake, Herman & Evelyn	SPRING 3	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
L	Blake, Herman & Evelyn	SPRING 4	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
М	Blake, Herman & Evelyn	SPRING 5	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
N	Blake, Herman & Evelyn	SPRING 6	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
0	Blake, Herman & Evelyn	SPRING 7	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
Р	Blake, Herman & Evelyn	SPRING 8	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
Q	Blake, Herman & Evelyn	SPRING 9	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
R	Blake, Herman & Evelyn	SPRING 10	GLEN EASTON, WV 26039	304-843-2150

			DISTANCE F	ROM WEL	L:				9
NO.	SUPPLY COORDINATES	2H	3H	4H	5H	6H	7H	8H	9H
Α	39.857789°N, -80.695868°W	2209	2224	2239	2254	2269	2284	2299	2316
В	39.856808°N, -80.671099°W	4769	4754	4739	4725	4710	4696	4681	4666
С	39.853835°N, -80.670493°W	5063	5048	5033	5018	5003	4988	4973	4958
D	39.854093°N, -80.671630°W	4731	4716	4701	4686	4671	4656	4641	4626
E	39.857743°N, -80.673679°W	4056	4042	4028	4013	3999	3985	3970	3956
F	39.858731°N, -80.675089°W	3709	3696	3682	3668	3654	3641	3627	3613
G	39.855009°N, -80.667629°W	5784	5769	5754	5739	5724	5709	5694	5679
Н	39.861875°N, -80.674305°W	4273	4261	4250	4238	4226	4214	4203	4191
1	39.863178°N, -80.672410°W	4960	4949	4938	4926	4915	4904	4892	4881
J	39.861292°N, -80.671858°W	4829	4816	4804	4791	4779	4766	4753	4741
K	39.861531°N, -80.670868°W	5120	5107	5095	5082	5069	5057	5044	5032
L	39.861671°N, -80.670639°W	5198	5185	5172	5160	5147	5135	5122	5110
М	39.861724°N, -80.670114°W	5343	5330	5318	5305	5292	5280	5267	5255
N	39.861142°N, -80.669839°W	5351	5338	5325	5312	5299	5286	5273	5260
0	39.859757°N, -80.670252°W	5114	5100	5087	5073	5059	5046	5032	5019
Р	39.858581°N, -80.669279°W	5315	5301	5287	5273	5259	5245	5230	5216
Q	39.858029°N, -80.668595°W	5487	5473	5458	5444	5430	5416	5401	5387
R	39.860976°N, -80.666597°W	6213	6200	6186	6173	6159	6146	6133	6116

Office of Oil & Gas FEB 0 5 2015

WATER SUPPLY EXHIBIT TAYLOR UNIT B



NO.	NAME	SUPPLY	ADDRESS	PHONE
	· ·		654 SAWMILL LN	
S	Blake, Herman & Evelyn	SPRING 11	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
Т	Blake, Herman & Evelyn	SPRING 12	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
U	Blake, Herman & Evelyn	SPRING 13	GLEN EASTON, WV 26039	304-843-2150
			654 SAWMILL LN	
V	Blake, Herman & Evelyn	WELL 2	GLEN EASTON, WV 26039	304-843-2150
			1440 SAWMILL LN	
W	Kuhn, Philip Est-Life/Howard Kuhn	WELL	GLEN EASTON, WV 26039	304-845-2759
			1440 SAWMILL LN	>
Х	Kuhn, Philip Est-Life/Howard Kuhn	POND	GLEN EASTON, WV 26039	304-845-2759
			1293 SAWMILL LN	
Υ	Kuhn, Hubert & Andrea	WELL	GLEN EASTON, WV 26039	304-845-7971
			1440 SAWMILL LN	
Z	Kuhn, Howard	WELL	GLEN EASTON, WV 26039	304-845-7971
		14	1270 SAWMILL LN	
A1	Hardman, Mary	WELL	GLEN EASTON, WV 26039	304-845-8825
			1270 SAWMILL LN	
В1	Hardman, Mary	SPRING	GLEN EASTON, WV 26039	304-845-8825
			201 Bungard Drive	304-845-1765 or
C1	Bungard, John	POND	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
D1	Bungard, John	SPRING 1	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
E1	Bungard, John	SPRING 2	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
F1	Bungard, John	SPRING 3	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
G1	Bungard, John	WELL 1	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
Н1	Bungard, John	WELL 2	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
11	Bungard, John	SPRING 4	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
J1	Bungard, John	SPRING 5	GLEN EASTON, WV 26039	304-231-7724

	DISTANCE FROM WELL:									
١٥.	SUPPLY COORDINATES	2H	3H	4H	5H	6H	7H	8H	9H	
5	39.862366°N, -80.667769°W	6042	6029	6016	6004	5991	5978	5966	5953	
Γ	39.860259°N, -80.673943°W	4155	4142	4129	4116	4103	4091	4078	4065	
U	39.861828°N, -80.675265°W	4023	4012	4000	3988	3977	3966	3954	3943	
V	39.861542°N, -80.674444°W	4187	4175	4163	4151	4139	4128	4116	4104	
W	39.852902°N, -80.682521°W	2134	2121	2108	2095	2082	2069	2056	2043	
X	39.851005°N, -80.682806°W	2607	2596	2585	2574	2563	2552	2541	2530	
Y	39.845329°N, -80.681574°W	4592	4583	4574	4565	4556	4547	4539	4530	0
Z	39.857191°N, -80.678019°W	2828	2814	2799	2785	2770	2756	2741	2727	C
A1	39.853735°N, -80.679142°W	2762	2747	2732	2718	2703	2688	2673	0.0.0000000	
B1	39.854778°N, -80.678750°W	2732	2717	2702	2687	2672	2657	2642	2627	Ž c
C1	39.851934°N, -80.674799°W	4144	4130	4115	4100	4086	4071	4057	4042	۶;
D1	39.851753°N, -80.677557°W	3499	3485	3470	3456	3442	3428	3414	3400	
E1	39.850392°N, -80.673550°W	4718	4704	4689	4675	4661	4646	4632	4618	ξ,
F1	39.855460°N, -80.673837°W	4034	4019	4004	3989	3974	3959	3944	3929	Ĕ
G1	39.854088°N, -80.675874°W	3577	3562	3547	3532	3517	3502	3487	3472	
H1	39.854522°N, -80.676314°W	3416	3401	3386	3371	3356	3341	3326	3311	L
11	39.858313°N, -80.676899°W	3183	3169	3155	3141	3127	3113	3100		
J1	39.856585°N, -80.674702°W	3759	3744	3729	3715	3700	3685	3671	3656	11

WATER SUPPLY EXHIBIT TAYLOR UNIT B



NO.	NAME	SUPPLY	ADDRESS	PHONE
			201 Bungard Drive	304-845-1765 or
К1	Bungard, John	SPRING 6	GLEN EASTON, WV 26039	304-231-7724
			201 Bungard Drive	304-845-1765 or
L1	Bungard, John	WELL 3	GLEN EASTON, WV 26039	304-231-7724
			1440 SAWMILL LN	
M1	Kuhn, Howard & Mary	WELL	GLEN EASTON, WV 26039	304-845-7971
			1024 Sawmill LN	
N1	Wells, Roger Dale et al	WELL	GLEN EASTON, WV 26039	304-559-9261
			1293 SAWMILL LN	
01	Kuhn, Hubert & Andrea	WELL 1	GLEN EASTON, WV 26039	304-845-7971
			1293 SAWMILL LN	
P1	Kuhn, Hubert & Andrea	WELL 2	GLEN EASTON, WV 26039	304-845-7971
			RR 5 BOX 184	304-843-1568 or
Q1	Conner, David Shawn	SPRING	MOUNDSVILLE, WV 26041	304-312-7421
			RR 5 BOX 184	304-843-1568 or
R1	Conner, David Shawn	WELL	MOUNDSVILLE, WV 26041	304-312-7421
			RR 5 BOX 184	304-843-1568 or
S1	Conner, David Shawn	STREAM	MOUNDSVILLE, WV 26041	304-312-7421
			FORK RIDGE RD	
T1	McCarthy, Brendan & Joseph Bojalad III	WELL	MOUNDSVILLE, WV 26041	412-979-0209
			5552 FORK RIDGE RD	
U1	Fletcher, Nelson et ux - life	WELL 1	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
V1	Fletcher, Nelson et ux - life	SPRING 1	MOUNDSVILLE, WV 26041	304-845-1937
1			5552 FORK RIDGE RD	
W1	Fletcher, Nelson et ux - life	SPRING 2	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
X1	Fletcher, Nelson et ux - life	SPRING 3	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
Y1	Fletcher, Nelson et ux - life	STREAM 1	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
Z1	Fletcher, Nelson et ux - life	SPRING 4	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
A2	Fletcher, Nelson et ux - life	SPRING 5	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
B2	Fletcher, Nelson et ux - life	SPRING 6	MOUNDSVILLE, WV 26041	304-845-1937

		I	DISTANCE F	ROM WEL	L:				
NO.	SUPPLY COORDINATES	2H	3H	4H	5H	6H	7H	8H	9H
K1	39.856663°N, -80.676994°W	3115	3100	3085	3071	3056	3041	3027	3012
L1	39.857122°N, -80.677641°W	2933	2919	2904	2890	2875	2861	2846	2832
M1	39.857780°N, -80.676291°W	3327	3313	3298	3284	3270	3256	3242	3227
N1	39.856623°N, -80.678084°W	2809	2795	2780	2765	2751	2736	2721	2706
01	39.857497°N, -80.676631°W	3223	3209	3194	3180	3166	3151	3137	3123
P1	39.857472°N, -80.676665°W	3213	3199	3184	3170	3156	3141	3127	3113
Q1	39.849613°N, -80.696153°W	3487	3494	3501	3508	3515	3522	3529	3537
R1	39.849931°N, -80.695121°W	3214	3220	3227	3233	3240	3246	3253	
S1	39.850425°N, -80.693994°W	2881	2887	2892	2898	2904	2910	2916	292
T1	39.853211°N, -80.691131°W	1590	1595	1600	1606	1611	1617	1622	
U1	39.868749°N, -80.689122°W	4329	4333	4338	4342	4347	4351	4356	
V1	39.868953°N, -80.690582°W	4449	4455	4460	4466	4472	4478	4484	448
W1	39.869659°N, -80.691426°W	4744	4750	4757	4763	4769	4776	4782	4789
X1	39.869518°N, -80.688701°W	4602	4606	4610	4614	4619	4623	4627	4631
Y1	39.870391°N, -80.689247°W	4928	4932	4937	4941	4946	4950	4955	4959
Z1	39.867738°N, -80.687905°W	3951	3954	3958	3961	3964	3968	3971	3975
A2	39.867642°N, -80.688513°W	3918	3922	3925	3929	3933	3937	3942	3946
B2	39.867688°N, -80.689498°W	3953	3957	3962	3967	3972	3977	3982	3988

Office of Oil & Gas FEB 0 5 2015

WATER SUPPLY EXHIBIT TAYLOR UNIT B



NO.	NAME	SUPPLY	ADDRESS	PHONE
			5552 FORK RIDGE RD	
C2	Fletcher, Nelson et ux - life	SPRING 7	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
D2	Fletcher, Nelson et ux - life	STREAM 2	MOUNDSVILLE, WV 26041	304-845-1937
			5552 FORK RIDGE RD	
E2	Fletcher, Nelson et ux - life	WELL 2	MOUNDSVILLE, WV 26041	304-845-1937
	Rulong, James		5832 FORK RIDGE RD	304-843-1271
F2	Standiford, William - exec.	WELL 1	MOUNDSVILLE, WV 26041	(William)
	Rulong, James		5832 FORK RIDGE RD	304-843-1271
G2	Standiford, William - exec.	WELL 2	MOUNDSVILLE, WV 26041	(William)
	Rulong, James		5832 FORK RIDGE RD	304-843-1271
H2	Standiford, William - exec.	SPRING	MOUNDSVILLE, WV 26041	(William)
	Rulong, James		5832 FORK RIDGE RD	304-843-1271
12	Standiford, William - exec.	WELL 3	MOUNDSVILLE, WV 26041	(William)
	Rulong, James		5832 FORK RIDGE RD	304-843-1271
J2	Standiford, William - exec.	POND	MOUNDSVILLE, WV 26041	(William)
			5211 FORK RIDGE RD	
K2	Standiford, William Roger et ux	SPRING	MOUNDSVILLE, WV 26041	304-843-1271
L2	Conkle, Lawrence & Shirley Ests (Roy Conkle)	WELL		304-845-1808

			DISTANCE F	ROM WEL	L:				
NO.	SUPPLY COORDINATES	2H	3H	4H	5H	6H	7H	8H	9H
C2	39.866867°N, -80.689120°W	3645	3650	3654	3659	3664	3669	3673	3678
D2	39.866711°N, -80.688415°W	3578	3582	3586	3589	3593	3597	3602	3606
E2	39.868555°N, -80.689282°W	4262	4266	4271	4275	4280	4285	4290	4295
F2	39.866488°N, -80.685076°W	3596	3596	3596	3596	3596	3596	3596	3597
G2	39.865888°N, -80.684672°W	3414	3413	3413	3412	3411	3411	3410	3410
H2	39.866229°N, -80.683777°W	3610	3608	3606	3605	3603	3602	3601	3599
12	39.864788°N, -80.683232°W	3183	3179	3176	3173	3170	3167	3165	3162
J2	39.862129°N, -80.684501°W	2157	2153	2149	2146	2142	2139	2136	2132
К2	39.867492°N, -80.697091°W	4615	4626	4637	4648	4659	4670	4681	4692
L2	39.848007°N, -80.682164°W	3638	3629	3619	3610	3600	3590	3581	3572

Received Office of Oil & Gas

Operator Well No.	5H.
operator men 110.	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time Ro Date of Notice:	equirement: Notice shall be provided at least 7 09/26/2014 Date Permit Ap	FEN (10) days prior to filing a pplication Filed:	permit application.
Delivery metho	od pursuant to West Virginia Code § 22-6A-	16(b)	
□ HAND DELIVER	CERTIFIED MAIL Y RETURN RECEIPT REQUEST	ED	
receipt requeste drilling a horize of this subsection subsection may and if available	Va. Code § 22-6A-16(b), at least ten days prior of or hand delivery, give the surface owner not contal well: <i>Provided</i> , That notice given pursuant as of the date the notice was provided to the be waived in writing by the surface owner. The facsimile number and electronic mail address	ice of its intent to enter upon that to subsection (a), section to surface owner: <i>Provided, how</i> he notice, if required, shall include the operator and the operator	the surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this lude the name, address, telephone number,
	by provided to the SURFACE OWNER nio Valley Midstream LLC		
Address: 100 Tel		Address:	
Moundsville, WV 26		Traditoss.	
the surface own State: County: District: Quadrangle:	est Virginia Code § 22-6A-16(b), notice is here er's land for the purpose of drilling a horizonta West Virginia Marshall Clay Glen Easton, WV 7.5' Middle Grave Creek - Grave Creek	UTM NAD 83 Public Road Access: Generally used farm name:	Dillows: 526694.11 4411916.44 CR 17 Fork Ridge Rd
Pursuant to W facsimile numb related to horiz	Shall Include: est Virginia Code § 22-6A-16(b), this notice per and electronic mail address of the operate contal drilling may be obtained from the Secre 57 th Street, SE, Charleston, WV 25304 (304-92)	or and the operator's authorize etary, at the WV Department of	ed representative. Additional information of Environmental Protection headquarters,
Notice is here		U - U - IV - U - U - U - U - U - U - U - U - U -	
0.00	Chevron Appalachia, LLC	Authorized Representative	
Address:	800 Mountain View Dr	Address:	
Smithfield, PA 1547	78		
Telephone:	724-564-3700	Telephone:	
Email:		Email:	·
Facsimile:	724-564-3894	Facsimile:	

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

WW-6A5 (1/12)

H
1

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

	tice: 11/14/2014 Date Permit Application		1/26/15.	аррисацон. ——
Delivery m	ethod pursuant to West Virginia Code § 22-6A-1	6(c)		
	TIFIED MAIL			
return recei the planned required to drilling of damages to	W. Va. Code § 22-6A-16(c), no later than the date of the requested or hand delivery, give the surface own operation. The notice required by this subsection be provided by subsection (b), section ten of this are a horizontal well; and (3) A proposed surface use the surface affected by oil and gas operations to the ces required by this section shall be given to the surface.	er whose land on shall include ticle to a surfa and compens e extent the da	will be used fo le: (1) A copy ace owner whose ation agreement mages are comp	r the drilling of a horizontal well notice of of this code section; (2) The information e land will be used in conjunction with the t containing an offer of compensation for bensable under article six-b of this chapter.
	ereby provided to the SURFACE OWNER(s)	untina).		
	ess listed in the records of the sheriff at the time of the Sheriff at the She			
	0 Teletech Drive, Suite 2	Address		
Moundsville, W				
operation of State: County:	Marshall	ng a horizonta UTM NAD 8	I well on the trac Easting: Northing:	ct of land as follows: 526694.11 4411916.44
District:		Public Road	d farm name:	CR 17 Fork Ridge Rd Taylor B
Quadrangle Watershed:		Generally use	d farm name.	Taylor o
Pursuant to to be provi horizontal v surface affe information headquarter	e Shall Include: West Virginia Code § 22-6A-16(c), this notice shaded by W. Va. Code § 22-6A-10(b) to a surface well; and (3) A proposed surface use and compensate ted by oil and gas operations to the extent the data related to horizontal drilling may be obtained from the content of the con	owner whose ation agreement amages are come on the Secret	e land will be un nt containing an ompensable und ary, at the WV	sed in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection
Well Opera	tor: Chevron Appalachia, LLC	Address:	800 Mountain View I	Drive
Telephone:	The state of the s		Smithfield, PA 15478	
Email:	-	Facsimile:	724-564-3894	
Oil and Ga	as Privacy Notice: of Oil and Gas processes your personal information	ı, such as nan	e, address and t	elephone number, as part of our regulatory

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

API NO. 47-			
OPERATOR WE	LL NO.	5H	
Well Pad Name:	Taylor B		

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

provisions list WW-6A and required, and	, hereby state that I have red ed above, and that I have received copies of attachments consisting of pages one (1) the the well plat, all for proposed well work on the	a Notice of Aprough	pplication, an App , including t as follows:	lication for a Well Work Permit on Form he erosion and sediment control plan, if
State:	West Virginia	UTM NAD	Easting:	526694.11
County: District:	Marshall	Public Roa	Northing:	CR 17 Fork Ridge Rd
	Clay Glen Easton, WV 7.5'			Taylor B
Watershed:	Middle Grave Creek - Grave Creek	Generally c	isea iaim mame.	- Taylor a
issued on thos	that I have no objection to the planned work of the materials. the box that applies	described in the		have no objection to a permit being ON-BY A NATURAL PERSON
□ SURFAC	#.0.		Signature:	PRENDAN MCCORALY
□ SURFAC	E OWNER (Road and/or Other Disturba	nce)	Print Name: 1	- 2014 MCCORTY
□ SURFAC	CE OWNER (Impoundments/Pits)			ON BY A CORPORATION, ETC.
□ COAL O	WNER OR LESSEE		Company:	
□ COAL O	PERATOR		Its:	
⊠ WATER	PURVEYOR		Signature:	
□ OPERA	TOR OF ANY NATURAL GAS STORA	GE FIELD		

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

51-01823

MURRAY AMERICAN ENERGY, INC. & CONSOLIDATION COAL COMPANY 46226 National Road

St. Clairsville, OH 43950

Phone: 740-338-3100 Fax: 740-338-3405

Fax Transmission

To: James Martin	Date: April 2, 2015		
Fax #: 304-926-0452	Pages: 2 (Including Cover Sheet)		
From: Alex O'Neill			
Subject: CHEVRON APPALA	CHIA, L.L.C. Proposed Well Work Taylor B 5H		

Message:

Dear Mr. Martin,

MURRAY AMERICAN ENERGY, INC. and CONSOLIDATION COAL COMPANY remove their objection to the drilling of the well represented by the above referenced well drilling application. A copy of a signed WW-6A waiver is included in this fax transmission. CHEVRON APPALACHIA, L.L.C. has been notified of the objection removal.

Please let me know if you have any questions.

/ 11/01 //PA.

Thank you,

Alex O'Neill

03:55:48 p.m. 04-02-2015

2 /2

WW-6AW (1-12)

API NO.	
OPERATOR WELL NO.	
Well Pad Name:	Taylor B

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS VOLUNTARY STATEMENT OF NO OBJECTION

Instructions to Persons Named on Page WW-6A

The well operator named on page WW-6A is applying for a permit from the State of West Virginia to conduct oil or gas well work. Well work permits are valid for twenty-four (24) months. Please contact the listed well operator and the Office of Oil and Gas if you do not own any interest in the listed surface tract.

Comment and Waiver Provisions

Alex O'Neill

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary.

Pursuant to West Virginia Code § 22-6A-8(b) No permit may be issued less than thirty days after the filing date of the application for any well work except plugging or replugging; and no permit for plugging or replugging may be issued less than five days after the filing date of the application except a permit for plugging or replugging a dry hole: *Provided*, That if the applicant certifies that all persons entitled to notice of the application under the provisions of subsection (b), section ten of this article have been served in person or by certified mail, return receipt requested, with a copy of the well work application, including the erosion and sediment control plan, if required, and the well plat, and further files written statements of no objection by all such persons, the secretary may issue the well work permit at any time.

VOLUNTARY STATEMENT OF NO OBJECTION

State: West Virginia West Virginia East: 1,666,441.798 ft County: Marshall North State Plane North: 406.732.640.52
Country North State Diane
North State Plane North: 496,382.649 ft
District: Clay Public Road Access:
Quadrangle: GLEN EASTON Generally used farm name: TAYLOR B Watershed:
I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials, provided that Chevron U.S.A. Inc. drills the well on West Virginia North State Plane NAD 27 coordinates of North 496,382.649 ft, East 1,666,441.798 ft in accordance with the Agreement between Consolidation Coal Company, Murray American Energy and Chevron U.S.A. Inc. dated 2015-04-01. *Please check the box that applies FOR EXECUTION BY A NATURAL PERSON
☐ SURFACE OWNER
SURFACE OWNER (Road and/or Other Disturbance) Signature: Print Name: Date:
SURFACE OWNER (Impoundments/Pits)
FOR EXECUTION BY A CORPORATION, ETC.
By: Aleg Q'Neill COAL OPERATOR By: Coal Of & Gas Relations Manager
□WATER PURVEYOR Signature:
Date: 4/2/2015
OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

MURRAY AMERICAN ENERGY, INC. & CONSOLIDATION COAL COMPANY

MURRAY AMERICAN ENERGY, INC. & CONSOLIDATION COAL COMPANY

46226 National Road St. Clairsville, OH 43950

phone: 740.338.3100 fax: 740.338.3405

e-mail: AlexO'Neill@coalsource.com

ALEX O'NEILL

Coal, Oil and Gas Relations Manager

November 24, 2014

Mr. James Martin – Chief West Virginia Department of Environmental Protection Office of Oil & Gas 601 57th Street Charleston, West Virginia 25304

RE: CHEVRON APPALACHIA, L.L.C. Proposed Well Work Taylor B 5H.

Dear Mr. Martin,

MURRAY AMERICAN ENERGY, INC. and CONSOLIDATION COAL COMPANY object to the drilling of the well represented by the above referenced well drilling application, at this time, pending an opportunity to discuss the well application in detail with CHEVRON APPALACHIA, L.L.C. to attempt to resolve all issues with the proposed well drilling and most importantly to protect the health and safety of the employees working in the coal mine. MURRAY AMERICAN ENERGY, INC. and CONSOLIDATION COAL COMPANY have submitted an objection to the drilling of this well to CHEVRON APPALACHIA, L.L.C.

This objection is properly filed by Murray American Energy, Inc. and Consolidation Coal Company. Murray Energy Corporation purchased the stock of Consolidation Coal Company and manages Consolidation Coal Company by and through its Murray American Energy, Inc. subsidiary.

Sincerely,

Alex O'Neill

RECEIVED Office of Oil and Gas

DEC 0 1 2014

WV Department of Environmental Protection, 04/10/2015



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East . Building Five . Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Earl Ray Tomblin Governor

Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

November 12, 2014

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the Taylor B Well Pad, Marshall County Taylor B Unit 5H

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #06-2014-0291 for the subject site to Chevron Appalachia, LLC for access to the State Road for the well site located off of Marshall County Route 17 SLS.

The operator has signed a STATEWIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer

Day K. Clayton

Central Office Oil & Gas Coordinator

Cc: Ryan Progin

Chevron Appalachia, LLC

CH, OM, D-6

File

Received Office of Oil & Gas

Hydraulic Fracturing Fluid Product Component Information Disclosure

	Fracture Date:
wv	State:
Marshall	County:
	API Number:
Chevron	Operator Name:
Taylor B & C	Well Pad Name
	Longitude:
	Latitude:
	Long/Lat Projection:
	Production Type:
	True Vertical Depth (TVD):
see WMP	Total Water Volume (gal)*:

Hydraulic Fracturing Fluid Additives:

Trade Name	Supplier	Purpose	Ingredients	Chemical Abstract Service Number (CAS #)	Comments
Ilean Volume (gals)		Carrier/Base Fluid			77.
Proppant (lbs)		Proppant			
riction Reducer (Unislik)	CESI	Friction Reducer	Hydrotreated Light Distillite	64742-47-8	
riction Reducer (ASP 90)	Nalco	Friction Reducer	Ammonium Sulfate	7783-20-2	
ron Control A	Nalco	Iron Control	Ethylene Glycol	107-21-1	
Biocide (EC 6116a)	Nalco	Biocide	Dibromoacetonitrile	3252-43-5	
C 6116a	Nalco	Biocide	1,1-Dibromo-3-nitrilopropionamide	10222-01-2	
EC 6116a	Nalco	Biocide	Polyethylene Glycol	25322-68-3	
Scale Inhibitor A	Nalco	Scale Inhibitor	Ethylene Glycol	107-21-1	
7.5% Hcl Acid	Reagent/PPG	Used to open perfs	Hydrochloric Acid	7647-01-0	
Gel (CMHPG(lbs))	Ashland	Water Viscosifier	Carboxmethylhydroxyporoyl guar blend	Mixture	
Breaker (GBL)	Clearwater	Gel Breaker	Ethylene Glycol	107-21-1	

^{*} Total Water Volume sources may include fresh water, produced water, and/or recycled water

All component information listed was obtained from the supplier's Material Safety Data Sheets (MSDS). As such, the Operator is not responsible for inaccurate and/or incomplete information. Any questions regarding the content of the MSDS should be directed to the supplier who provided it. The Occupational Safety and Health Administration's (OSHA) regulations govern the criteria for the disclosure of this information. Please note that Federal Law protects "proprietary", "trade secret", and "confidential business information" and the criteria for how this information is reported on an MSDS i9s subject to 29 CFR 1910.1200(i) and Appendix D.

Received Office of Oil & Gas FEB 0 5 2015

^{**} Information is based on the maximum potential for concentration and thus the total may be over 100%