

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

July 28, 2015

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-5101841, issued to SWN PRODUCTION COMPANY, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Operator's Well No: VAN ASTON MSH 205H

Farm Name: ASTON, VAN L.

API Well Number: 47-5101841

Permit Type: Horizontal 6A Well

Date Issued: 07/28/2015

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 8. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.
- 9. Operator shall provide the Office of Oil & Gas notification of the date that drilling commenced on this well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov within 30 days of commencement of drilling.

API NO. 47- 69 -			
OPERATOR WELL	NO.	Van Aston MSH 205H	
WellPad Name:	Van Aston MSH Pad		
4/051	0 1	011	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operator: SWN Produ	ction Co., LLC	494512924	51-Marshall	1-Camer	370-Glen Easton
		Operator ID	County	District (Quadrangle
2) Operator's Well Number: Var	Aston MSH 20	O5H Well Pa	d Name: Van A	ston MSH	Pad
3) Farm Name/Surface Owner:	√an L. Aston	Public Roa	ad Access: Brus	shy Ridge F	Road
4) Elevation, current ground:	1152 E	levation, proposed	post-construction	on: 1152	
5) Well Type (a) Gas x Other	Oil	Und	erground Storag	е	
(b)If Gas Shal	low x	Deep			7
Hori	zontal X		H	c 3/11	15
6) Existing Pad: Yes or No yes			-		,
 Proposed Target Formation(s). Target Formation- Marcellus, Target 		Proceedings of the Control of the Co			ated Pressure- 4248
8) Proposed Total Vertical Depth	: 6595'				
9) Formation at Total Vertical De		S			
10) Proposed Total Measured De	pth: 13,500'				
11) Proposed Horizontal Leg Ler	igth: 6043'				
12) Approximate Fresh Water St	rata Depths:	336'			
13) Method to Determine Fresh V	Vater Depths:	from log analysis	and nearby wa	iter wells	
14) Approximate Saltwater Depth	ns: 1060'				
15) Approximate Coal Seam Dep	ths: 778'				
16) Approximate Depth to Possib	ole Void (coal m	ine, karst, other):	770' Active Mir	ne	
17) Does Proposed well location directly overlying or adjacent to a		ms Yes	No	X	
(a) If Yes, provide Mine Info:	Name: McE	Iroy Mine		1	
	Depth: 770'			1006]	ved
	Seam: Pitts	burgh Seam		MAR	0.00
	Owner: McE	lroy		WAN 18 :	2015

V/V Final of all and Gas

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	20"	New	J-55	94#	100'	100'	CTS
Fresh Water	13 3/8"	New	J-55	54.5#	436'	436'	410 sx/CTS
Coal	9 5/8"	New	J-55	40#	2240'	2240'	860 sx/CTS
Intermediate	7"	New	P-110	20#	If Needed	If Needed	If Needed/As Needed
Production	5 1/2"	New	P-110	20#	13,500'	13,500'	Lead 1130sx 1210 tall sw1007 inside law
Tubing	2 3/8'	New	P-110	4.7#	Approx. 7247'	Approx. 7274'	
Liners							

Ju 3/11/15

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Max. Associated Surface Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	20"	30"	0.25	2120	0.020	Class A	1.19/50% Excess
Fresh Water	13 3/8"	17.5"	0.380	2740	0.020	Class A	1.19/50% Excess
Coal	9 5/8"	12 1/4"	0.395	3950	0.020	Class A	1.19/50% Excess
Intermediate	7"	8 3/4"	0.317	4360	0.020	Class A	1.20/15% Excess
Production	5 1/2"	8 3/4"	0.361	12360	0.020	Class A	1.20/15% Excess
Tubing	2 3/8"	4.778"	0.190				
Liners							

PACKERS

Kind:	10K Arrowset AS1-X	1.0001.
Sizes:	5 1/2"	MAR. 1 8 2015
Depths Set:		Orice of Oil and Gra Protection

WW-6B	
(10/14)	

API NO. 47- 69 OPERATOR WELL NO. Van Aston MSH 205H
Well Pad Name: Van Aston MSH Pad

4705101841

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill and stimulate any potential zones between and including the Benson to Marcellus. **If we should encounter a void place basket above and below void area- balance cement to bottom of void and grout from basket to surface. Run casing not less than 20' below void nor more than 50' below void. (*If freshwater is encountered deeper than anticipated it must be protected, set casing 50' below and cts.)

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well will be perforated within the target formation and stimulated with a slurry of water, sand, and chemical additives at a high rate. This will be performed in stages with the plug and perf method along the wellbore until the entire lateral has been stimulated within the target formation. All stage plugs are then drilled out and the well is flowed back to surface. The well is produced through surface facilities consisting of high pressure production unites, vertical separation units, water and oil storage tanks. Max press and anticipated max rate- 9000 lbs @ 80 barrels a minute.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 9.50
- 22) Area to be disturbed for well pad only, less access road (acres): 5.48
- 23) Describe centralizer placement for each casing string:

All casing strings will be ran with a centralizer at a minimum of 1 per every 3 joints of casing.

24) Describe all cement additives associated with each cement type:

See Attachment ***

25) Proposed borehole conditioning procedures:

All boreholes will be conditioned with circulation and rotation for a minimum of one bottoms up and continuing until operator is satisfied with borehole conditions.

MAR 1 8 2015

ANA Dichards of Englishmenting beneation
Chase of Oil and Gas

*Note: Attach additional sheets as needed.

SLB C	ement Additives Product Name_	***Ref: 2013-78 Product Use	Chemical Name	CAS Number
	D046	antifoam	Fuller's earth (attapulgite)	8031-18-3
	D046	antiloam	Polypropylene glycol	25322-69-4
	D130	polyester flake - Icm	polyethylene terephthalate	25038-59-9
	S001	calcium chloride	calcium chloride	10043-52-4
3	SPACER			
onilace	D130	polyester flake - lcm	polyethylene terephthalate	25038-59-9
70	D020	bentonite extender	bentonite	1302-78-9
	2010	antifoam	Fuller's earth (attapulgite)	8031-18-3
	D046		Polypropylene glycol	25322-69-4
	D130	polyester flake - lcm	polyethylene terephthalate	25038-59-9
	D044	granulated salt	sodium chloride	7647-14-5
te	D153	Anti-Settling Agent	chrystalline silica	14808-60-7
Intermediate	SPACER			
E 0	D020	bentonite extender	bentonite	1302-78-9
	D130	polyester flake - lcm	polyethylene terephthalate	25038-59-9
-	D080	cement liquid dispersant	product classified as non-hazardous.	
	D801	mid-temp retarder	product classified as non-hazardous	
	D047	antifoam agent	polypropylene glycol	25322-69-4
	SPACER			
	B389	MUDPUSH* Express	Carbohydrate	proprietary
	D206	Antifoaming Agent	Silica Organic Polymer	proprietary
g	D031	barite	barium sulfate	7727-43-7
Kick Off Plug		Prince and the second	fatty acid amine	proprietary
#		II.	ethoxylated alcohol	proprietary
×			glycerol	56-81-5
Š	B220	surfactant	2.2'-Iminodiethanol	111-42-2
-	D167	UNIFLAC* S	aliphatic amide polymer	proprietary

MAR 18 2015

Carpe of Oil and Gas

ੋਣ ਸ਼ੁਜ਼ਾਨਾਂ ਉਥੇ and ਯੋਸ**s** ਜਾਂ ਜਾਂ ਜਾਂ ਜਾਂ ਜ਼ਿਲ੍ਹੇ ਵਿ<mark>ਰੋਗ</mark>

D154	low-temperature extender	non-crystalline silica	7631-86-9
D400	EasyBLOK	boric acid	10043-35-3
D046		Fuller's earth (attapulgite)	8031-18-3
	antifoam	Polypropylene glycol	25322-69-4
5004	hasia semente anchias	chrystalline silica	14808-60-7
D201	basic cements enabler	metal oxide	proprietary
5000	low-temperature solid	sulphonated synthetic polymer	proprietary
D202	dispersant	formaldehyde (impurity)	50-00-0
		Fuller's earth (attapulgite)	8031-18-3
D046	antifoam	Polypropylene glycol	25322-69-4
D167	UNIFLAC* S	aliphatic amide polymer	proprietary
D065		Sodium Polynaphthalene Sulfonate	9008-63-3
		Sodium Sulfate	7757-82-6
2004	basic cements enabler	chrystalline silica	14808-60-7
D201	basic cements enabler	metal oxide	proprietary
D153	Anti-Settling Agent	chrystalline silica	14808-60-7
SPACER			
B389	MUDPUSH* Express	Carbohydrate	proprietary
D206	Antifoaming Agent	Silica Organic Polymer	proprietary
D031	barite	barium sulfate	7727-43-7
		fatty acid amine	proprietary
		ethoxylated alcohol	proprietary
		glycerol	56 -81-5
B220	surfactant	2.2'-Iminodiethanol	111-42-2

#105°0°8

ુકાનને Oil and Ga**s** ાકાન્યાન પાણકાલી **Protection**

<u>%</u>	Concentration Used
0.29	% BWOC
	25 lb/sk
2%	BWOC
1 lb	/bbl
20 I	b/bbl
abla	
0.2	% BWOC
0.12	25 lb/sk
10%	6 BWOW
0.1	5% BWOC
201	lb/bbl
1 lb	/bbl
	5 gal/sk
	1 gal/sk
0.0	2 gal/sk
	o/bbi
	gal/bbl
310) lb/bbl
1 g	al/bbl
0.3	5% BWOC

470510:841


Toolived

6% BWOC
0.8% BWOC
0.2% BWOC
0.2% BWOC
0.3% BWOC
0.2% BWOC
0.35% BWOC
0.25% BWOC
0.00/.014/00
0.2% BWOC
0.2% BWOC
proprietary
proprietary
7727-43-7
proprietary
proprietary
56-81-5
111-42-2

4705101841

;

Not Vuderwinell



07/31/2015

gre 3/11/15

Well Name: Van Asto	on MSH 205H	Drilling Rig: N/A
rulling Engineer: TBD Formation: Marcellus		Directional Drilling: N/A
superintendent: N/A County, State: Marshall, WV		Drilling Mud: N/A
Asset Manager: N/A. Surface Latitude: 39.847975		Cement Surface: N/A
Beologist: N/A BH Latitude: 39.565999	Surface Longitude: -80.650591	Coment Longstrings: N/A
and: N/A KB Elevation: 1201	BH Longitude: -80.8527 Ground Elevation: 1181'	Wellhead: N/A
	Ground Elevation: 1181'	AFE#: N/A
	We We	bilhead Equipment
4	Tree Description Tubing Head ** 100' KBTVD 'B' Section	Blanking Cap
Coment: 68° F	'A' Section	11" x 5M x 7-1/16" 10M 9-5/8" SOW x 11" 5M
Air / Mist <u>Tail:</u> 410 sx Ws	ater Space out such that Blanking	Cap is no more than 30" above grade.
Top O 100 sx	336 KBTVD Size Wt	Casing Detail Grd Conn. From: To:
15.6 ppg / 1.19 ykd 50% Excess	Surface 13,375 54.5 n	J-55 STC 0' 436'
Promo Plana 2 hours	Interm 9.825 40 t/ 13.375* Prod 5.5 20 t/	J-55 LTC 0' 2,240'
COAL	616 20 0	P-110 GBCD C 13,317
1001	O' KBTVD Report any water or gas flows,	Catch liquid sample if possible.
EIG IV. 1,67	VJUN	Casing Design
Tall: BEO SX BASE	Surface 13.375 12.815	Coll Burst Tens MU torq 1130 2740 514 5140
50% Excess 2,00	BIG INJUN Interm 9.625 8.835 90' KBTVD Prod 5.5 4.778	2570 3950 520 5200 12200 12360 641 8530
	ce Nudge for Anti-Collision purposes.	
15.6 ppg / 1.19 y/d	Directional Drilli	ng Details
TOC Sec	n n n n n n n n n n n n n n n n n n n	BUR DLS +N/-S +E/-W
9.625* Hold	1001 0.00 0.00 100	0' 0.00 0.00 0.0
Hold Hold	400' 0.00 0.00 400	0 0.00 0.00 0.0
Hold Hold	600' 0.00 0.00 600	0 0.00 0.00 0.00
KOP2	10 Di 12	5 2.00 2.00 53.6 198.3 7 0.00 0.00 519.6 1.923.7
2,240' - 6,398'	13,317 90,00 336,49 6,59	5' 8.76 12.00 1,031.0' 1,903.6'
Air Dust	VS Plane 336.49 Lateral	VS Length (6,229,45"
	Plat Date 12/7/12	
	Plat Date 12/7/12	
81		
	Logging Program	
48	1 Log Type 1 TBD	Interval TBD
	2	
110 A	Mudlogger operational at	Surface
	Formation Depths (TVD)	Dooing
	BASE BIG INJUN 2,090"	oceive
	GENESEO 8,431'	
	TULLY 6,454'	WAR to our
KOP 6,498	HAMILTON 5,477"	MAR 18 2015
	MARCELLUS 5,581	
	ONONDAGA 8,628	and Gis
W. Carlotte and Ca	1881610101010101010101010101010101010101	Coment: Envisoremental Pr
SOBM		Lead: 1,130 sx 15.8 ppg / 1,20 yid
6,396' - 13,317'		Tall: 1,210 sx
MW: 12 - 13 Vis 45 - 65	C-15 (154) III Succession California and Infrastructure	15.6 ppg / 1.20 yld 15% Excess
		Pump-time: 5 hours
HTHP B-B (SOBM) ES > 600		PBHL 5.5
ES > 600 LGS <4	/ 0.00 degree-tine ::	
ES > 600	/ 0.00 degrees/100 ft Up-dip	TMD: 13,317' TVD: 6,595'
ES > 600 LGS <4	/ 0.00 degrees/100 ft Up-dip	TMD: 13,317
ES > 500 LGS <4 Geologic Target: 6,595' TVD @ 0' VS w.	on the pad at KOP.	TMD: 13,317' TVD: 6,595'

4705101841 Legend
McElroy_Mine Van Aston Pad of Environment

API Number	47 -	69	
Oper	ator's	Well	No. Van Aston MSH 205H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION 5 1 0 1 8 4 1

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name_SWN Production	Co., LLC		OP Code 494512924	
Watershed (HUC 10) Upper Of	nio South	Quadrangle	370- Glen Easton	
Elevation 1152	County 51-Marshall		District 1- Cameron	
Do you anticipate using more th Will a pit be used? Yes	an 5,000 bbls of water to comple			-
If so, please describe ar	nticipated pit waste: closed loop		this time- cuttings will be taken to a permitted la	andfill.
Will a synthetic liner be	e used in the pit? Yes	No V	f so, what ml.?	
Proposed Disposal Met	hod For Treated Pit Wastes:			
Land	Application	2D007	2539/ 2D0413175/ 2D0610306/ 2D0610317	,
- Unde	e (at API Number at next anticipate	d well. API# will be inc	cluded with the WR-34/DDMR &/or permit addendum.	
Off S	ite Disposal (Supply form WW-	9 for disposal lo		acility.
Will closed loop system be used	? If so, describe: Yes			
Drilling medium anticipated for	this well (vertical and horizontal)? Air, freshwa	ter, oil based, etc. Air and salt saturate mud	
-If oil based, what type	? Synthetic, petroleum, etc.Synth	etic Oil Base		
Additives to be used in drilling t	medium? see attached sheets			
	Leave in pit, landfill, removed o	ffsite, etc. landfill		
	solidify what medium will be u			
Argen Langill 10072, Ar I certify that I understa on August 1, 2005, by the Office provisions of the permit are enf law or regulation can lead to enf I certify under penalty application form and all attack	nerican U2-12954, Count and and agree to the terms and co e of Oil and Gas of the West Virgorceable by law. Violations of corcement action. of law that I have personally aments thereto and that, based lieve that the information is true	onditions of the originia Department any term or contexamined and a on my inquiry are, accurate, and	SUP-1025, Short Creek 1034/WV0109517/CID28726, Carbon Limestone 28770/CID3839U, PINE Grove 1350/CID3839U, PINE GROVE 1350/	RMIT issued stand that the er applicable itted on this ponsible for
Company Official Signature			MAR 1 8 2015	
Company Official (Typed Name	Dee Southall			
Company Official Title_Regula			WV Dept of Environmental P	resection
Subscribed and sworn before me Buttany L Ud My commission expires 11 2	this_d3rd day of +	elruary	Notary Public Notary Public BRITT	FICIAL SEAL. c, State of West Virg ANY R WOOD Old Elkins Road

SWN Production Co. LLC

Prevegetation position (unless engineered plans in	lbs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
Seed Type White Grove Red Top Orchard Grass	1bs/acre 15 15 20
White Grove Red Top Orchard Grass	15 15 20
Red Top Orchard Grass	15 20
Orchard Grass	20
tion (unless engineered plans in	acluding this info have been
	Ficceived
	MAR 1 8 2015
40	Lines of Olivens Gas
	WAR
	Date: 3 (11/25

4705101841

Marcellus Well Drilling Procedures And Site Safety Plan

SWN Production Co., LLC

47 - 051 Well name: Van Aston MSH 205H
Glen Easton, Quad
Cameron, District
Marshall County, West Virginia


Submitted by: Danielle Southall	2/23/2015 Date:
Title Regulatory Supervisor	SWN Production Co., LLC
Approved by:	
Xu	Date: 3/11/15
Title: Off & Eas	(uspector
Approved by:	
	Date:
Title:	
SWN Production Co., LLC – Confide	ntial

FOCCIVED

MAR 18 2015

Compromising Gas

Atlachmen+#3





Attachment #4

Received


MAR 1 8 2015


Calca of Oil and Gas AVA (2001) Environmental Statection











WW-6A1 (5/13)

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or
Number Grantor, Lessor, etc. Grantee, Lessee, etc. Royalty Book/Page

See Exhibit "A"

Received

WV DetA of Empermental Protection

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: SWN Production Company, LLC.

By: Canada and Aldicana

Its: Brandi Williams, Sr. Landman

Page 1 of ____

4705101841

Exhibit "A"

Attached to and made a part of the State of West Virginia Oil and Gas Permit Form, WW-6A1, by SWN Production Company, L.L.C. Operator Van Aston 205H

Marshall County, West Virginia

#	ТМР	LEASE #	LESSOR	LESSEE	ROYALTY	BK/PG
1	03-12-14	WV-0000089-000	Karen Sue Crow	Mountain Minerals	15.00%	654/373
			Range Resources-Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.		23/368
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
2	03-12-14	WV-0000264-000	Chesapeake Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.	15.00%	736/378
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
3	03-12-13	1-324659-000	Van & Vicki Aston	Great Lakes Energy	12.50%	657/91
			Range Resources-Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.		23/368
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
4	03-10-02	1-324624-000	Mary Margaret Aston	Great Lakes Energy	12.50%	653/515
			Range Resources-Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.		23/368
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
5	03-10-21	1-300637-001	Sandra Kay Scarnechia Jorgensen, f/k/a	Chesapeake Appalachia, L.L.C.	17.00%	701/562
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
6	03-12-13	1-324659-000	Van & Vicki Aston	Great Lakes Energy	12.50%	657/91
			Range Resources-Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.		23/368
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
7	03-12-12	1-324659-000	Van & Vicki Aston	Great Lakes Energy	12.50%	657/91
			Range Resources-Appalachia, L.L.C.	Chesapeake Appalachia, L.L.C.		23/368
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
8	03-13-04	1-303142-001	Dale & Elaine Hall	Chesapeake Appalachia, L.L.C.	18.75%	
			Chesapeake Appalachia, L.L.C.	SWN Production Company, L.L.C.		33/110
				• • •		•

MAR 18 2015

Cifice of Oil and Control of Environment

West Virginia Secretary of State — Online Data Services

Business and Licensing

Online Data Services Help

PRECEIVED Office of Oil and Gas JUL 2 () 79/5 WV Department of Environmental Protection

Business Organization Detail

NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.

RANGE RESOURCES - APPALACHIA, LLC

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
LLC Limited Liability Company	9/24/1999		9/24/1999	Foreign	Profit			

Business Purpose	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction	Capital Stock		
Charter County		Control Number	0	
Charter State	DE	Excess Acres		
At Will Term	A	Member Managed	MBR	

At Will Term Years	0	Par Value	
Authorized Shares			RECEIVED Office of Oil and Gae
			JUL 20 2015

		WV Department of
Addresses	Environmental Protection	
Туре	Address	·
Designated Office Address	209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Mailing Address	380 SOUTHPOINTE BLVD, SUITE 300 CANNONSBURG, PA, 15317 USA	
Notice of Process Address	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302	
Principal Office Address	380 SOUTHPOINTE BLVD. SUITE 300 CANONSBURG, PA, 15317 USA	
Туре	Address	

Officers				
Туре	Name/Address			
Member	G LYNN BOGGS 4855 PEACHTREE INDUSTRIAL BOULEVARD SUITE 245 NORCROSS, GA, 30092			

		Environmental Protection
уре	Name/Address	Wy Da
Member	DAVID O'LEARY 4855 PEACHTREE INDUSTRIAL BOULEVARD SUITE 245 NORCROSS, GA, 30092	RECEIVED Office of Oil and Gas
Member	DANIEL G OWENS 4855 PEACHTREE INDUSTRIAL BOULEVARD SUITE 245 NORCROSS, GA, 30092	

Name Changes	
Date	Old Name
9/12/2007	GREAT LAKES ENERGY PARTNERS, L.L.C.
Date	Old Name

Date		Amendment
9/12/2	007	NAME CHANGE: FROM GREAT LAKES ENERGY PARTNERS, L.L.C.
1/10/2	000	MERGING RANGE OPERATING CO, QUAL OH, BUFFALOOILFIELD SERVICES INC, NON QUAL OH, J R OPERATING CO.INC, NON QUAL OH, MB OPERATING CO INC, NON QUAL OH INTO GREAT LAKES ENERGY PARTNERS, LLC, QUAL DE LLC THE SURVIVOR
Date		Amendment

Annual Reports	ınual Reports			
Date	Filed For			
6/17/2015	2015			

6/12/2014	2014	
6/29/2013	2013	
6/6/2012	2012	
6/8/2011	2011	
3/23/2010	2010	RECEIVED Office of Oil and Gas
4/1/2009	2009	JUL 20 2015
4/16/2008	2008	WV Department of Environmental Protection
4/11/2007	2007	
4/10/2006	2006	
4/12/2005	2005	
3/17/2004	2004	
4/8/2003	2003	
5/6/2002	2002	
4/4/2001	2001	
4/20/2000	2000	
Date	Filed For	

For more information, please contact the Secretary of State's Office at 304-558-8000.

Monday, July 20, 2015 — 11:34 AM

© 2015 State of West Virginia

RECEIVED
Office of Oil and Gas

JUL & G YOU

Environmentel protection WV Department of

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION 1

	~ 11	NOTICE CERTIFICATION	0 - 0			
Date of Notic	ce Certification:	AI	I No. 47- 69 6 4	4		
Date of Hote	et certification.		erator's Well No. Va	n Aston MSH 205H		
			ell Pad Name: Van A			
Notice has	been given:					
	ne provisions in West Virginia Code	\$ 22-6A, the Operator has provide	d the required parties	with the Notice Forms listed		
	tract of land as follows:	the seast are a become some because	2 2 2 2 3 1 2 1 2 1 2 1 2 2 2 3 2 3 2 3	0.000		
State:	wv	LITMANAD 82 Ea	sting: 529908.2	529908.2		
County:	51-Marshall	UTM NAD 83 No	orthing: 4410951.2			
District:	1- Cameron	Public Road Access:	Brushy Ridge f	Road		
Quadrangle: 370- Glen Easton		Generally used farm	name: Van Aston			
Watershed:	atershed: Upper Ohio South					
of giving the requirements Virginia Code	equired by subsections (b) and (c), so surface owner notice of entry to su of subsection (b), section sixteen o e § 22-6A-11(b), the applicant shall t have been completed by the applican	rvey pursuant to subsection (a), f this article were waived in wri- ender proof of and certify to the s	section ten of this ar	ticle six-a; or (iii) the notice owner; and Pursuant to West		
	West Virginia Code § 22-6A, the Operator has properly served the require		Notice Certification			
	ECK ALL THAT APPLY	a parties than the transfer		OOG OFFICE USE ONLY		
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	■ NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS CO		☐ RECEIVED/ NOT REQUIRED		
☐ 2. NO	TICE OF ENTRY FOR PLAT SURV	'EY or 🔳 NO PLAT SURVEY	WAS CONDUCTED	☐ RECEIVED		
■ 3. NO	TICE OF INTENT TO DRILL or	NOTICE NOT REQUIRED NOTICE OF ENTRY FOR PLAWAS CONDUCTED or		☐ RECEIVED/ NOT REQUIRED		
■ 4 NO	TICE OF PLANNED OPERATION	WRITTEN WAIVER BY (PLEASE ATTACH)	surface owner gived 1 8 2015	☐ RECEIVED		
	TEMPLED OF ENTION	1 1		LI KINDLIYED		
■ 5. PUE	BLIC NOTICE	MAR	1 8 2015	☐ RECEIVED		
■ 6. NO	TICE OF APPLICATION			☐ RECEIVED		

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

office of Oil and Gina

Certification of Notice is hereby given:

4705:018

, have read and understand the notice requirements within West Virginia Code § 22-THEREFORE, I 6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

By:

Well Operator: SWN Production Co., LLC

Its:

Dee Southall Regulatory Supervisor

Telephone:

832-796-1614

Address:

P.O. Box 12359

Spring, TX 77391-4954

Facsimile:

92816182780@fax.com

Email:

Dee_Southall@swn.com



Subscribed and sworn before me this 23 day of

Notary Public

My Commission Uxpires

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Received

Office of On and Gas WV Drift Equipment of Performance WW-6A (9-13) API NO. 47-69 -

OPERATOR WELL NO. Van Aston MSH 205H Well Pad Name: Van Aston MSH Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

NOTICE	OF APPLICATION 47
Notice Time Requirement: notice shall be provided no later t	han the filing date of permit application. 5 7 0 7 8 4 7
Date of Notice: 3/3/5 Date Permit Application Filed:	2/13/15
Notice of:	7/
PERMIT FOR ANY CERTIFICATE OF A	DDDOVAL FOR THE
	PPROVAL FOR THE F AN IMPOUNDMENT OR PIT
Delivery method pursuant to West Virginia Code § 22-6A-	10(b)
☐ PERSONAL ☐ REGISTERED ☐ MET	THOD OF DELIVERY THAT REQUIRES A
SERVICE MAIL REC	EIPT OR SIGNATURE CONFIRMATION
the surface of the tract on which the well is or is proposed to be lead and gas leasehold being developed by the proposed well work, described in the erosion and sediment control plan submitted pursupperator or lessee, in the event the tract of land on which the well more coal seams; (4) The owners of record of the surface tract or well work, if the surface tract is to be used for the placement, con impoundment or pit as described in section nine of this article; (5 have a water well, spring or water supply source located within or provide water for consumption by humans or domestic animals; a proposed well work activity is to take place. (c)(1) If more than the subsection (b) of this section hold interests in the lands, the application of the sheriff required to be maintained pursuant to section provision of this article to the contrary, notice to a lien holder is not a section of the section of the section to the contrary, notice to a lien holder is not a section of the section of the section to the contrary, notice to a lien holder is not a section of the section of the section to the contrary, notice to a lien holder is not a section to the section of the section to the contrary, notice to a lien holder is not a section to the section to the section to the section of the section to the contrary, notice to a lien holder is not a section to the se	
SURFACE OWNER(s)	COAL OWNER OR LESSEE
Name: Van Aston	Name: Consolidated Coal Company %Don Puglio
Address: 763 Brushy Ridge Road	Address: 1000 Consol Energy Drive
Glen Easton, WV 26039	Canonsburg, PA 15317
Name: David R. Hall, ET UX	COAL OPERATOR
Address: 40 Friendly Road	Name:
Slen Easton, WV 26039 SURFACE OWNER(s) (Road and/or Other Disturbance)	Address:
Toronto.	SURFACE OWNER OF WATER WELL
Address:	
	AND/OR WATER PURVEYOR(s) Name: David Hall x5 Office of Oil and Gas
Name:	Name: David Hall x5 Address: 40 Friendly Road Office of Oil and Ods Address: 40 Friendly Road WV Done at Englishmental Protection
Address:	Glen Easton, WV 26039
	☐ OPERATOR OF ANY NATURAL GAS STORAGE FIELD
SURFACE OWNER(s) (Impoundments or Pits)	Name:
Name:	Address:
Address:	*Please attach additional forms if necessary
	Triease attach additional forms it necessary

WW-6A (9-13) API NO. 47- 69 OPERATOR WELL NO. Van Aston MSH 205H
Well Pad Name: Van Aston MSH Pad

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION

Not	ice Time Requirem	ent: notice shall be provid	led no later t	han the filing date of per	rmit applicatio	on.	
Dat	e of Notice:	Date Permit Applicat	ion Filed:		470	51018	
	ice of:	- 650 2 6 6000 6 8 8000	400000		· ·	510-	
1101	ice or.					78	,
V	PERMIT FOR AN	y	ATE OF A	PPROVAL FOR THE		- 4	17
	WELL WORK			F AN IMPOUNDMENT	OR DIT		
	WELL WORK	CONSTR	UCTION OF	AN IMPOUNDMENT	OR PIT		
Deli	ivery method pursu	ant to West Virginia Co	de § 22-6A-	10(b)			
	PERSONAL	☑ REGISTERED	☐ MET	HOD OF DELIVERY T	HAT REQUIR	ES A	
	SERVICE	MAIL	REC	EIPT OR SIGNATURE	CONFIRMAT	ION	
the soil addescooper more well important provents substruction of the control of	surface of the tract on and gas leasehold being cribed in the erosion a rator or lessee, in the of e coal seams; (4) The work, if the surface to oundment or pit as de e a water well, spring yide water for consum- posed well work active faction (b) of this sect and of the sheriff requision of this article to e R. § 35-8-5.7.a req	uired by section seven of the which the well is or is propaged developed by the proposed and sediment control plan surveyent the tract of land on we owners of record of the surveyent is to be used for the planscribed in section nine of the or water supply source located in the planscribed in section nine of the or water supply source located ity is to take place. (c)(1) If ion hold interests in the landing the contrary, notice to a lieuter, in part, that the operations which we would be the contrary of the contrary of the contrary of the contrary of the operation where subject to notice and the contrary of the contrary of the operation where subject to notice and the contrary of the contrary of the operation where subject to notice and the contrary of the contrary of the operation where subject to notice and the contract of the contra	posed to be lo ed well work, abmitted purs hich the well rface tract or acement, com- his article; (5) ated within or tic animals; a more than the des, the application to section en holder is nator shall also	if the surface tract is to be uant to subsection (c), see proposed to be drilled is le tracts overlying the oil and struction, enlargement, alto Any surface owner or want the thousand five hundred fand (6) The operator of any ree tenants in common or eant may serve the document in eight, article one, chapte of notice to a landowner, to provide the Well Site Saf	record of the sure used for roads ation seven of the ocated [sic] is keld gas leasehold learning, repair, rater purveyor where the center of the center on the content of the center of	rface tract or tracts or other land distui- or other land distui- is article; (3) The co- trown to be underla- being developed by removal or abandon to is known to the a r of the well pad what rage field within who is of interests described on the person described on the person described on the landow- tolder is the landow-	overlying the rbance as oal owner, in by one or the proposed ment of any applicant to nich is used to nich the bed in ibed in the astanding any ner. W. Va.
Ø A	Application Notice	☑ WSSP Notice ☑ E&:	S Plan Notic	ce	is hereby prov	vided to:	
	URFACE OWNER(s) /		COAL OWNER O	R LESSEE		
Nan	ne: Larry & Viki Kuhn			Name:			
	ress: 638 Brushy Ridge F	Road		Address:		N 70 70 71	nd
_	Easton, WV 26039		-			40001V	SU
Nan				☐ COAL OPERATOR		1000	
Add	ress:			Name:		200	VIE
T SI	JREACE OWNER	s) (Road and/or Other Dist	turbance)	Address:		MAR 1 8 20	113
Nan	Artificial religion of the control of	re all all and a service of the relativistic features.		SURFACE OWNE	R OF WATER	WELL	
Name: Address:		AND/OR WATER P	LIRVEYOR(s)	and a coll parch	Gas		
, , , ,	10331			Name: Van Aston x8	err Bronds,	Ouice of the Charles	tal Protection
Nan	ne:			Address: 763 Brushy Ric	dge Road	1	
				Glen Easton, WV 26039	L	/	
				□ OPERATOR OF A	NY NATURA	L GAS STORAGE	FIELD
ПSI	JRFACE OWNER(s) (Impoundments or Pits)		Name:			1000
_		/ \		Address:			
Add	ress:			1.0000.1700			
	7.755		5	*Please attach addition	anal forms if ne	receary	

WW-6A (8-13)

API NO. 47-69 OPERATOR WELL NO. Van Aston MSH 205H Well Pad Name: Van Aston MSH Pad

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx. MAR 1 8 2015

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

API NO. 47-69 OPERATOR WELL NO. Van Astori MSH 205H

Well Pad Name: Van Aston MSH Pad

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, figure, care drilling horizontal wells, including reasonable means of mitigating such factors, if necessary 4 7 0 5 1 0 establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

MAR 1 8 2015 שמים שני שנו מחיק פים

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

API NO. 47-69

OPERATOR WELL NO. Van Aston MSH 205H

Well Pad Name: Van Aston MSH Pad

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeer and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

MAR 1 8 2015

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of nepermit in the determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A (8-13)

API NO. 47-69 OPERATOR WELL NO. Van Aston MSH 205H Well Pad Name: Van Aston MSH Pad 05101841 Spring, TX 77391-4954

Notice is hereby given by:


Well Operator: SWN Production Co., LLC

Telephone: 832-796-1000 Email: Dee_Southall@swn.com Address: P.O. Box 12359

Facsimile: 92816182780@fax.com

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this My Commission Expires_

Office of Oil and Gas VAV Danit, in Environmental Protection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

6A-10(a) hav	V. Va. Code § 22-6A-16(b), the Notice of I e NOT been met or if the Notice of Intent t	o Drill requirement has NOT been wa	ived in writing by the surface owner.
Notice Time Date of Notic	Requirement: Notice shall be provided at ce: 02/24/2015 Date Peru	least TEN (10) days prior to filing a prior to f	
			4 *
Delivery met	hod pursuant to West Virginia Code § 2	2-6A-16(b)	
☐ HAND	■ CERTIFIED MAIL		
		HESTED	
DELIVE	ERY RETURN RECEIPT REQ	UESTED	
receipt request drilling a hore of this subsect subsection mand if availab	V. Va. Code § 22-6A-16(b), at least ten day sted or hand delivery, give the surface own izontal well: <i>Provided</i> , That notice given stion as of the date the notice was provided by be waived in writing by the surface own le, facsimile number and electronic mail ac	er notice of its intent to enter upon the pursuant to subsection (a), section ter to the surface owner: <i>Provided, hower</i> . The notice, if required, shall includerss of the operator and the operator	e surface owner's land for the purpose of n of this article satisfies the requirements ever, That the notice requirements of this ide the name, address, telephone number,
	reby provided to the SURFACE OW		
Name: Larry &		Name:	
Address: 638 Glen Easton, WV	Brushy Ridge Road	Address:	
Oldif Edutori, ***	20000		
the surface ov State: County: District: Quadrangle:	wner's land for the purpose of drilling a hor West Virginia Marshall Cameron Glen Easton WV	UTM NAD 83 Easting: Northing:	lows: 529908.2 4410951:2 Brushy Ridge Road
Watershed:	Upper Ohio South		\$10 D. LE
Pursuant to V facsimile nur related to hor	Shall Include: West Virginia Code § 22-6A-16(b), this in the property of the orizontal drilling may be obtained from the start of the Street, SE, Charleston, WV 25304 (3)	notice shall include the name, addre perator and the operator's authorized Secretary, at the WV Department of	d representative. Additional information Environmental Protection headquarters,
Notice is he	reby given by:		
	r: SWN Production Company, LLC	Authorized Representative:	Danielle Southall
Address:	PO Box 1300	Address:	PO Box 1300
and sandy	Jane Lew, WV 26378	- Control of the Cont	Jane Lew, WV 26378
Telephone:	304-884-1611	Telephone:	304-884-1614
Email:	micah feather@swn.com	Email:	danielle_southall@swn.com
Facsimile:		Facsimile:	

	(2) L - 1 (2) (2) (3) (7)		

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Notice Time I Date of Notic			l at least TEN (10) days prior to filing a	permit application.
Delivery met	hod pursuant t	o West Virginia Code	§ 22-6A-16(b)	
HAND DELIVE	RY	CERTIFIED MAIL RETURN RECEIPT R		0 5 1 0 1 8 4 1 an operator shall, by certified mail return
receipt reques drilling a hori of this subsect subsection ma and if availabl Notice is her	ted or hand deli zontal well: Pr ion as of the da y be waived in e, facsimile nur reby provided	ivery, give the surface of covided, That notice give the notice was provide writing by the surface of	wher notice of its intent to enter upon the en pursuant to subsection (a), section teled to the surface owner: <i>Provided, how</i> owner. The notice, if required, shall incladdress of the operator and the operator	ne surface owner's land for the purpose of en of this article satisfies the requirements wever, That the notice requirements of this ude the name, address, telephone number,
Name: David R.			Name:	
Address: 40 Fri	endly Road		Address:	IAH 1 8 2015
Glen Easton, WV	26039			
the surface ow State: County: District:	West Virginia Marshall	he purpose of drilling a	horizontal well on the tract of land as fo UTM NAD 83 Easting: Northing:	529908.2 4410951.2
	Cameron		Public Road Access:	Brushy Ridge Road
Quadrangle: Watershed:	Glen Easton WV Upper Ohio South		Generally used farm name:	
Pursuant to W facsimile num related to hori	ber and electro zontal drilling	Code § 22-6A-16(b), the onic mail address of the may be obtained from	e operator and the operator's authorize the Secretary, at the WV Department o	ress, telephone number, and if available, ed representative. Additional information f Environmental Protection headquarters, ep.wv.gov/oil-and-gas/pages/default.aspx.
	eby given by			
the same of the same of the	: SWN Production	n Company, LLC	Authorized Representative:	Danielle Southall
Address:	PO Box 1300		Address:	PO Box 1300
	Jane Lew, WV 2	6378		Jane Lew, WV 26378
Telephone:	304-884-1611		Telephone:	304-884-1614
Email: Facsimile:	micah_feather@	§swn.com	Email: Facsimile:	danielle_southall@swn.com

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

	e Requirement: Notic tice: 02/24/2015		ast TEN (10) days prior to filing a tt Application Filed:	permit application.	
Delivery m	ethod pursuant to We	st Virginia Code § 22-	6A-16(b)		
☐ HANI	CER	TIFIED MAIL			
DELIV		URN RECEIPT REQU	ested 47	05101841	
receipt required drilling a horof this subsection is and if available. Notice is home: Van L. Van L	nested or hand delivery, prizontal well: Provide ection as of the date the may be waived in writinable, facsimile number hereby provided to t	give the surface owner ed, That notice given put e notice was provided to ng by the surface owner.	notice of its intent to enter upon the insuant to subsection (a), section to the surface owner: <i>Provided, how.</i> The notice, if required, shall incress of the operator and the operator.	, an operator shall, by certified main he surface owner's land for the purent of this article satisfies the requivever. That the notice requirement lude the name, address, telephone for's authorized representative.	rpose of rements s of this
Glen Easton, V			Address:	IAH 18 LOIS	
the surface state:	West Virginia	rpose of drilling a horize	Ontal well on the tract of land as for Easting:	529908.2	
County:	Marshall		Northing:	4410951.2	
District: Quadrangle	Cameron Glen Easton WV		Public Road Access: Generally used farm name:	Brushy Ridge Road	
Watershed:	Upper Ohio South		Generally used farm frame.		
Pursuant to facsimile no related to h	umber and electronic rorizontal drilling may	mail address of the ope be obtained from the Se	erator and the operator's authorize ecretary, at the WV Department of	ress, telephone number, and if av ed representative. Additional info of Environmental Protection headq ep.wv.gov/oil-and-gas/pages/defau	rmation uarters,
Notice is h	ereby given by:				
	tor: SWN Production Comp	pany, LLC	Authorized Representatives	Danielle Southall	
Address:	PO Box 1300		Address:	PO Box 1300	
	Jane Lew, WV 26378			Jane Lew, WV 26378	
Telephone:	304-884-1611		Telephone:	304-884-1614	
Email: Facsimile:	micah_feather@swn.co	om	Email: Facsimile:	danielle_southall@swn.com	

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS 470510 NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) hours NOT have a second of the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) hours NOT have a second of the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of W. Va. Code § 22-6A-10(c) hours NOT have a second of the notice requirements of the noti 6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Pursuant to facsimile nur related to hoo located at 60 Notice is he	reby given by: SWN Production Company, LLC PO Box 1300 Jane Lew, WV 26378 304-884-1611 micah_feather@swn.com	Secretary, at the WV Department of	ed representative. Additional information f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. Danielle Southall PO Box 1300 Jane Lew, WV 26378 304-884-1614 danielle southall@swn.com
Pursuant to Pursuant to Pursuant to Pursuant to Pursuant to Pursuant to Pursuant Pur	reby given by: SWN Production Company, LLC PO Box 1300 Jane Lew, WV 26378	Secretary, at the WV Department of 04-926-0450) or by visiting www.de Authorized Representative: Address:	Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. Danielle Southall PO Box 1300 Jane Lew, WV 26378
Pursuant to Parsuant to Parsua	reby given by: SWN Production Company, LLC PO Box 1300	Secretary, at the WV Department of 04-926-0450) or by visiting www.de Authorized Representative:	f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. Danielle Southall PO Box 1300
Pursuant to Pursuant to Pursuant to Pursuant to Pursuant to Pursuant Pursua	reby given by: SWN Production Company, LLC	Secretary, at the WV Department of 04-926-0450) or by visiting www.de Authorized Representative:	f Environmental Protection headquarters, p.wv.gov/oil-and-gas/pages/default.aspx. Danielle Southall
Pursuant to Pursuant to Pacsimile nurselated to horocated at 60	rizontal drilling may be obtained from the 57th Street, SE, Charleston, WV 25304 (3)	Secretary, at the WV Department of	f Environmental Protection headquarters,
This Notice	Shall Include: West Virginia Code § 22-6A-16(b), this re		
Quadrangle: Watershed:	Glen Easton WV Upper Ohio South	Generally used farm name:	
District:	Cameron	Public Road Access:	Brushy Ridge Road
County:	Marshall	Northing:	4410951.2
Pursuant to V the surface of State:	reby given: Vest Virginia Code § 22-6A-16(b), notice is vner's land for the purpose of drilling a hor West Virginia	izontal well on the tract of land as fo Easting:	llows: 529908.2
Glen Easton, WV	26039		
Name: Andy &	reby provided to the SURFACE OW lackie Kuhn Brushy Ridge Road		
Pursuant to V receipt reque drilling a hor of this subsection mand if availab	V. Va. Code § 22-6A-16(b), at least ten days sted or hand delivery, give the surface owner izontal well: <i>Provided</i> , That notice given put tion as of the date the notice was provided by be waived in writing by the surface owner, facsimile number and electronic mail ad	s prior to filing a permit application, er notice of its intent to enter upon the pursuant to subsection (a), section to the surface owner: <i>Provided, hower</i> . The notice, if required, shall includes of the operator and the operator	ne surface owner's land for the purpose of n of this article satisfies the requirements rever. That the notice requirements of this ude the name, address, telephone number,
☐ HAND DELIVE	CERTIFIED MAIL RETURN RECEIPT REQU	UESTED	
T 11121D	hod pursuant to West Virginia Code § 22	2-0A-10(D)	
Denvery me	Ladamana ta Wast Vinsiala Cada 8 2	CA 1606	
Delivery me			

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact Office of Oil and Gas DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

MAR 3 1 2015

5/- 0184/ Operator Well No, Van Aston MSH 205H 3/18

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Date of Notice	Requirement: notice shall be proce: 03/27/2015 Date Po	ermit Application Filed:	
Delivery met	hod pursuant to West Virginia	Code § 22-6A-16(c)	
■ CERTI	FIED MAIL	☐ HAND	
	RN RECEIPT REQUESTED	DELIVERY	A STATE OF
KETUI	CIVICECEIFT REQUESTED	4705	101841
return receipt the planned of required to be drilling of a ladamages to the (d) The notice of notice.	requested or hand delivery, give a operation. The notice required by provided by subsection (b), secti- horizontal well; and (3) A propose as surface affected by oil and gas of	the surface owner whose land will be use y this subsection shall include: (1) A content of this article to a surface owner was surface use and compensation agree operations to the extent the damages are agiven to the surface owner at the address.	oplication, an operator shall, by certified mailed for the drilling of a horizontal well notice of opy of this code section; (2) The information whose land will be used in conjunction with the ment containing an offer of compensation for compensable under article six-b of this chapter, is listed in the records of the sheriff at the time
	s listed in the records of the sherif		
Name: Andy & J	lackie Kuhn	Name:	
valific.			
Address: 611 6	Brushy Ridge Road	Address:	
Address: 611 E Glen Easton, WV	26039 eby given:		red well operator has developed a planned
Address: 611 E Glen Easton, WV Notice is her Pursuant to W operation on State: County:	26039 eby given: /est Virginia Code § 22-6A-16(c),	notice is hereby given that the undersignurpose of drilling a horizontal well on th UTM NAD 83 Northing Public Road Access:	529908.2 ng: 4410951.2 Brushy Ridge Road
Address: 611 E Glen Easton, WV Notice is her Pursuant to W operation on State: County: District:	eby given: /est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall	notice is hereby given that the undersign urpose of drilling a horizontal well on th UTM NAD 83 Northi	e tract of land as follows: 1529908.2 192: 4410951.2 Brushy Ridge Road
Address: 611 B Glen Easton, WV Notice is her Pursuant to W operation on State: County: District: Quadrangle:	eby given: /est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall Cameron	notice is hereby given that the undersignurpose of drilling a horizontal well on th UTM NAD 83 Northing Public Road Access:	e tract of land as follows: 1529908.2 192: 4410951.2 Brushy Ridge Road
Address: 611 B Glen Easton, WV Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r	eby given: /est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall Cameron Glen Easton WV Upper Ohio South Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(lell; and (3) A proposed surface used by oil and gas operations to telated to horizontal drilling may located at 601 57th Street, SE,	notice is hereby given that the undersign urpose of drilling a horizontal well on the UTM NAD 83 Easting Northing Public Road Access: Generally used farm name, this notice shall include: (1)A copy of to a surface owner whose land will be and compensation agreement containing the extent the damages are compensable be obtained from the Secretary, at the	e tract of land as follows: 1529908.2 192: 4410951.2 Brushy Ridge Road
Address: 611 B Glen Easton, WV Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide morizontal we surface affect information r headquarters, gas/pages/def	eby given: //est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall Cameron Glen Easton WV Upper Ohio South Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(le); and (3) A proposed surface used by oil and gas operations to the lated to horizontal drilling may located at 601 57th Street, SE, ault.aspx.	notice is hereby given that the undersignurpose of drilling a horizontal well on the Easting Northing Public Road Access: Generally used farm name, this notice shall include: (1)A copy of to a surface owner whose land will be and compensation agreement containing the extent the damages are compensable be obtained from the Secretary, at the Charleston, WV 25304 (304-926-04)	tract of land as follows: 529908.2 19: 4410951.2 Brushy Ridge Road e: this code section; (2) The information required be used in conjunction with the drilling of a g an offer of compensation for damages to the under article six-b of this chapter. Additional WV Department of Environmental Protection
Address: 611 B Glen Easton, WV Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provided chorizontal we surface affect information r meadquarters, gas/pages/def Well Operato	eby given: //est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall Cameron Glen Easton WV Upper Ohio South Shall Include: //est Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(le); and (3) A proposed surface used by oil and gas operations to the lated to horizontal drilling may located at 601 57th Street, SE, ault.aspx. r: SWN Production Company, LLC	notice is hereby given that the undersignurpose of drilling a horizontal well on the UTM NAD 83 Easting Northing Public Road Access: Generally used farm name, this notice shall include: (1)A copy of to a surface owner whose land will be and compensation agreement containing the extent the damages are compensable be obtained from the Secretary, at the Charleston, WV 25304 (304-926-04). Address: PO Box 1300	tract of land as follows: 529908.2 19: 4410951.2 Brushy Ridge Road e: this code section; (2) The information required be used in conjunction with the drilling of a g an offer of compensation for damages to the under article six-b of this chapter. Additional WV Department of Environmental Protection (150) or by visiting www.dep.wv.gov/oil-and-
Address: 611 B Glen Easton, WV Notice is her Pursuant to W operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide morizontal we surface affect information r headquarters, gas/pages/def	eby given: //est Virginia Code § 22-6A-16(c), the surface owner's land for the p West Virginia Marshall Cameron Glen Easton WV Upper Ohio South Shall Include: Vest Virginia Code § 22-6A-16(c) ed by W. Va. Code § 22-6A-10(le); and (3) A proposed surface used by oil and gas operations to the lated to horizontal drilling may located at 601 57th Street, SE, ault.aspx.	notice is hereby given that the undersignurpose of drilling a horizontal well on the Easting Northing Public Road Access: Generally used farm name, this notice shall include: (1)A copy of to a surface owner whose land will be and compensation agreement containing the extent the damages are compensable be obtained from the Secretary, at the Charleston, WV 25304 (304-926-04)	tract of land as follows: 529908.2 19: 4410951.2 Brushy Ridge Road e: this code section; (2) The information required be used in conjunction with the drilling of a g an offer of compensation for damages to the under article six-b of this chapter. Additional WV Department of Environmental Protection (150) or by visiting www.dep.wv.gov/oil-and-

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

MAR 3 1 2015

WV Department of Environmental Projection

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notice	Requirement: notice shall be provided no ce: 02/24/2015 Date Permit Ap	later than the filing oplication Filed:	date of permit	application.
Delivery met	hod pursuant to West Virginia Code § 2	22-6A-16(c)	4	70516
■ CERTI	FIED MAIL	HAND		
1000000	RN RECEIPT REQUESTED	DELIVERY		
return receipt the planned of required to be drilling of a damages to the (d) The notice of notice. Notice is her (at the address Name: Larry & Address: 638 ts Glen Easton, WV Notice is her Pursuant to W	requested or hand delivery, give the surface peration. The notice required by this subsection (b), section ten of horizontal well; and (3) A proposed surface surface affected by oil and gas operation as required by this section shall be given to be provided to the SURFACE OWNER is listed in the records of the sheriff at the transfer of the surface Road 26039 The provided to the SURFACE OWNER is listed in the records of the sheriff at the transfer of the sheriff at the sheriff at the transfer of the sheriff at the	ce owner whose land absection shall inclu this article to a surf ace use and compens to the extent the da to the surface owner a (s) ime of notice): Name: Addres s hereby given that the	d will be used for de: (1) A copy acce owner whose sation agreement at the address list. Reserved WW Dept. Since undersigned with the address are compared to the addres	ice of Oil and Gas of Environmental Protection well operator has developed a planned
operation on State:	the surface owner's land for the purpose o West Virginia		Easting	ct of land as follows: 529908.2
County:	Marshall	UTM NAD 8	Northing:	4410951.2
District:	Cameron	Public Road	Access:	Brushy Ridge Road
Quadrangle:	Glen Easton WV	Generally us	ed farm name:	
Watershed:	Upper Ohio South			
Pursuant to V to be provide horizontal we surface affect information r	ed by W. Va. Code § 22-6A-10(b) to a still; and (3) A proposed surface use and conted by oil and gas operations to the extended to horizontal drilling may be obtain located at 601 57th Street, SE, Charles	urface owner whose impensation agreement the damages are continued from the Secre-	e land will be un nt containing an empensable und lary, at the WV	code section; (2) The information required used in conjunction with the drilling of a offer of compensation for damages to the der article six-b of this chapter. Additional Department of Environmental Protection or by visiting

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Notice	Requirement: notice shall be provee: 02/24/2015 Date Pe	vided no later than the filing rmit Application Filed:	date of perm	Lapplication.
Delivery me	hod pursuant to West Virginia C	Code § 22-6A-16(c)		
7	FIED MAIL RN RECEIPT REQUESTED	☐ HAND DELIVERY	47 (5101841
return receipt the planned or required to be drilling of a damages to the	requested or hand delivery, give the peration. The notice required by provided by subsection (b), section horizontal well; and (3) A propose surface affected by oil and gas of	he surface owner whose land this subsection shall incluse on ten of this article to a surface use and compen- perations to the extent the de-	I will be used de: (1) A cop ace owner who sation agreement amages are con at the address	lication, an operator shall, by certified mail for the drilling of a horizontal well notice of y of this code section; (2) The information ose land will be used in conjunction with the ent containing an offer of compensation for inpensable under article six-b of this chapter. Listed in the records of the sheriff at the time
	eby provided to the SURFACE C		1 .	
(at the addres	s listed in the records of the sheriff	at the time of notice): Name:		MAR 1 8 2015
	Brushy Ridge Road	Addres	s:	WALL
Glen Easton, WV				Office of Oil and Gre
			ne undersigned I well on the to	529908,2
District:	Cameron	Public Road	Access:	Brushy Ridge Road
Quadrangle:	Glen Easton WV	Generally us	ed farm name:	
Watershed:	Upper Ohio South			
Pursuant to V to be provide horizontal we surface affect information r	ed by W. Va. Code § 22-6A-10(b Ill; and (3) A proposed surface use ed by oil and gas operations to the elated to horizontal drilling may located at 601 57th Street, SE,) to a surface owner whose and compensation agreement the extent the damages are com- be obtained from the Secre	e land will be nt containing a compensable un tary, at the W	s code section; (2) The information required used in conjunction with the drilling of a an offer of compensation for damages to the oder article six-b of this chapter. Additional V Department of Environmental Protection O) or by visiting

Oil and Gas Privacy Notice:

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

Notice Time Date of Noti	Requirement: notice shall be provided ce: 02/24/2015 Date Permit	no later than the filing Application Filed:		application.
Delivery me	thod pursuant to West Virginia Code §	§ 22-6A-16(c)		
	FIED MAIL RN RECEIPT REQUESTED	HAND DELIVERY		
return receip the planned required to b drilling of a damages to tl (d) The notic of notice.	t requested or hand delivery, give the sur operation. The notice required by this e provided by subsection (b), section ten horizontal well; and (3) A proposed sur he surface affected by oil and gas operati- res required by this section shall be given reby provided to the SURFACE OWN	rface owner whose land subsection shall inclu- of this article to a surf- rface use and compens ons to the extent the da to the surface owner a	I will be used for de: (1) A copy of ace owner whose sation agreement images are comp	ation, an operator shall, by certified mail r the drilling of a horizontal well notice of of this code section; (2) The information e land will be used in conjunction with the containing an offer of compensation for ensable under article six-b of this chapter, ted in the records of the sheriff at the time
(at the address Name: David R Address: 40 F Glen Easton, WV	riendly Road	e time of notice): Name: Address	s: 47	05101841
	Vest Virginia Code § 22-6A-16(c), notice the surface owner's land for the purpose West Virginia Marshall Cameron Glen Easton WV Upper Ohio South	e of drilling a horizonta UTM NAD 8 Public Road	I well on the trac Easting: Northing:	
This Notice Pursuant to V to be provid horizontal we surface affect information	Shall Include: West Virginia Code § 22-6A-16(c), this red by W. Va. Code § 22-6A-10(b) to a cell; and (3) A proposed surface use and ceted by oil and gas operations to the exterelated to horizontal drilling may be ob, located at 601 57th Street, SE, Cha	a surface owner whose compensation agreeme ent the damages are co- tained from the Secret	e land will be un nt containing an empensable under tary, at the WV	code section; (2) The information required sed in conjunction with the drilling of a offer of compensation for damages to the er article six-b of this chapter. Additional Department of Environmental Protection or by visiting

Oil and Gas Privacy Notice:



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways
1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

Paul A. Mattox, Jr., P. E. Secretary of Transportation/ Commissioner of Highways

February 4, 2015

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

4705101841

Subject: DOH Permit for the Van Aston Pad MSH 205H Well Site, Marshall County

Dear Mr. Martin,

Earl Ray Tomblin

Governor

The West Virginia Division of Highways has issued a Permit 06-2011-0205 for the subject site to Southwestern Energy for access to the State Road for the well site located off of Marshall County Route 17/2 SLS.

The operator has signed an OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

MAR 1 8 2015

4705101841

Office of Oil and Gas Very Truly Yours,

Gary K. Clayton

Regional Maintenance Engineer Central Office Oil &Gas Coordinator

Brittany Woody Cc: Southwestern Energy

CH, OM, D-6

File

Supplier Name	Product Name	Product Use	Chemical Name	CAS Number
			Ethanol	000064-17-5
NALCO	EC6110A	Biocide	Glutaraldehyde (Pentanediol)	000111-30-8
ONESOURCE			Quaternary Ammonium Compounds	N/A-068
	EC6629A	Biocide	No Hazardous Components	NONE
	WBK-133 OXIDIZER	Breaker	Ammonium Persulfate	007727-54-0
			Ammonium Persulfate	007727-54-0
	WBK-134	Breaker	Crystalline Silica (Quartz Sand, Silicon Dioxide)	014808-60-7
	soft and about		Proprietary Non Hazardous Salt	N/A-229
	WCS-631LC	Clay Stabilizer	Water	007732-18-5
	WFR-55LA	Friction Reducer	No Hazardous Components	NONE
	WGA-15L	Gel	Petroleum Distillate Hydrotreated Light	064742-47-8
WEATHERFORD			Potassium Carbonate	000584-08-7
	WPB-584-L	Buffer	Potassium Hydroxide	001310-58-3
	WXL-101LE	Corsslinker	No Hazardous Components	NONE
	WXL-101LM	Crosslinker	Petroleum Distillate Hydrotreated Light	064742-47-8
			Water	007732-18-5
			Ethylene Glycol	000107-21-1
	WXL-105L	Crosslinker	Boric Acid	010043-35-3
			Ethanolamine	000141-43-5
	B244 Green-Cide 25G	Biocide	Glutaraldehyde	111-30-8
	L071 Temporary Clay	Clay Stabilizer	Cholinium Chloride	67-48-1
	Stabilizer Breaker J218		Diammonium Perevidiculahata	7727-54-0
SCHLUMBERGER	EB-Clean* J475 Breaker	Breaker	Peroxidisulphate Diammonium	7727-54-0
	Friction Reducer B315	Friction Reducer	Peroxidisulphate Distillates (petroleum), Hydrotreated light Aliphatic Alcohol Glycol Ether	64742-47-8 Proprietary
la la	Friction Reducer J609	Reducei	Ammonium Sulfate	7783-20-2

05101841

Received

MAR 1 8 2015

WV Digit of Environmental Protection

Supplier Name	Product Name	Product Use	Chemical Name	CAS Number
	Water Gelling Agent J580	Gel	Carbohydrate Polymer	Proprietary
201111111111111111111111111111111111111	Scale Inhibitor B317	Scale Inhibitor	Trisodium ortho phosphate Ethane-1, 2-diol	7601-54-9
SCHLUMBERGER	Borate Crosslinker J532	0	Aliphatic polyol Sodium tetraborate decahydrate	Proprietary 1303 96-4
	Crosslinker J610	Crosslinker	Aliphatic polyol Potassium hydroxide	Proprietary 1310 58-3

841

Received

MAR 1 8 2015

Office of Oil and Gas WV Dept. of Environmental Protection


Supplier Name	Product Name	Product Use	Chemical Name	CAS Number
			Didecyl Dimethyl Ammonium Chloride	007173-51-1
	ALPHA 1427 B		Ethanol	000064-17-5
		Biocide	Glutaraldehyde (Pentanediol)	000111-30-8
			Quaternary Ammonium Compound	068424-85-1
			Water	007732-18-5
	BF-7L	Buffer	Potassium Carbonate	000584-08-7
			Choline Chloride	000067-48-1
	ClayCare	Clay Stabilizer	Water	007732-18-5
BAKER HUGHES	Enzyme G-I	Breaker	No Hazardous Components	NONE
D, III.ZIVIIO GIIIZO	ENZYME G-NE	Breaker	No Hazardous Components	NONE
	FRW-18	Friction	Petroleum Distillate Hydrotreated Light	064742-47-8
		Reducer	Petroleum Distillate Blend	N/A-014
	GW-3LDF	Gel	Polysaccharide Blend	N/A-021
			Diethylene Glycol	000111-46-6
	SCALETROL 720	Scale Inhibitor	Ethylene Glycol	000107-21-1
			Boric Acid	010043-35-3
	XLW-32	Crosslinker	Methanol (Methyl Alcohol)	000067-56-1
	APB01 (AMMONIUM	Breaker	Ammonium Persulfate	007727-54-0
	B05 (LOW PH BUFFER)	Buffer	Acetic acid	000064-19-7
	BXL03 Borate XL Delayed High Temp	Crosslinker	No Hazardous Components	NONE
FRAC TECH SERVICES	FRW-200	Friction Reducer	No Hazardous Components	NONE
SERVICES	HVG01 (TURQUOISE-1 BULK)	Gelling Agent	Petroleum Distillate Hydrotreated Light	064742-47-8
	KCLS-4	Clay Stabilizer	No Hazardous Components	NONE
	LTB-1	Breaker	Ammonium Persulfate	N/A

Received

MAR 1 8 2015

Office of Oil and Gas
WV Dop! d Environmental Protection

6000



TITLE SHEET

VAN ASTON PAD "A" CAMERON DISTRICT, MARSHALL COUNTY, WY

OF 31

