



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
www.dep.wv.gov

Tuesday, March 9, 2021
WELL WORK PERMIT
Horizontal 6A / New Drill

TUG HILL OPERATING, LLC
380 SOUTHPOINTE BOULEVARD, PLAZA II
SUITE 200
CANONSBURG, PA 15317

Re: Permit approval for VAN WINKLE S-8HM
47-051-02357-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.

A blue ink signature of James A. Martin.

James A. Martin
Chief

Operator's Well Number: VAN WINKLE S-8HM
Farm Name: XCL MIDSTREAM OPERATI
U.S. WELL NUMBER: 47-051-02357-00-00
Horizontal 6A New Drill
Date Issued: 3/9/2021

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: _____

PERMIT CONDITIONS

4705102357

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to DEPOOGNotify@wv.gov.

03/12/2021



west virginia department of environmental protection

Office of Oil and Gas
601 57th Street, S.E.
Charleston, WV 25304
(304) 926-0450
Fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary
dep.wv.gov

**ORDER
ISSUED UNDER
WEST VIRGINIA CODE, CHAPTER 22, ARTICLE 6A**

TO: Tug Hill Operating, LLC
380 Southpointe Boulevard, Plaza II., Suite 200
Canonsburg, PA 15317

DATE: February 24, 2021
ORDER NO.: 2021-W-1

INTRODUCTION

This Order (hereinafter "Order") is issued by the Office of Oil and Gas (hereinafter "OOG"), by and through its Chief, pursuant to the authority of W. Va. Code §§ 22-1-1, 22-6-1 and 22-6A-1 *et seq.* to Tug Hill Operating, LLC (hereinafter "Tug Hill" or "Operator"), collectively the "Parties."

FINDINGS OF THE CHIEF

In support of this Order, the Chief hereby finds the following:

1. OOG, an office within the West Virginia Department of Environmental Protection, is the agency with the duty and authority to execute and enforce W. Va. Code §22-6-1 and §22-6A-1 *et seq.*, and the rules and regulations promulgated thereunder.
2. Tug Hill is a "person" as defined by W. Va. Code §22-6-1(n), with a corporate address as 380 Southpointe Boulevard, Plaza II., Suite 200, Canonsburg, PA 15317.
3. On December 23, 2020, January 19, 22 and 25, 2021 Tug Hill submitted well work permit applications identified as API#s 47- 51-02347, 47-51-02348, 47-51-02349, 47-51-02350, 47-51-02351, 47-51-02352, 47-51-02353, 47-51-02354, 47-51-02355, 47-51-02356, 47-51-02357, 47-51-02358, 47-51-02359, 47-51-02360, 47-51-02361, 47-51-02362, 47-51-02363, 47-51-02364, 47-51-02365, 47-51-02366, 47-51-02367 and 47-51-02368. The wells are located on the Hunter Pethiel Pad in the Meade District of Marshall County, West Virginia.
4. On February 18, 2021 Tug Hill requested a waiver for Wetlands 03, 04, 07 and 08 as outlined in Attachment I, from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well work permit applications identified as API#s 47- 51-02347, 47-51-02348, 47-51-02349, 47-51-02350, 47-51-02351, 47-51-02352, 47-51-02353, 47-51-02354, 47-51-02355, 47-51-02356, 47-51-02357, 47-51-02358, 47-51-02359, 47-51-02360, 47-51-02361, 47-51-02362, 47-51-02363, 47-51-02364, 47-51-02365, 47-51-02366, 47-51-02367 and 47-51-02368. Wetland 03 will be excluded from the waiver due to their location inside of the construction area and total coverage under the ACOE permit.

CONCLUSIONS OF LAW

1. West Virginia Code §22-1-6(d) requires, in part, that “in addition to other powers, duties and responsibilities granted and assigned to the secretary by this chapter, the secretary is authorized and empowered to... (3) Enter private lands to make surveys and inspections for environmental protection purposes; to investigate for violations of statutes or rules which the Office of Oil and Gas is charged with enforcing; to serve and execute warrants and processes; to make arrests; issue orders, which for the purposes of this chapter include consent agreements; and to otherwise enforce the statutes or rules which the Office of Oil and Gas is charged with enforcing.”
2. West Virginia Code §22-6A-2(a)(6) requires, in part, that “Concomitant with the broad powers to condition the issuance of well work permits, the secretary should also have broad authority to waive certain minimum requirements of this article when, in his or her discretion, such waiver is appropriate: *Provided*, That the secretary shall submit a written report of the number of waivers granted to the Legislature commencing January 1, 2013, and each year thereafter.”
3. West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the Office of Oil and Gas shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The Office of Oil and Gas may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary.”

ORDER

West Virginia Code §22-6A-12(b) requires, in part, that “no well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland. The Office of Oil and Gas grants the request for a waiver for Wetlands 04, 07 and 08 from well location restriction requirements in W. Va. Code §22-6A-12(b) for the well permit applications identified as API#s 47- 51-02347, 47-51-02348, 47-51-02349, 47-51-02350, 47-51-02351, 47-51-02352, 47-51-02353, 47-51-02354, 47-51-02355, 47-51-02356, 47-51-02357, 47-51-02358, 47-51-02359, 47-51-02360, 47-51-02361, 47-51-02362, 47-51-02363, 47-51-02364, 47-51-02365, 47-51-02366, 47-51-02367 and 47-51-02368. The Office of Oil and Gas hereby **ORDERS** that Tug Hill shall meet the following site construction and operational requirements for the Hunter Pethtel Well Pad:

- a. A berm shall be constructed around the perimeter of the pad to contain any potential spills and storm water runoff. Berm is to be at least twenty-four inches (24”) in height;
- b. Erosion control blankets shall be installed on all slopes and down gradient locations of the pad as erosion and sediment controlling BMPs;
- c. Wetlands 04 and 08 shall be protected by a layer of both Super Silt Fence and twenty four inch (24”) compost filter sock. This along with temporary and permanent vegetative cover will prevent sediment from reaching the wetlands;
- d. Disturbed areas not used for operations shall be seeded and mulched per the seeding tables in the WVDEP-OOG Erosion and Sediment Control Manual;
- e. Drill cuttings and associated drilling mud shall be disposed of in a permitted landfill;
- f. Waste generated by the flowback treatment systems shall be sent to offsite disposal at a permitted landfill;
- g. Weekly site inspections shall be conducted to monitor and maintain the integrity of the BMP storm water controls;
- h. Weekly storm water and spill prevention inspections shall be conducted focusing on storm water and spill prevention BMPs and maintenance of these BMPs;
- i. Inspections of the storm water and spill prevention measures shall be conducted after any major storm event defined as a half inch (½”) rain within any twenty-four (24) hour period;
- j. Pad inspections shall be conducted no less than once a week to identify and mitigate potential deficiencies;
- k. All records from inspections shall be maintained on site for the life of the project and be available upon request.

Thus ORDERED, the 24th day of February, 2021.

IN THE NAME OF THE STATE OF WEST VIRGINIA:

OFFICE OF OIL AND GAS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OF WEST VIRGINIA

By: **James Martin** Digitally signed by James Martin
Date: 2021.02.24 13:14:36 -05'00'

JAMES A. MARTIN, CHIEF

WW-6B
(04/15)

4705102357
API NO. 47-051 -
OPERATOR WELL NO. Van Winkle S-8HM
Well Pad Name: Hunter Pethel

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WELL WORK PERMIT APPLICATION

1) Well Operator: Tug Hill Operating, LLC 494510851 Marshall Meade Glen Easton 7.5'
Operator ID County District Quadrangle

2) Operator's Well Number: Van Winkle S-8HM Well Pad Name: Hunter Pethel

3) Farm Name/Surface Owner: XcL Midstream Operating, LLC Public Road Access: County Route 74

4) Elevation, current ground: 754' Elevation, proposed post-construction: 754'

5) Well Type (a) Gas Oil Underground Storage

Other

(b) If Gas Shallow Deep

Horizontal

6) Existing Pad: Yes or No Yes

Bony Steyer 1-20-21

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):
Marcellus is the target formation at a depth of 8070' - 8120', thickness of 50' and anticipated pressure of approx. 3800 psi.

8) Proposed Total Vertical Depth: 6,220'

9) Formation at Total Vertical Depth: Onondaga

10) Proposed Total Measured Depth: 22,731'

11) Proposed Horizontal Leg Length: 15,109.13'

12) Approximate Fresh Water Strata Depths: 70; 415'

13) Method to Determine Fresh Water Depths: Offset well reports or noticeable flow at the flowline or when need to start soaping

14) Approximate Saltwater Depths: 870'

15) Approximate Coal Seam Depths: Sewickley Coal - 314' and Pittsburgh Coal - 409'

16) Approximate Depth to Possible Void (coal mine, karst, other): None anticipated

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine? Yes No

(a) If Yes, provide Mine Info: Name: _____
Depth: _____
Seam: _____
Owner: _____

RECEIVED
Office of Oil and Gas
FEB 03 2021
WV Department of
Environmental Protection

4705102357

WW-6B
(04/15)

API NO. 47-051 -
OPERATOR WELL NO. Van Winkle S-8HM
Well Pad Name: Hunter Pethtel

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	30"	NEW	BW	BW	120'	120'	259ft ³ (CTS)
Fresh Water	13 3/8"	NEW	J55	54.5#	515'	515'	708ft ³ (CTS)
Coal	13 3/8"	NEW	J55	54.5#	515'	515'	708ft ³ (CTS)
Intermediate	9 5/8"	NEW	J55	36#	2,256'	2,256'	732ft ³ (CTS)
Production	5 1/2"	NEW	P110	20#	22,731'	22,731'	5796ft ³ (CTS)
Tubing	2 3/8"	NEW	N80	4.7#		7,115'	
Liners							

Bay Stille 1-20-21

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	30"	36"	1.0	2,333	1,866	CLASS A	1.2
Fresh Water	13 3/8"	17 1/2"	.38	2,740	2,192	SEE #24	1.2
Coal	13 3/8"	17 1/2"	.38	2,740	2,192	SEE #24	1.2
Intermediate	9 5/8"	12 1/4"	.352	3,520	2,816	SEE #24	1.19
Production	5 1/2"	8 7/8" _ 8 3/4"	.361	12,640	10,112	SEE #24	1.17/1.19
Tubing	2 3/8"		.19	11,200	8,960		
Liners							

PACKERS

Kind:	N/A			
Sizes:	N/A			
Depths Set:	N/A			

RECEIVED
Office of Oil and Gas
FEB 03 2021

WV Department of
Environmental Protection

WW-6B
(10/14)

4705102357
API NO. 47-051 -
OPERATOR WELL NO. Van Winkle S-8HM
Well Pad Name: Hunter Pethel

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

Drill through the Marcellus and TD Pilot Hole 100' into the Onondaga. Log vertical section and run a solid cement plug back to proposed KOP. Drill curve and lateral per proposed well plan, run and cement production casing. Perform CBL from 60 deg to surface, make cleanout run, and stimulate.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Well to be completed with approximately 38,000,000 lb proppant and 680,000 bbl of water. Max rate = 80 bpm; max psi = 9,000#.

Barry Stille
1-20-21

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 16.63 acres

22) Area to be disturbed for well pad only, less access road (acres): 4.87 acres

23) Describe centralizer placement for each casing string:

Will run 3 centralizers on surface casing at equal distance. Intermediate will have 1 centralizer every other joint. Production casing will have one centralizer every other joint in lateral, one centralizer every joint through curve, one centralizer every other joint to surface.

24) Describe all cement additives associated with each cement type:

Sfc - Premium NE-1 + 2% CaCl; Int1 - Premium NE-1 + 1.5% CaCL + Flake; Int2 - Lead: Premium NE-1 + 5% BA-90 + .85% R-3 + 3% KCl + .75 gals/100sk FP-13L + 1% MPA-170 Tail: Premium NE-1 + .1% R-3 + 5% KCl + 1% CD-32 + .4% FL-52 + 2% ASA-301 + .6% Sodium Metasilicate; Kick Plug - Class H Cement + 1% CD-32 + .7% Sodium Metasilicate + .1% R-3 + .75 gal/100sk FP-13L; Prod - Lead: 50:50 (Poz:Class H) + .3% R-3 + .3% MPA-250 + .75 gal/100sk FP-13L Tail: 25:75 (Poz:Class H) + .3% R-3 + .3% MPA-250 + .375 gal/100sk FP-13L

25) Proposed borehole conditioning procedures:

Will circulate a minimum of 3 hours at TD, short trip to curve, circulate bottoms up, check for flow, POOH

RECEIVED
Office of Oil and Gas
FEB 03 2021
WV Department of
Environmental Protection

*Note: Attach additional sheets as needed.

03/12/2021
Page 3 of 5




WELL NAME: Van Winkle S-8HM
 STATE: WV COUNTY: Marshall
 DISTRICT: Meade
 DF Elev: 754' GL Elev: 754'
 TD: 22,731'
 TH Latitude: 39.781702
 TH Longitude: -80.726773
 BH Latitude: 39.740302
 BH Longitude: -80.710344

FORMATION TOPS	
Formation	Depth TVD
Deepest Fresh Water	415
Sewickley Coal	314
Pittsburgh Coal	409
Big Lime	1557
Weir	1849
Berea	2048
Gordon	2318
Rhinestreet	5435
Genesee/Burkett	5940
Tully	5967
Hamilton	6002
Marcellus	6070
Landing Depth	6105
Onondaga	6120
Pilot Hole Depth	6220

CASING SUMMARY							
Type	Hole Size (in)	Csg Size (in)	Depth (MD)	Depth (TVD)	Weight (lb/ft)	Grade	Top of Cement
Conductor	36	30	120'	120'	BW	BW	Surface
Surface	17.5	13 3/8	515'	515'	54.5	J55	Surface
Intermediate 1	12 1/4	9 5/8	2,256'	2,225'	36	J55	Surface
Production	8 7/8 x 8 3/4	5 1/2	22,731'	6,369'	20	CYHPL10	Surface

CEMENT SUMMARY				DRILLING DETAILS	
	Sacks	Class	Density	Fluid Type	Centralizer Notes
Conductor	338	A	15.6	Air	None
Surface	687	A	15.6	Air	3 Centralizers at equal distance
Intermediate 1	767	A	15	Air	1 Centralizer every other jt
Production	5,340	A	14.5	Air / SOBMs	1 every other joint in lateral; 1 per joint in curve; 1 every other jt to sfc



Bruce Shultz 1-20-21

4705102357

Pilot Hole
 PH TD @ 6,220' TVD
 Landing Point @ 7,624' MD / 6,105' TVD
 PH TVD = 100' below Onondaga Top

Lateral TD @ 22,731' ft MD
 6,369' ft TVD

RECEIVED
 Office of Oil and Gas
 FEB 03 2021
 WV Department of
 Environmental Protection

4705102357



Tug Hill Operating, LLC Casing and Cement Program

Van Winkle S-8HM

Casing

	String	Grade	Bit Size	Depth (Measured)	Cement Fill Up
Conductor	30"	BW	36"	120'	CTS
Surface	13 3/8"	J55	17 1/2"	515'	CTS
Intermediate	9 5/8"	J55	12 1/4"	2,256'	CTS
Production	5 1/2"	CYHP110	8 7/8 x 8 3/4	22,731'	CTS

Cement

Conductor: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water – Conductor Cement mixed at 15.6 ppg, Y=1.2

Surface: Premium NE-1 + 2% bwoc CaC12 + 46.5% Fresh Water – Surface Cement mixed at 15.6 ppg, Y=1.2

Intermediate: Premium NE-1 + 1% bwoc CaC12 + 46.5% Fresh Water – Intermediate Cement mixed at 15.6 ppg, Y=1.19

Kick Off Plug: Class H Cement + 1% CD-32 + .7% Sodium Metasilicate + .1% R-3 + .75 gal/100sk FP-13L - KOP Plug

Production: 50:50 Poz: Premium NE-1 + .1% bwoc ASA-301 + 60lb/sk ASCA-1 + .35% bwoc BA-10A + .25% bwoc MPA-170, 44 lb sack + .5% bwoc R-3 + .75 gals/100sk FP-13L – Production Cement mixed at 15.2ppg, Y = 1.19

03/12/2021

Area of Review**Sources of information to Support 35CSR8 - 5.11: 9.3 et seq.**

Description of process to identify potential pathways for well communication during hydraulic fracturing activities.

Data Sources Reviewed:

1. IHS Well Data service: Public nationwide data service that pulls directly from State agency Oil and Gas databases
2. Farm Maps
3. Topo Maps: Recent and older (contact WVGES)
4. Check with DPS

Contacted Adam Picard 724-485-9331, apicard@dpslandservices.com, DPS GIS (12/04/2020) to have him make maps of the wellbores with his information. DPS utilizes WVGES maps for their mapping seems it as the best publicly available. See attached map he provided.

Request maps for:

1. Wellbore with IHS All Wells Layer
2. Map with Farm lines overlain and any well spots identified on Farm Maps
3. More recent (1970s vintage) topos and older topos

Discussion with Phil Dinterman WVGES GIS Department (7/15/2016)

- WVGES has plotted every well spot they have access to and are aware of with that contains a coordinate. 30000, 70000, and 90000 series wells are available via the WVGES online map. Some locations aren't great due to vintage and manipulation of maps through time
- 30000 series – any well drilled prior to 1929 – APIs were not assigned to original wells
- 70000 series – Well spots pulled from old Farm line maps that the WVGES has access to
- 90000 series – Any sources that the WVGES has access that shows a well spot but has no additional supporting information. DEP does not have 90000 series on their maps.
- There can be duplication between wells in the 3 series
- Phil indicated that other Operators are providing a screenshot of the WVGES map with their planned well and using that for permits

4705102357

Permit well - Van Winkle S-8HM

Wells within 500' Buffer

Note: Well spots depicted on Area of Review map are derived from State held coordinates. The spots may differ from those depicted on the Well Plat because the Plat locations represent actual field surveyed locations. Please refer to the Plat for surveyed well spots.

API Number	Operator Name	Total Depth	Perforated Fms	Producing zones not perforated	Is this well "known or reasonably expected to penetrate a depth that could be within the range of Fracture propagation"? 1000' is max limit I would assign to wells that might be within in range of fracture propagation	Comments
4705101330	Tug Hill Operating	10154' MD, 6151' TVD	Marcellus	Unknown	Yes, existing Marcellus producer. Proper casing and cement should prevent migration of fluids from new wellbore to existing wellbore.	Producing Marcellus horizontal well. Tug Hill Operating is considering plugging this well.
4705101284	Tug Hill Operating	6340' TVD	None	None	Yes, existing vertical pilot drilled into Onondaga. Well was not perforated. Proper casing and cement should prevent migration of fluids from new wellbore to existing wellbore.	Well is not producing.
4705101859	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
4705101860	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
4705101866	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
4705101846	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
4705101847	EQT Production Company	No Depth/Not Drilled	None	None	No, well is a proposed well. The well was not drilled. This is a canceled permit.	A canceled permit.
4705100505	Fruchtman, M.	2444' TVD	Big Injun	Unknown	No, the well is not deep enough to be within the expected fracture propagation from a Marcellus stimulation. Well is plugged.	Well was plugged 9/4/1963.
4705170068	The Wheeling Natural Gas Co.	Unknown	Unknown	Unknown	Unknown but unlikely. The well likely represents an old shallow well that is too shallow to be effected by fracturing in the planned Marcellus well.	State records are incomplete.
4705130272	Manufacturers Light & Heat Co.	2973' TVD	Gordon	Unknown	No, the well is not deep enough to be within the expected fracture propagation from a Marcellus stimulation. Well is plugged.	Well was plugged 11/24/1947.
4705170774	Manufacturers Light & Heat Co.	Unknown	Unknown	Unknown	Unknown but unlikely. The well likely represents an old shallow well that is too shallow to be effected by fracturing in the planned Marcellus well.	State records are incomplete.
4705170341	Unknown	Unknown	Unknown	Unknown	Unknown but unlikely. The well likely represents an old shallow well that is too shallow to be effected by fracturing in the planned Marcellus well.	State records are incomplete.
4705170342	Unknown	Unknown	Unknown	Unknown	Unknown but unlikely. The well likely represents an old shallow well that is too shallow to be effected by fracturing in the planned Marcellus well.	State records are incomplete.

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection
03/12/2021

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_16	LAT_DD	LONG_DD	UTME	UTMN
4705100505	Marshall	505	Meade	Glen Easton	Cameron	39.780144	-80.733702	522803.9	4403389.7

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705100505	7/17/1963		Original Loc Completed	C B Smith et al	1				C B Smith	Fruchman, M.			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705100505	7/17/1963	8/10/1963	662 Ground Level	Unnamed	Price Fm & equivs	Price Fm & equivs	Outpost (Extension) Test	Unsuccessful	Dry w/ Gas Show	Cable Tool	Fractured	2444		2444		0	16	0	0	0	0	0	0	0	415	40		

Pay/Show/Water Information:

API	CMP_DT	ACTIVITY	PRODUCT	SECTION	DEPTH_TOP	FM_TOP	DEPTH_BOT	FM_BOT	G_BEF	G_AFT	O_BEF	O_AFT	WATER_QNTY
4705100505	7/17/1963	Water	Unknown Water	Vertical			160						3
4705100505	7/17/1963	Water	Unknown Water	Vertical			1042						0

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

Stratigraphy Information:

API	SUFFIX	FM	FM_QUALITY	DEPTH_TOP	DEPTH_QUALITY	THICKNESS	THICKNESS_QUALITY	ELEV DATUM
4705100505	Original Loc	Pittsburgh coal	Well Record	310	Reasonable	7	Reasonable	661 Ground Level
4705100505	Original Loc	1st Cow Run/Moundsvle	Past WVGES Staff Geologist	672	Reasonable	18	Reasonable	661 Ground Level
4705100505	Original Loc	1st Salt Sand	Past WVGES Staff Geologist	1033	Reasonable	23	Reasonable	661 Ground Level
4705100505	Original Loc	2nd Salt Sand	Past WVGES Staff Geologist	1118	Reasonable	47	Reasonable	661 Ground Level
4705100505	Original Loc	3rd Salt Sand	Past WVGES Staff Geologist	1235	Reasonable	90	Reasonable	661 Ground Level
4705100505	Original Loc	Big Lime	Well Record	1358	Reasonable	52	Reasonable	661 Ground Level
4705100505	Original Loc	Greenbrier Group	Well Record	1358	Reasonable	52	Reasonable	661 Ground Level
4705100505	Original Loc	Big Injun (Pricecog)	Past WVGES Staff Geologist	1410	Reasonable	260	Reasonable	661 Ground Level

There is no Wireline (E-Log) data for this well

Plugging Information:

API	PLG_DT	DEPTH_PBT
4705100505	9/4/1963	0

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: View Map

Table with columns: API, COUNTY, PERMIT, TAX_DISTRICT, QUAD_76, QUAD_15, LAT_DD, LONG_DD, UTM_E, UTM_N

There is no Bottom Hole Location data for this well

Owner Information:

Table with columns: API, CMP_DT, SUFFIX, STATUS, SURFACE_OWNER, WELL_NUM, CO_NUM, LEASE, LEASE_NUM, MINERAL_OWN, OPERATOR, AT_COMPLETION, PROP_VO, PROP_TRGT_FM, TFM_EST_PR

Completion Information:

Table with columns: API, CMP_DT, BRID_DT, ELEV DATUM, FIELD, DEEPEST_FM, DEEPEST_FMT, INITIAL_CLASS, FINAL_CLASS, TYPE, IRG, CMP_MTHD, TVD, TMD, NEW_FTG, KOD, G_BEF, G_AFT, O_BEF, O_AFT, NGL_BEF, NGL_AFT, P_BEF, T_BEF, P_AFT, T_AFT, BH_P_BEF, BH_P_AFT, G_MSRD_BY

Pay/Show/Water Information:

Table with columns: API, CMP_DT, ACTIVITY, PRODUCT, SECTION, DEPTH_TOP, FM_TOP, DEPTH_BOT, FM_BOT, G_BEF, G_AFT, O_BEF, O_AFT, WATER_QNTY

Production Gas Information (Volumes in Mcf)

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_GAS, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production Oil Information (Volumes in Bbl) ** some operators may have reported NGL under Oil

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_OIL, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production NGL Information (Volumes in Bbl) ** some operators may have reported NGL under Oil

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_NGL, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production Water Information (Volumes in Gallons)

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_WTR, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Stratigraphy Information:

Table with columns: API, SUFFIX, FM, FM_QUALITY, DEPTH_TOP, DEPTH_QUALITY, THICKNESS, THICKNESS_QUALITY, ELEV, DATUM

Wireline (E-Log) Information:

Table with columns: API, LOG_TOP, LOG_BOT, DEEPEST_FM, LOG1_AVAIL, SCAN, DIGITIZED, GR_TOP, GR_BOT, D_TOP, D_BOT, N_TOP, N_BOT, L_TOP, L_BOT, T_TOP, T_BOT, S_TOP, S_BOT, O_TOP, O_BOT, INCR, INCH6, REDUCED, KCP, LOGMD, ELEV_KB, ELEV_GL, ELEV_DF, LOG_MSRD_FROM

Comment: *logs: caliper, ps, tension, lt, amplitude, ccl, vcl, bit size,

Downloadable Log Images: We advise you to save the log image file to your PC for viewing. To do so, right-click the tif images of interest and select the save option. Then you can direct the file to a location of your choice. Please note these images vary in size and some may take several minutes to download, especially if using a 56k or slower dialup connection.

- Quick Reference Guide for Log File Names: For more info about WVGES scanned logs click here
pedologic log types:
d density, includes bulk density, compensated density, density, density porosity, grain density, matrix density, etc.)
e photoelectric absorption (PE or Pe, etc.)
g gamma ray
i induction (includes dual induction, medium induction, deep induction, etc.)
j laterolog
m dipmeter
n neutron (includes neutron porosity, sidewall neutron-SYN, etc.)
o other
s sonic or velocity
t temperature (includes borehole temperature, BHT, differential temperature, etc.)
z spontaneous potential or potential
mechanical log types:
b cement bond
c caliper
e other
p perforation depth control or perforator

*other logs may include, but are not limited to, such curves as audio, bit size, CCL--casing collar locator, continuous meter, directional survey, gas detector, guard, NGL--Nuclear Camera Top Locator, radioactive tracer, levision

There is no Plugging data for this well

There is no Sample data for this well

4705102357

RECEIVED
Office of Oil and Gas
JAN 22 REC'D
WV Department of
Environmental Protection

Location Information: View Map

Table with columns: API, COUNTY, PERMIT, TAX_DISTRICT, QUAD_75, QUAD_15, LAT_DD, LON_DD, UTM_E, UTM_N

Bottom Hole Location Information:

Table with columns: API, EP_FLAG, UTM_E, UTM_N, LON_DD, LAT_DD

Owner Information:

Table with columns: API, CMP_DT, SUFFIX, STATUS, SURFACE_OWNER, WELL_NUM, CO_NUM, LEASE, LEASE_NUM, MINERAL_OWN, OPERATOR_AT_COMPLETION, PROP_VO, PROP_TRGT_FM, TFM_EST_PR

Completion Information:

Table with columns: API, CMP_DT, SPUID_DT, ELEV DATUM, FIELD, DEEPEST_FM, DEEPEST_FMT, INITIAL_CLASS, FINAL_CLASS, TYPE, RIG, CMP_MTHD, TVD, TMD, NEW_FTG, KOO, G_BEF, G_AFT, O_BEF, O_AFT, NGL_BEF, NGL_AFT, P_BEF, T1_BEF, P_AFT, T1_AFT, BH_P_BEF, BH_P_AFT, G_MSRD_BY

Pay/Show/Water Information:

Table with columns: API, CMP_DT, ACTIVITY, PRODUCT, SECTION, DEPTH_TOP, FM_TOP, DEPTH_BOT, FM_BOT, G_BEF, G_AFT, O_BEF, O_AFT, WATER_QNTY

Production Gas Information: (Volumes in Mcf)

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_GAS, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_OIL, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_NGL, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Production Water Information: (Volumes in Gallons)

Table with columns: API, PRODUCING_OPERATOR, PRD_YEAR, ANN_WTR, JAN, FEB, MAR, APR, MAY, JUN, JUL, AUG, SEP, OCT, NOV, DCM

Stratigraphy Information:

Table with columns: API, SUFFIX, FM, FM_QUALITY, DEPTH_TOP, DEPTH_QUALITY, THICKNESS, THICKNESS_QUALITY, ELEV, DATUM

Wireline (E-Log) Information:

Table with columns: API, LOG_TOP, LOG_BOT, DEEPEST_FML, LOGS_AVAIL, SCAN, DIGITIZED, GR_TOP, GR_BOT, D_TOP, D_BOT, N_TOP, N_BOT, L_TOP, L_BOT, T_TOP, T_BOT, S_TOP, S_BOT, O_TOP, O_BOT, INCH2, INCH5, REDUCED, KOP, LOGMD, ELEV_KB, ELEV_GL, ELEV_DF, LOG_MSRD_FROM

Comment: *logs: ROP, tool temp

Downloadable Log Images: We advise you to save the log image file to your PC for viewing. To do so, right-click the .tif image of interest and select the save option.

Table with columns: FILENAME, 4705101330op_5m_md_tvd.tif, 4705101330op_5m_mt_tvd.tif

- Quick Reference Guide for Log File Names: For more info about WVGES scanned logs click here
geologic log types:
d density (includes bulk density, compensated density, density, density porosity, grain density, matrix density, etc.)
e photoelectric absorption (PE or Pe, etc.)
g gamma ray
i induction (includes dual induction, medium induction, deep induction, etc.)
l laterolog
m dipmeter
n neutron (includes neutron porosity, sidewall neutron-SWNL, etc.)
o other
s sonic or velocity
t temperature (includes borehole temperature, BHT, differential temperature, etc.)
z spontaneous potential or potential
mechanical log types:
b cement bond
c caliper
o other
p perforation depth control or perforate

*other logs may include, but are not limited to, such curves as audio, bit size, CCL-casing collar locator, continuous meter, directional survey, gas detector, guard, NCTL-Nuclear Cement Top Locator, radioactive tracer, tensiun

There is no Logging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas
JAN 22 REC'D
WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_16	LAT_DD	LON_DD	UTME	UTMN
4705101846	Marshall	1846	Meade	Glen Easton	Cameron	39.781527	-80.728602	523411.3	4403578.3

Bottom Hole Location Information:

API	EP_FLAG	UTME	UTMN	LON_DD	LAT_DD
4705101846	1	As Proposed	521973.8	-80.743342	39.734481

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705101846	-/-		Cancelled	Dennis W Hunter	9H		Hunter Pethtel		Dennis W Hunter et al	Stone Energy Corporation	6140	Marcellus Fm	

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705101846	-/-	-/-	755	Ground Level																									

There is no Pay data for this well

Production Gas Information: (Volumes in Mcf)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101846	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101846	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production NGL Information: (Volumes in Bbl) *** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101846	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Water Information: (Volumes in Gallons)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101846	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LON_DD	UTME	UTMN
4705101847	Marshall	1847	Meade	Glen Easton	Cameron	39.781755	-80.72647	523422.6	4403570.4

Bottom Hole Location Information:

API	EP_FLAG	UTME	UTMN	LON_DD	LAT_DD
4705101847	1	As Proposed	523970	4401941.7	-80.720137

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705101847	-/-	Divd Orqnl Loc	Cancelled	Dennis W Hunter	4H		Hunter Pethtel		Dennis W Hunter et al	Stone Energy Corporation	6250	Marcellus Fm	

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TL_BEF	P_AFT	TL_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705101847	-/-	-/-	755	Ground Level																									

There is no Pay data for this well.

Production Gas Information: (Volumes in Mcf)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101847	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101847	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101847	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Water Information: (Volumes in Gallons)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101847	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LON_DD	UTME	UTMN
4705101859	Marshall	1859	Meade	Glen Easton	Cameron	39.78156	-80.728875	523388	4403548.6

Bottom Hole Location Information:

API	EP_FLAG	UTME	UTMN	LON_DD	LAT_DD
4705101859	1	As Proposed	521903.3	4404881.6	-80.744175

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705101859	---		Cancelled	Dennis W Hunter	8H		Hunter Pethtel		Dennis W Hunter et al	Stone Energy Corporation		6140	Marcellus Fm

Completion Information:

API	CMP_DT	SPUD_DT	ELEV_DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FYD	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705101859	---	---	755	Ground Level																								

Comment: --- Plat coordinates hard to read, blurry Per WVDEP OOG website, well was cancelled 12/11/2017. No cancellation documents available.

There is no Pay data for this well

Production Gas Information: (Volumes in Mcf)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101859	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101859	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101859	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Water Information: (Volumes in Gallons)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101859	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LONG_DD	UTIME	UTMN
4705101860	Marshall	1860	Mezde	Glen Easton	Cameron	39.761673	-80.726548	523416	4403581.3

Bottom Hole Location Information:

API	EP_FLAG	UTIME	UTMN	LON_DD	LAT_DD
4705101860	1	As Proposed	522074.3	4405230.4	-80.74216

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705101860	--	Dvtr Orngt Loc	Cancelled	Dennis W Hunter	10H		Hunter Pethtal		Dennis W Hunter et al	Stone Energy Corporation		6140	Marcellus Fm

Completion Information:

API	CMP_DT	SPUD_DT	ELEV DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TL_BEF	P_AFT	TL_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705101860	--	--	755	Ground Level																								

Comment: -- Per WVDEP OOG website, well was cancelled 12/11/2017. No cancellation documents available.

There is no Pay data for this well

Production Gas Information: (Volumes in Mcf)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101860	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101860	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101860	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Water Information: (Volumes in Gallons)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101860	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_76	QUAD_16	LAT_DD	LON_DD	UTME	UTMN
4705101866	Marshall	1866	Meads	Glen Easton	Cameron	39.731782	-80.726409	523427.8	4403573.4

Bottom Hole Location Information:

API	EP_FLAG	UTME	UTMN	LON_DD	LAT_DD
4705101866	1	As Proposed	524237.2	4402287.1	-80.717005

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705101866	--		Cancelled	Dennis W Hunter	SH		Hunter/Petitei		Dennis W Hunter et al	Stone Energy Corporation	6250	Marcellus Fm	4200

Completion Information:

API	CMP_DT	SPUD_DT	ELEV DATUM	FIELD	DEEPEST_FM	DEEPEST_FMY	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FYD	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TL_BEF	P_AFT	TL_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705101866	--	--	755	Ground Level																								

Comment: -- Per WVDEP OOG website, well was cancelled 12/11/2017. No cancellation documents available.

There is no Pay data for this well

Production Gas Information: (Volumes in Mcf)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_GAS	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101866	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Oil Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_OIL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101866	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production NGL Information: (Volumes in Bbl) ** some operators may have reported NGL under Oil

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_NGL	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101866	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

Production Water Information: (Volumes in Gallons)

API	PRODUCING_OPERATOR	PRD_YEAR	ANN_WTR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DCM
4705101866	EQT Production Company	2018	0	0	0	0	0	0	0	0	0	0	0	0	0

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_76	QUAD_16	LAT_DD	LONG_DD	UTME	UTMN
4705130272	Marshall	30272	Meade	Glen Easton	Cameron	39.753898	-80.719879	529988.2	4400480.4

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705130272	1/23/1901	Original Loc	Completed	Joseph Shuffer Hrs	1	1276	Joseph Shuffer	2882	Mrs LI & Heat Co	Manufacturers Light & Heat Co			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TL_BEF	P_AFT	TL_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY	
4705130272	1/23/1901	7/30/1900	1272 Ground Level	Cameron-Garner	Gordon	Gordon	Development Well	Development Well	Gas Cable Tool	unknown	2973		2973		0	0	0	0	0	0	0	0	0	0	0	0	0	

There is no Pay data for this well

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

Stratigraphy Information:

API	SUFFIX	FM	FM QUALITY	DEPTH_TOP	DEPTH_QUALITY	THICKNESS	THICKNESS_QUALITY	ELEV DATUM
4705130272	Original Loc	Mahonig Sa/Big Dunk	Well Record	1395	Reasonable	30	Reasonable	1272 Ground Level
4705130272	Original Loc	Salt Sands (undist)	Well Record	1670	Reasonable	50	Reasonable	1272 Ground Level
4705130272	Original Loc	Big Lime	Well Record	1890	Reasonable	50	Reasonable	1272 Ground Level
4705130272	Original Loc	Keener	Well Record	2054	Reasonable	46	Reasonable	1272 Ground Level
4705130272	Original Loc	Big Injun (undist)	Well Record	2100	Reasonable	225	Reasonable	1272 Ground Level
4705130272	Original Loc	Berea Sa	Well Record	2772	Reasonable	20	Reasonable	1272 Ground Level
4705130272	Original Loc	Gordon	Well Record	2963	Reasonable	10	Reasonable	1272 Ground Level

There is no Wireline (E-Log) data for this well

Plugging Information:

API	PLG_DT	DEPTH_PBT
4705130272	11/24/1947	0

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LON_DD	UTME	UTMN
4705170068	Marshall	70068	Meade	Glen Easton	Cameron	39.783758	-80.728247	523278.5	4401572.5

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705170068	---	---	Original Loc. Completed	Elen C S Fleming	1	14	95			Wheeling Natural Gas Co. The			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSRO_BY
4705170068	---	---	530	Barometer				unclassified	unclassified	not available	unknown	unknown																	

There is no Pay data for this well

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_75	QUAD_15	LAT_DD	LON_DD	UTME	UTMN
4705170341	Marshall	70341	Meade	Wayville	Limleton	39.744563	-80.713398	524555.2	4399446.1

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705170341	-/-		unknown	Prpty Map Catherine Klug						unknown			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSQRD_BY
4705170341	-/-	-/-						unclassified	unclassified	not available	unknown	unknown																	

There is no Pay data for this well

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_76	QUAD_16	LAT_DD	LONG_DD	UTME	UTMN
4705170342	Marshall	70342	Meade	Wayville	Litteton	39.745434	-80.716028	524328.7	4389542.1

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705170342	+/		unknown	Prby Map Charles Blatt						unknown			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TL_BEF	P_AFT	TL_AFT	BH_P_BEF	BH_P_AFT	G_MSRD_BY
4705170342	+/	+/						unclassified	unclassified	not available	unknown	unknown																	

There is no Pay data for this well

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well

There is no Sample data for this well

4705102357

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

Location Information: [View Map](#)

API	COUNTY	PERMIT	TAX_DISTRICT	QUAD_76	QUAD_16	LAT_DD	LON_DD	UTME	UTMN
4705170774	Marshall	70774	Meade	Glen Easton	Cameron	39.756912	-80.723185	523712.4	4400814

There is no Bottom Hole Location data for this well

Owner Information:

API	CMP_DT	SUFFIX	STATUS	SURFACE_OWNER	WELL_NUM	CO_NUM	LEASE	LEASE_NUM	MINERAL_OWN	OPERATOR_AT_COMPLETION	PROP_VD	PROP_TRGT_FM	TFM_EST_PR
4705170774	-/-	-/-	unknown	Prpty Map William L Alley						Manufacturers Light & Heat Co			

Completion Information:

API	CMP_DT	SPUD_DT	ELEV	DATUM	FIELD	DEEPEST_FM	DEEPEST_FMT	INITIAL_CLASS	FINAL_CLASS	TYPE	RIG	CMP_MTHD	TVD	TMD	NEW_FTG	KOD	G_BEF	G_AFT	O_BEF	O_AFT	NGL_BEF	NGL_AFT	P_BEF	TI_BEF	P_AFT	TI_AFT	BH_P_BEF	BH_P_AFT	G_MSRO_BY
4705170774	-/-	-/-						unclassified	unclassified	not available	unknown	unknown																	

There is no Pay data for this well

There is no Production Gas data for this well

There is no Production Oil data for this well ** some operators may have reported NGL under Oil

There is no Production NGL data for this well ** some operators may have reported NGL under Oil

There is no Production Water data for this well

There is no Stratigraphy data for this well

There is no Wireline (E-Log) data for this well

There is no Plugging data for this well


There is no Sample data for this well

RECEIVED
Office of Oil and Gas

JAN 22 REC'D

WV Department of
Environmental Protection

4705102357



Legend

- Well Locations (ims.wvgs.wvnet.edu)
- Van Winkle S - 8HM
- Marcellus Drilled Laterals
- Utica Drilled Laterals
- 500 Ft. Buffer
- Major Highways
- Major Roads
- ▭ Counties
- ▭ Districts



Van Winkle S - 8HM Meade District Marshall County, WV



Notes:
All locations are approximate and are for visualization purposes only.

RECEIVED
Office of Oil and Gas
JAN 22 REC'D
WV Department of
Environmental Protection
Map Prepared by:
DPS
LAND SERVICES
03/12/2021



Well: Van Winkle S-08 HM (slot I)
 Site: Van Winkle
 Project: Marshall County, West Virginia
 Design: rev1
 Rig:

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	V Sect	Annotation
1	0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.000	0.00	
2	1100.00	0.00	0.000	1100.00	0.00	0.00	0.00	0.000	0.00	KOP Begin 2°/100' build
3	2100.00	20.00	255.000	2079.82	-44.72	-166.88	2.00	255.000	-6.66	Begin 2°/100' build/turn
4	3193.42	41.31	244.780	3015.60	-249.39	-880.25	2.00	-18.329	36.97	Begin 41.31° tangent
5	6616.98	41.31	244.780	5896.43	-1212.11	-2724.24	0.00	0.000	351.89	Begin 8°/100' build/turn
6	7046.74	50.00	197.287	5896.04	-1437.05	-2907.45	8.00	-93.601	512.56	Begin 10°/100' build/turn
7	7624.26	89.00	150.284	6104.68	-1942.55	-2822.77	10.00	-59.843	1020.49	Begin 89.00° lateral
8	22730.65	89.00	150.284	6369.00	-15060.35	4664.34	0.00	0.000	5766.11	PBHL/TD 22730.65 MD/6369.00 TVD

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
Van Winkle S-08HM LP r1 - plan misses target center by 25.68ft at 7610.34ft MD (6104.31 TVD, -1930.41 N, -2829.57 E)	6105.00	-1942.81	-2852.06	144445418.16	1714325.25	39.77639000	-80.73694500
Van Winkle S-08HM PBHL r1 - plan hits target center	6369.00	-15060.35	4664.34	14432300.65	1721841.63	39.74030200	-80.71034400

Geodetic System: Universal Transverse Mercator (US Survey Feet)
 Datum: NAD83 West Virginia - HARN
 Ellipsoid: GRS 1980
 Zone: Zone 17N (84 W to 78 W)

System Datum: Mean Sea Level
 Depth Reference: GL @ 754.00ft



Northing	Easting	Latitude	Longitude
14447360.96	1717177.30	39.78170200	-80.72677300



Azimuths to Grid North
 True North: -0.17°
 Magnetic North: -8.62°

Magnetic Field
 Strength: 51812.2snT
 Dip Angle: 66.60°
 Date: 11/13/2020
 Model: IGRF2020

Total Corr (M->G): To convert a Magnetic Direction to a Grid Direction, Subtract 8.821°



Vertical Section at 162.792° (2000 ft/in)

4705102357



Planning Report - Geographic



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Project	Marshall County, West Virginia		
Map System:	Universal Transverse Mercator (US Survey Feet)	System Datum:	Mean Sea Level
Geo Datum:	NAD83 West Virginia - HARN		
Map Zone:	Zone 17N (84 W to 78 W)		

Site	Van Winkle				
Site Position:		Northing:	14,447,369.50 usft	Latitude:	39.78172533
From:	Lat/Long	Easting:	1,717,188.44 usft	Longitude:	-80.72673327
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	0.175 °

Well	Van Winkle S-08 HM (slot I)					
Well Position	+N/-S	0.00 ft	Northing:	14,447,360.97 usft	Latitude:	39.78170200
	+E/-W	0.00 ft	Easting:	1,717,177.30 usft	Longitude:	-80.72677300
Position Uncertainty		0.00 ft	Wellhead Elevation:		Ground Level:	754.00 ft

Wellbore	Original Hole				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	11/13/2020	-8.646	66.595	51,812.22057659

Design	rev1				
Audit Notes:					
Version:	Phase:	PLAN	Tie On Depth:	0.00	
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	162.792	

Plan Survey Tool Program	Date	11/17/2020			
Depth From (ft)	Depth To (ft)	Survey (Wellbore)	Tool Name	Remarks	
1	0.00	22,730.66 rev1 (Original Hole)	MWD	MWD - Standard	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.000	
1,100.00	0.00	0.000	1,100.00	0.00	0.00	0.00	0.00	0.00	0.000	
2,100.00	20.00	255.000	2,079.82	-44.72	-166.88	2.00	2.00	0.00	255.000	
3,193.42	41.31	244.779	3,015.60	-249.39	-680.25	2.00	1.95	-0.93	-18.329	
6,615.98	41.31	244.779	5,586.43	-1,212.11	-2,724.24	0.00	0.00	0.00	0.000	
7,046.74	50.00	197.287	5,896.04	-1,437.05	-2,907.45	8.00	2.02	-11.03	-93.601	
7,624.26	89.00	150.284	6,104.68	-1,942.55	-2,822.77	10.00	6.75	-8.14	-59.843	
22,730.66	89.00	150.284	6,369.00	-15,060.35	4,664.34	0.00	0.00	0.00	0.000	Van Winkle S-08HM F



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.000	0.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
100.00	0.00	0.000	100.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
200.00	0.00	0.000	200.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
300.00	0.00	0.000	300.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
400.00	0.00	0.000	400.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
500.00	0.00	0.000	500.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
600.00	0.00	0.000	600.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
700.00	0.00	0.000	700.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
800.00	0.00	0.000	800.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
900.00	0.00	0.000	900.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
1,000.00	0.00	0.000	1,000.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
1,100.00	0.00	0.000	1,100.00	0.00	0.00	14,447,360.97	1,717,177.30	39.78170200	-80.72677300
KOP Begin 2°/100' build									
1,200.00	2.00	255.000	1,199.98	-0.45	-1.69	14,447,360.52	1,717,175.62	39.78170078	-80.72677901
1,300.00	4.00	255.000	1,299.84	-1.81	-6.74	14,447,359.16	1,717,170.56	39.78169710	-80.72679701
1,400.00	6.00	255.000	1,399.45	-4.06	-15.16	14,447,356.91	1,717,162.14	39.78169097	-80.72682700
1,500.00	8.00	255.000	1,498.70	-7.22	-26.93	14,447,353.75	1,717,150.37	39.78168241	-80.72686893
1,600.00	10.00	255.000	1,597.47	-11.26	-42.04	14,447,349.70	1,717,135.26	39.78167142	-80.72692276
1,700.00	12.00	255.000	1,695.62	-16.20	-60.47	14,447,344.76	1,717,116.83	39.78165801	-80.72698841
1,800.00	14.00	255.000	1,793.06	-22.02	-82.20	14,447,338.94	1,717,095.11	39.78164220	-80.72706581
1,900.00	16.00	255.000	1,889.64	-28.72	-107.20	14,447,332.24	1,717,070.11	39.78162402	-80.72715487
2,000.00	18.00	255.000	1,985.27	-36.29	-135.44	14,447,324.68	1,717,041.87	39.78160347	-80.72725546
2,100.00	20.00	255.000	2,079.82	-44.72	-166.88	14,447,316.25	1,717,010.42	39.78158060	-80.72736749
Begin 2°/100' build/turn									
2,200.00	21.91	253.314	2,173.20	-54.50	-201.27	14,447,306.47	1,716,976.03	39.78155402	-80.72749000
2,300.00	23.83	251.887	2,265.34	-66.14	-238.35	14,447,294.83	1,716,938.96	39.78152237	-80.72762209
2,400.00	25.76	250.663	2,356.11	-79.61	-278.05	14,447,281.35	1,716,899.25	39.78148569	-80.72776358
2,500.00	27.70	249.598	2,445.42	-94.91	-320.35	14,447,266.05	1,716,856.95	39.78144402	-80.72791429
2,600.00	29.65	248.663	2,533.15	-112.02	-365.18	14,447,248.95	1,716,812.12	39.78139742	-80.72807406
2,700.00	31.61	247.834	2,619.19	-130.91	-412.50	14,447,230.06	1,716,764.80	39.78134594	-80.72824267
2,800.00	33.57	247.091	2,703.45	-151.56	-462.24	14,447,209.41	1,716,715.06	39.78128964	-80.72841994
2,900.00	35.53	246.422	2,785.81	-173.95	-514.34	14,447,187.02	1,716,662.96	39.78122859	-80.72860563
3,000.00	37.50	245.814	2,866.17	-198.04	-568.74	14,447,162.93	1,716,608.56	39.78116287	-80.72879953
3,100.00	39.47	245.258	2,944.45	-223.82	-625.38	14,447,137.15	1,716,551.92	39.78109256	-80.72900140
3,193.42	41.31	244.779	3,015.60	-249.39	-680.25	14,447,111.58	1,716,497.06	39.78102280	-80.72919697
Begin 41.31° tangent									
3,200.00	41.31	244.779	3,020.54	-251.24	-684.17	14,447,109.73	1,716,493.13	39.78101775	-80.72921097
3,300.00	41.31	244.779	3,095.66	-279.36	-743.90	14,447,081.60	1,716,433.41	39.78094100	-80.72942384
3,400.00	41.31	244.779	3,170.77	-307.49	-803.62	14,447,053.47	1,716,373.69	39.78086425	-80.72963672
3,500.00	41.31	244.779	3,245.89	-335.62	-863.34	14,447,025.35	1,716,313.97	39.78078749	-80.72984959
3,600.00	41.31	244.779	3,321.00	-363.75	-923.06	14,446,997.22	1,716,254.24	39.78071074	-80.73006246
3,700.00	41.31	244.779	3,396.11	-391.88	-982.78	14,446,969.09	1,716,194.52	39.78063398	-80.73027533
3,800.00	41.31	244.779	3,471.23	-420.01	-1,042.50	14,446,940.96	1,716,134.80	39.78055723	-80.73048820
3,900.00	41.31	244.779	3,546.34	-448.14	-1,102.22	14,446,912.83	1,716,075.08	39.78048047	-80.73070107
4,000.00	41.31	244.779	3,621.46	-476.27	-1,161.94	14,446,884.70	1,716,015.36	39.78040372	-80.73091395
4,100.00	41.31	244.779	3,696.57	-504.39	-1,221.67	14,446,856.57	1,715,955.64	39.78032696	-80.73112681
4,200.00	41.31	244.779	3,771.68	-532.52	-1,281.39	14,446,828.44	1,715,895.92	39.78025020	-80.73133968
4,300.00	41.31	244.779	3,846.80	-560.65	-1,341.11	14,446,800.32	1,715,836.20	39.78017344	-80.73155255
4,400.00	41.31	244.779	3,921.91	-588.78	-1,400.83	14,446,772.19	1,715,776.48	39.78009669	-80.73176542
4,500.00	41.31	244.779	3,997.03	-616.91	-1,460.55	14,446,744.06	1,715,716.75	39.78001993	-80.73197829
4,600.00	41.31	244.779	4,072.14	-645.04	-1,520.27	14,446,715.93	1,715,657.03	39.77994317	-80.73219116
4,700.00	41.31	244.779	4,147.26	-673.17	-1,579.99	14,446,687.80	1,715,597.31	39.77986641	-80.73240402
4,800.00	41.31	244.779	4,222.37	-701.30	-1,639.71	14,446,659.67	1,715,537.59	39.77978965	-80.73261689
4,900.00	41.31	244.779	4,297.48	-729.42	-1,699.44	14,446,631.54	1,715,477.87	39.77971289	-80.73282976



Planning Report - Geographic



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
5,000.00	41.31	244.779	4,372.60	-757.55	-1,759.16	14,446,603.42	1,715,418.15	39.77963613	-80.73304262
5,100.00	41.31	244.779	4,447.71	-785.68	-1,818.88	14,446,575.29	1,715,358.43	39.77955937	-80.73325549
5,200.00	41.31	244.779	4,522.83	-813.81	-1,878.60	14,446,547.16	1,715,298.71	39.77948261	-80.73346835
5,300.00	41.31	244.779	4,597.94	-841.94	-1,938.32	14,446,519.03	1,715,238.99	39.77940585	-80.73368122
5,400.00	41.31	244.779	4,673.06	-870.07	-1,998.04	14,446,490.90	1,715,179.26	39.77932909	-80.73389408
5,500.00	41.31	244.779	4,748.17	-898.20	-2,057.76	14,446,462.77	1,715,119.54	39.77925233	-80.73410694
5,600.00	41.31	244.779	4,823.28	-926.33	-2,117.48	14,446,434.64	1,715,059.82	39.77917557	-80.73431981
5,700.00	41.31	244.779	4,898.40	-954.45	-2,177.21	14,446,406.51	1,715,000.10	39.77909880	-80.73453267
5,800.00	41.31	244.779	4,973.51	-982.58	-2,236.93	14,446,378.39	1,714,940.38	39.77902204	-80.73474553
5,900.00	41.31	244.779	5,048.63	-1,010.71	-2,296.65	14,446,350.26	1,714,880.66	39.77894528	-80.73495839
6,000.00	41.31	244.779	5,123.74	-1,038.84	-2,356.37	14,446,322.13	1,714,820.94	39.77886851	-80.73517125
6,100.00	41.31	244.779	5,198.85	-1,066.97	-2,416.09	14,446,294.00	1,714,761.22	39.77879175	-80.73538411
6,200.00	41.31	244.779	5,273.97	-1,095.10	-2,475.81	14,446,265.87	1,714,701.50	39.77871498	-80.73559697
6,300.00	41.31	244.779	5,349.08	-1,123.23	-2,535.53	14,446,237.74	1,714,641.77	39.77863822	-80.73580983
6,400.00	41.31	244.779	5,424.20	-1,151.36	-2,595.25	14,446,209.61	1,714,582.05	39.77856145	-80.73602269
6,500.00	41.31	244.779	5,499.31	-1,179.49	-2,654.98	14,446,181.48	1,714,522.33	39.77848469	-80.73623555
6,600.00	41.31	244.779	5,574.43	-1,207.61	-2,714.70	14,446,153.36	1,714,462.61	39.77840792	-80.73644841
6,615.98	41.31	244.779	5,586.43	-1,212.11	-2,724.24	14,446,148.86	1,714,453.07	39.77839565	-80.73648242
Begin 8°/100' build/turm									
6,700.00	41.34	234.593	5,649.60	-1,240.03	-2,772.00	14,446,120.94	1,714,405.31	39.77831935	-80.73665270
6,800.00	42.52	222.740	5,724.11	-1,284.06	-2,821.93	14,446,076.91	1,714,355.38	39.77819885	-80.73683089
6,900.00	44.86	211.650	5,796.52	-1,338.99	-2,863.44	14,446,021.98	1,714,313.87	39.77804833	-80.73697920
7,000.00	48.17	201.603	5,865.42	-1,403.76	-2,895.72	14,445,957.21	1,714,281.59	39.77787072	-80.73709475
7,046.74	50.00	197.287	5,896.04	-1,437.05	-2,907.45	14,445,923.92	1,714,269.86	39.77777939	-80.73713686
Begin 10°/100' build/turm									
7,100.00	52.82	191.505	5,929.28	-1,477.35	-2,917.75	14,445,883.62	1,714,259.56	39.77766879	-80.73717395
7,200.00	58.79	181.788	5,985.54	-1,559.34	-2,927.06	14,445,801.63	1,714,250.25	39.77744370	-80.73720793
7,300.00	65.39	173.282	6,032.39	-1,647.45	-2,923.06	14,445,713.52	1,714,254.25	39.77720169	-80.73719463
7,400.00	72.43	165.656	6,068.40	-1,739.01	-2,905.89	14,445,621.96	1,714,271.42	39.77695010	-80.73713447
7,500.00	79.73	158.614	6,092.47	-1,831.24	-2,876.07	14,445,529.73	1,714,301.24	39.77669658	-80.73702928
7,600.00	87.18	151.893	6,103.87	-1,921.33	-2,834.49	14,445,439.64	1,714,342.82	39.77644883	-80.73688226
7,624.26	89.00	150.284	6,104.68	-1,942.55	-2,822.77	14,445,418.42	1,714,354.54	39.77639046	-80.73684076
Begin 89.00° lateral									
7,700.00	89.00	150.284	6,106.00	-2,008.32	-2,785.23	14,445,352.65	1,714,392.08	39.77620953	-80.73670784
7,800.00	89.00	150.284	6,107.75	-2,095.16	-2,735.67	14,445,265.81	1,714,441.64	39.77597065	-80.73653235
7,900.00	89.00	150.284	6,109.50	-2,182.00	-2,686.11	14,445,178.97	1,714,491.20	39.77573178	-80.73635686
8,000.00	89.00	150.284	6,111.25	-2,268.83	-2,636.54	14,445,092.14	1,714,540.76	39.77549290	-80.73618137
8,100.00	89.00	150.284	6,113.00	-2,355.67	-2,586.98	14,445,005.30	1,714,590.32	39.77525403	-80.73600589
8,200.00	89.00	150.284	6,114.75	-2,442.50	-2,537.42	14,444,918.47	1,714,639.89	39.77501515	-80.73583040
8,300.00	89.00	150.284	6,116.50	-2,529.34	-2,487.86	14,444,831.63	1,714,689.45	39.77477627	-80.73565492
8,400.00	89.00	150.284	6,118.25	-2,616.18	-2,438.29	14,444,744.80	1,714,739.01	39.77453740	-80.73547943
8,500.00	89.00	150.284	6,120.00	-2,703.01	-2,388.73	14,444,657.96	1,714,788.57	39.77429852	-80.73530395
8,600.00	89.00	150.284	6,121.75	-2,789.85	-2,339.17	14,444,571.12	1,714,838.14	39.77405964	-80.73512847
8,700.00	89.00	150.284	6,123.50	-2,876.68	-2,289.61	14,444,484.29	1,714,887.70	39.77382077	-80.73495299
8,800.00	89.00	150.284	6,125.25	-2,963.52	-2,240.04	14,444,397.45	1,714,937.26	39.77358189	-80.73477751
8,900.00	89.00	150.284	6,127.00	-3,050.36	-2,190.48	14,444,310.62	1,714,986.82	39.77334301	-80.73460203
9,000.00	89.00	150.284	6,128.75	-3,137.19	-2,140.92	14,444,223.78	1,715,036.39	39.77310413	-80.73442656
9,100.00	89.00	150.284	6,130.50	-3,224.03	-2,091.36	14,444,136.94	1,715,085.95	39.77286525	-80.73425108
9,200.00	89.00	150.284	6,132.25	-3,310.86	-2,041.79	14,444,050.11	1,715,135.51	39.77262637	-80.73407561
9,300.00	89.00	150.284	6,134.00	-3,397.70	-1,992.23	14,443,963.27	1,715,185.07	39.77238750	-80.73390013
9,400.00	89.00	150.284	6,135.75	-3,484.54	-1,942.67	14,443,876.44	1,715,234.64	39.77214862	-80.73372466
9,500.00	89.00	150.284	6,137.50	-3,571.37	-1,893.11	14,443,789.60	1,715,284.20	39.77190974	-80.73354919
9,600.00	89.00	150.284	6,139.25	-3,658.21	-1,843.54	14,443,702.77	1,715,333.76	39.77167086	-80.73337372
9,700.00	89.00	150.284	6,141.00	-3,745.05	-1,793.98	14,443,615.93	1,715,383.32	39.77143198	-80.73319826



4705102357

Planning Report - Geographic



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
9,800.00	89.00	150.284	6,142.75	-3,831.88	-1,744.42	14,443,529.09	1,715,432.89	39.77119310	-80.73302279	
9,900.00	89.00	150.284	6,144.50	-3,918.72	-1,694.86	14,443,442.26	1,715,482.45	39.77095421	-80.73284732	
10,000.00	89.00	150.284	6,146.25	-4,005.55	-1,645.29	14,443,355.42	1,715,532.01	39.77071533	-80.73267186	
10,100.00	89.00	150.284	6,148.00	-4,092.39	-1,595.73	14,443,268.59	1,715,581.57	39.77047645	-80.73249640	
10,200.00	89.00	150.284	6,149.75	-4,179.23	-1,546.17	14,443,181.75	1,715,631.14	39.77023757	-80.73232094	
10,300.00	89.00	150.284	6,151.50	-4,266.06	-1,496.61	14,443,094.91	1,715,680.70	39.76999869	-80.73214548	
10,400.00	89.00	150.284	6,153.24	-4,352.90	-1,447.04	14,443,008.08	1,715,730.26	39.76975981	-80.73197002	
10,500.00	89.00	150.284	6,154.99	-4,439.73	-1,397.48	14,442,921.24	1,715,779.82	39.76952092	-80.73179456	
10,600.00	89.00	150.284	6,156.74	-4,526.57	-1,347.92	14,442,834.41	1,715,829.39	39.76928204	-80.73161910	
10,700.00	89.00	150.284	6,158.49	-4,613.41	-1,298.36	14,442,747.57	1,715,878.95	39.76904316	-80.73144365	
10,800.00	89.00	150.284	6,160.24	-4,700.24	-1,248.79	14,442,660.73	1,715,928.51	39.76880428	-80.73126819	
10,900.00	89.00	150.284	6,161.99	-4,787.08	-1,199.23	14,442,573.90	1,715,978.07	39.76856539	-80.73109274	
11,000.00	89.00	150.284	6,163.74	-4,873.91	-1,149.67	14,442,487.06	1,716,027.63	39.76832651	-80.73091729	
11,100.00	89.00	150.284	6,165.49	-4,960.75	-1,100.11	14,442,400.23	1,716,077.20	39.76808762	-80.73074183	
11,200.00	89.00	150.284	6,167.24	-5,047.59	-1,050.54	14,442,313.39	1,716,126.76	39.76784874	-80.73056639	
11,300.00	89.00	150.284	6,168.99	-5,134.42	-1,000.98	14,442,226.56	1,716,176.32	39.76760986	-80.73039094	
11,400.00	89.00	150.284	6,170.74	-5,221.26	-951.42	14,442,139.72	1,716,225.88	39.76737097	-80.73021549	
11,500.00	89.00	150.284	6,172.49	-5,308.09	-901.86	14,442,052.88	1,716,275.45	39.76713209	-80.73004004	
11,600.00	89.00	150.284	6,174.24	-5,394.93	-852.29	14,441,966.05	1,716,325.01	39.76689320	-80.72986460	
11,700.00	89.00	150.284	6,175.99	-5,481.77	-802.73	14,441,879.21	1,716,374.57	39.76665431	-80.72968916	
11,800.00	89.00	150.284	6,177.74	-5,568.60	-753.17	14,441,792.38	1,716,424.13	39.76641543	-80.72951371	
11,900.00	89.00	150.284	6,179.49	-5,655.44	-703.61	14,441,705.54	1,716,473.70	39.76617654	-80.72933827	
12,000.00	89.00	150.284	6,181.24	-5,742.27	-654.04	14,441,618.70	1,716,523.26	39.76593766	-80.72916283	
12,100.00	89.00	150.284	6,182.99	-5,829.11	-604.48	14,441,531.87	1,716,572.82	39.76569877	-80.72898739	
12,200.00	89.00	150.284	6,184.74	-5,915.95	-554.92	14,441,445.03	1,716,622.38	39.76545988	-80.72881196	
12,300.00	89.00	150.284	6,186.49	-6,002.78	-505.36	14,441,358.20	1,716,671.95	39.76522100	-80.72863652	
12,400.00	89.00	150.284	6,188.24	-6,089.62	-455.79	14,441,271.36	1,716,721.51	39.76498211	-80.72846108	
12,500.00	89.00	150.284	6,189.99	-6,176.45	-406.23	14,441,184.53	1,716,771.07	39.76474322	-80.72828565	
12,600.00	89.00	150.284	6,191.74	-6,263.29	-356.67	14,441,097.69	1,716,820.63	39.76450433	-80.72811022	
12,700.00	89.00	150.284	6,193.49	-6,350.13	-307.11	14,441,010.85	1,716,870.20	39.76426544	-80.72793479	
12,800.00	89.00	150.284	6,195.24	-6,436.96	-257.54	14,440,924.02	1,716,919.76	39.76402655	-80.72775936	
12,900.00	89.00	150.284	6,196.99	-6,523.80	-207.98	14,440,837.18	1,716,969.32	39.76378767	-80.72758393	
13,000.00	89.00	150.284	6,198.74	-6,610.63	-158.42	14,440,750.35	1,717,018.88	39.76354878	-80.72740850	
13,100.00	89.00	150.284	6,200.49	-6,697.47	-108.86	14,440,663.51	1,717,068.45	39.76330989	-80.72723307	
13,200.00	89.00	150.284	6,202.24	-6,784.31	-59.29	14,440,576.67	1,717,118.01	39.76307100	-80.72705765	
13,300.00	89.00	150.284	6,203.99	-6,871.14	-9.73	14,440,489.84	1,717,167.57	39.76283211	-80.72688222	
13,400.00	89.00	150.284	6,205.74	-6,957.98	39.83	14,440,403.00	1,717,217.13	39.76259322	-80.72670680	
13,500.00	89.00	150.284	6,207.49	-7,044.81	89.39	14,440,316.17	1,717,266.70	39.76235433	-80.72653138	
13,600.00	89.00	150.284	6,209.24	-7,131.65	138.96	14,440,229.33	1,717,316.26	39.76211544	-80.72635596	
13,700.00	89.00	150.284	6,210.99	-7,218.49	188.52	14,440,142.50	1,717,365.82	39.76187654	-80.72618054	
13,800.00	89.00	150.284	6,212.74	-7,305.32	238.08	14,440,055.66	1,717,415.38	39.76163765	-80.72600512	
13,900.00	89.00	150.284	6,214.49	-7,392.16	287.64	14,439,968.82	1,717,464.94	39.76139876	-80.72582970	
14,000.00	89.00	150.284	6,216.24	-7,478.99	337.21	14,439,881.99	1,717,514.51	39.76115987	-80.72565429	
14,100.00	89.00	150.284	6,217.99	-7,565.83	386.77	14,439,795.15	1,717,564.07	39.76092098	-80.72547887	
14,200.00	89.00	150.284	6,219.74	-7,652.67	436.33	14,439,708.32	1,717,613.63	39.76068209	-80.72530346	
14,300.00	89.00	150.284	6,221.49	-7,739.50	485.89	14,439,621.48	1,717,663.19	39.76044319	-80.72512805	
14,400.00	89.00	150.284	6,223.23	-7,826.34	535.46	14,439,534.64	1,717,712.76	39.76020430	-80.72495264	
14,500.00	89.00	150.284	6,224.98	-7,913.17	585.02	14,439,447.81	1,717,762.32	39.75996541	-80.72477723	
14,600.00	89.00	150.284	6,226.73	-8,000.01	634.58	14,439,360.97	1,717,811.88	39.75972651	-80.72460182	
14,700.00	89.00	150.284	6,228.48	-8,086.85	684.14	14,439,274.14	1,717,861.44	39.75948762	-80.72442641	
14,800.00	89.00	150.284	6,230.23	-8,173.68	733.71	14,439,187.30	1,717,911.01	39.75924873	-80.72425100	
14,900.00	89.00	150.284	6,231.98	-8,260.52	783.27	14,439,100.46	1,717,960.57	39.75900983	-80.72407560	
15,000.00	89.00	150.284	6,233.73	-8,347.35	832.83	14,439,013.63	1,718,010.13	39.75877094	-80.72390020	
15,100.00	89.00	150.284	6,235.48	-8,434.19	882.39	14,438,926.79	1,718,059.69	39.75853204	-80.72372479	
15,200.00	89.00	150.284	6,237.23	-8,521.03	931.96	14,438,839.95	1,718,109.26	39.75829315	-80.72354939	

4705102357



Planning Report - Geographic



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
15,300.00	89.00	150.284	6,238.98	-8,607.86	981.52	14,438,753.12	1,718,158.82	39.75805425	-80.72337399	
15,400.00	89.00	150.284	6,240.73	-8,694.70	1,031.08	14,438,666.29	1,718,208.38	39.75781536	-80.72319859	
15,500.00	89.00	150.284	6,242.48	-8,781.53	1,080.64	14,438,579.45	1,718,257.94	39.75757646	-80.72302320	
15,600.00	89.00	150.284	6,244.23	-8,868.37	1,130.21	14,438,492.61	1,718,307.51	39.75733756	-80.72284780	
15,700.00	89.00	150.284	6,245.98	-8,955.21	1,179.77	14,438,405.78	1,718,357.07	39.75709887	-80.72267240	
15,800.00	89.00	150.284	6,247.73	-9,042.04	1,229.33	14,438,318.94	1,718,406.63	39.75685977	-80.72249701	
15,900.00	89.00	150.284	6,249.48	-9,128.88	1,278.89	14,438,232.11	1,718,456.19	39.75662087	-80.72232162	
16,000.00	89.00	150.284	6,251.23	-9,215.72	1,328.46	14,438,145.27	1,718,505.76	39.75638198	-80.72214623	
16,100.00	89.00	150.284	6,252.98	-9,302.55	1,378.02	14,438,058.43	1,718,555.32	39.75614308	-80.72197083	
16,200.00	89.00	150.284	6,254.73	-9,389.39	1,427.58	14,437,971.60	1,718,604.88	39.75590418	-80.72179545	
16,300.00	89.00	150.284	6,256.48	-9,476.22	1,477.14	14,437,884.76	1,718,654.44	39.75566528	-80.72162006	
16,400.00	89.00	150.284	6,258.23	-9,563.06	1,526.71	14,437,797.93	1,718,704.00	39.75542638	-80.72144467	
16,500.00	89.00	150.284	6,259.98	-9,649.90	1,576.27	14,437,711.09	1,718,753.57	39.75518748	-80.72126929	
16,600.00	89.00	150.284	6,261.73	-9,736.73	1,625.83	14,437,624.26	1,718,803.13	39.75494859	-80.72109390	
16,700.00	89.00	150.284	6,263.48	-9,823.57	1,675.39	14,437,537.42	1,718,852.69	39.75470969	-80.72091852	
16,800.00	89.00	150.284	6,265.23	-9,910.40	1,724.96	14,437,450.58	1,718,902.25	39.75447079	-80.72074314	
16,900.00	89.00	150.284	6,266.98	-9,997.24	1,774.52	14,437,363.75	1,718,951.82	39.75423189	-80.72056776	
17,000.00	89.00	150.284	6,268.73	-10,084.08	1,824.08	14,437,276.91	1,719,001.38	39.75399299	-80.72039238	
17,100.00	89.00	150.284	6,270.48	-10,170.91	1,873.64	14,437,190.08	1,719,050.94	39.75375409	-80.72021700	
17,200.00	89.00	150.284	6,272.23	-10,257.75	1,923.21	14,437,103.24	1,719,100.50	39.75351519	-80.72004162	
17,300.00	89.00	150.284	6,273.98	-10,344.58	1,972.77	14,437,016.40	1,719,150.07	39.75327629	-80.71986624	
17,400.00	89.00	150.284	6,275.73	-10,431.42	2,022.33	14,436,929.57	1,719,199.63	39.75303738	-80.71969087	
17,500.00	89.00	150.284	6,277.48	-10,518.26	2,071.89	14,436,842.73	1,719,249.19	39.75279848	-80.71951550	
17,600.00	89.00	150.284	6,279.23	-10,605.09	2,121.46	14,436,755.90	1,719,298.75	39.75255958	-80.71934012	
17,700.00	89.00	150.284	6,280.98	-10,691.93	2,171.02	14,436,669.06	1,719,348.32	39.75232068	-80.71916475	
17,800.00	89.00	150.284	6,282.73	-10,778.76	2,220.58	14,436,582.22	1,719,397.88	39.75208178	-80.71898938	
17,900.00	89.00	150.284	6,284.48	-10,865.60	2,270.14	14,436,495.39	1,719,447.44	39.75184288	-80.71881401	
18,000.00	89.00	150.284	6,286.23	-10,952.44	2,319.71	14,436,408.55	1,719,497.00	39.75160397	-80.71863865	
18,100.00	89.00	150.284	6,287.98	-11,039.27	2,369.27	14,436,321.72	1,719,546.57	39.75136507	-80.71846328	
18,200.00	89.00	150.284	6,289.73	-11,126.11	2,418.83	14,436,234.88	1,719,596.13	39.75112617	-80.71828792	
18,300.00	89.00	150.284	6,291.47	-11,212.94	2,468.39	14,436,148.05	1,719,645.69	39.75088726	-80.71811255	
18,400.00	89.00	150.284	6,293.22	-11,299.78	2,517.96	14,436,061.21	1,719,695.25	39.75064836	-80.71793719	
18,500.00	89.00	150.284	6,294.97	-11,386.62	2,567.52	14,435,974.37	1,719,744.82	39.75040946	-80.71776183	
18,600.00	89.00	150.284	6,296.72	-11,473.45	2,617.08	14,435,887.54	1,719,794.38	39.75017055	-80.71758647	
18,700.00	89.00	150.284	6,298.47	-11,560.29	2,666.64	14,435,800.70	1,719,843.94	39.74993165	-80.71741111	
18,800.00	89.00	150.284	6,300.22	-11,647.12	2,716.21	14,435,713.87	1,719,893.50	39.74969274	-80.71723575	
18,900.00	89.00	150.284	6,301.97	-11,733.96	2,765.77	14,435,627.03	1,719,943.07	39.74945384	-80.71706039	
19,000.00	89.00	150.284	6,303.72	-11,820.80	2,815.33	14,435,540.19	1,719,992.63	39.74921493	-80.71688504	
19,100.00	89.00	150.284	6,305.47	-11,907.63	2,864.89	14,435,453.36	1,720,042.19	39.74897603	-80.71670969	
19,200.00	89.00	150.284	6,307.22	-11,994.47	2,914.46	14,435,366.52	1,720,091.75	39.74873712	-80.71653433	
19,300.00	89.00	150.284	6,308.97	-12,081.30	2,964.02	14,435,279.69	1,720,141.31	39.74849821	-80.71635898	
19,400.00	89.00	150.284	6,310.72	-12,168.14	3,013.58	14,435,192.85	1,720,190.88	39.74825931	-80.71618363	
19,500.00	89.00	150.284	6,312.47	-12,254.98	3,063.14	14,435,106.02	1,720,240.44	39.74802040	-80.71600828	
19,600.00	89.00	150.284	6,314.22	-12,341.81	3,112.71	14,435,019.18	1,720,290.00	39.74778149	-80.71583293	
19,700.00	89.00	150.284	6,315.97	-12,428.65	3,162.27	14,434,932.34	1,720,339.56	39.74754259	-80.71565759	
19,800.00	89.00	150.284	6,317.72	-12,515.48	3,211.83	14,434,845.51	1,720,389.13	39.74730368	-80.71548224	
19,900.00	89.00	150.284	6,319.47	-12,602.32	3,261.39	14,434,758.67	1,720,438.69	39.74706477	-80.71530690	
20,000.00	89.00	150.284	6,321.22	-12,689.16	3,310.96	14,434,671.84	1,720,488.25	39.74682586	-80.71513155	
20,100.00	89.00	150.284	6,322.97	-12,775.99	3,360.52	14,434,585.00	1,720,537.81	39.74658695	-80.71495621	
20,200.00	89.00	150.284	6,324.72	-12,862.83	3,410.08	14,434,498.16	1,720,587.38	39.74634804	-80.71478087	
20,300.00	89.00	150.284	6,326.47	-12,949.66	3,459.64	14,434,411.33	1,720,636.94	39.74610914	-80.71460553	
20,400.00	89.00	150.284	6,328.22	-13,036.50	3,509.21	14,434,324.49	1,720,686.50	39.74587023	-80.71443019	
20,500.00	89.00	150.284	6,329.97	-13,123.34	3,558.77	14,434,237.66	1,720,736.06	39.74563132	-80.71425485	
20,600.00	89.00	150.284	6,331.72	-13,210.17	3,608.33	14,434,150.82	1,720,785.63	39.74539241	-80.71407952	
20,700.00	89.00	150.284	6,333.47	-13,297.01	3,657.89	14,434,063.99	1,720,835.19	39.74515350	-80.71390418	



Database:	DB_Aug1919_v14	Local Co-ordinate Reference:	Well Van Winkle S-08 HM (slot I)
Company:	Tug Hill Operating LLC	TVD Reference:	GL @ 754.00ft
Project:	Marshall County, West Virginia	MD Reference:	GL @ 754.00ft
Site:	Van Winkle	North Reference:	Grid
Well:	Van Winkle S-08 HM (slot I)	Survey Calculation Method:	Minimum Curvature
Wellbore:	Original Hole		
Design:	rev1		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude	
20,800.00	89.00	150.284	6,335.22	-13,383.84	3,707.46	14,433,977.15	1,720,884.75	39.74491459	-80.71372885	
20,900.00	89.00	150.284	6,336.97	-13,470.68	3,757.02	14,433,890.31	1,720,934.31	39.74467568	-80.71355352	
21,000.00	89.00	150.284	6,338.72	-13,557.52	3,806.58	14,433,803.48	1,720,983.88	39.74443677	-80.71337819	
21,100.00	89.00	150.284	6,340.47	-13,644.35	3,856.14	14,433,716.64	1,721,033.44	39.74419785	-80.71320286	
21,200.00	89.00	150.284	6,342.22	-13,731.19	3,905.71	14,433,629.81	1,721,083.00	39.74395894	-80.71302753	
21,300.00	89.00	150.284	6,343.97	-13,818.02	3,955.27	14,433,542.97	1,721,132.56	39.74372003	-80.71285220	
21,400.00	89.00	150.284	6,345.72	-13,904.86	4,004.83	14,433,456.13	1,721,182.13	39.74348112	-80.71267687	
21,500.00	89.00	150.284	6,347.47	-13,991.70	4,054.39	14,433,369.30	1,721,231.69	39.74324221	-80.71250155	
21,600.00	89.00	150.284	6,349.22	-14,078.53	4,103.96	14,433,282.46	1,721,281.25	39.74300330	-80.71232622	
21,700.00	89.00	150.284	6,350.97	-14,165.37	4,153.52	14,433,195.63	1,721,330.81	39.74276438	-80.71215090	
21,800.00	89.00	150.284	6,352.72	-14,252.20	4,203.08	14,433,108.79	1,721,380.38	39.74252547	-80.71197558	
21,900.00	89.00	150.284	6,354.47	-14,339.04	4,252.64	14,433,021.95	1,721,429.94	39.74228656	-80.71180026	
22,000.00	89.00	150.284	6,356.22	-14,425.88	4,302.21	14,432,935.12	1,721,479.50	39.74204764	-80.71162494	
22,100.00	89.00	150.284	6,357.97	-14,512.71	4,351.77	14,432,848.28	1,721,529.06	39.74180873	-80.71144962	
22,200.00	89.00	150.284	6,359.72	-14,599.55	4,401.33	14,432,761.45	1,721,578.62	39.74156981	-80.71127431	
22,300.00	89.00	150.284	6,361.46	-14,686.39	4,450.89	14,432,674.61	1,721,628.19	39.74133090	-80.71109899	
22,400.00	89.00	150.284	6,363.21	-14,773.22	4,500.46	14,432,587.78	1,721,677.75	39.74109199	-80.71092368	
22,500.00	89.00	150.284	6,364.96	-14,860.06	4,550.02	14,432,500.94	1,721,727.31	39.74085307	-80.71074836	
22,600.00	89.00	150.284	6,366.71	-14,946.89	4,599.58	14,432,414.10	1,721,776.87	39.74061416	-80.71057305	
22,700.00	89.00	150.284	6,368.46	-15,033.73	4,649.14	14,432,327.27	1,721,826.44	39.74037524	-80.71039774	
22,730.66	89.00	150.284	6,369.00	-15,060.35	4,664.34	14,432,300.65	1,721,841.63	39.74030200	-80.71034400	

PBHL/TD 22730.65 MD/6369.00 TVD

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
Van Winkle S-08HM LP - hit/miss target - Shape - Point	0.00	0.000	6,105.00	-1,942.81	-2,852.06	14,445,418.17	1,714,325.25	39.77639000	-80.73694500	
- plan misses target center by 25.68ft at 7610.34ft MD (6104.31 TVD, -1930.41 N, -2829.57 E)										
Van Winkle S-08HM PBI - plan hits target center - Point	0.00	0.000	6,369.00	-15,060.35	4,664.34	14,432,300.65	1,721,841.63	39.74030200	-80.71034400	

Plan Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates		Comment	
		+N/-S (ft)	+E/-W (ft)		
1,100.00	1,100.00	0.00	0.00	KOP Begin 2°/100' build	
2,100.00	2,079.82	-44.72	-166.88	Begin 2°/100' build/turn	
3,193.42	3,015.60	-249.39	-680.25	Begin 41.31° tangent	
6,615.98	5,586.43	-1,212.11	-2,724.24	Begin 8°/100' build/turn	
7,046.74	5,896.04	-1,437.05	-2,907.45	Begin 10°/100' build/turn	
7,624.26	6,104.68	-1,942.55	-2,822.77	Begin 89.00° lateral	
22,730.66	6,369.00	-15,060.35	4,664.34	PBHL/TD 22730.65 MD/6369.00 TVD	

WW-9
(4/16)

4705102357

API Number 47 - 051 - _____
Operator's Well No. Van Winkle S-8HM

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Tug Hill Operating, LLC OP Code 494510851

Watershed (HUC 10) Fish Creek Quadrangle Glen Easton 7.5'

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No

Will a pit be used? Yes No

If so, please describe anticipated pit waste: AST Tanks with proper containment will be used for staging fresh water for frac and flow back water

Will a synthetic liner be used in the pit? Yes No If so, what ml.? AST Tanks will be used with proper duffel

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection (UIC Permit Number UIC 2459; UIC 965, UIC 359, UIC 2D0732540, UIC 2D0732523)
- Reuse (at API Number _____)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain _____)

Will closed loop system be used? If so, describe: Yes - For vertical and horizontal drilling

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Air for vertical/ Oil for Horizontal

-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Base

Additives to be used in drilling medium? Barite for weight

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. All drill cuttings to be disposed of in a Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Wetzel County Sanitary Landfill (SWF-1021 / WW0109185) and Westmoreland Sanitary Landfill, LLC (SAN1405 / PA DEP EC#1386426)

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.


Company Official Signature James A. Pancake

Company Official (Typed Name) James Pancake

Company Official Title Vice President - Geoscience

Subscribed and sworn before me this 13 day of JANUARY, 2021

[Signature]



Notary Public

My commission expires _____

RECEIVED
Office of Oil and Gas
FEB 03 2021
WV Department of
Environmental Protection
03/12/2021

Tug Hill Operating, LLC

Proposed Revegetation Treatment: Acres Disturbed 16.63 Prevegetation pH 6.0

Lime 3 Tons/acre or to correct to pH 6.5

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch 2.5 Tons/acre

Seed Mixtures

Temporary

Permanent

Seed Type	lbs/acre
Annual Ryegrass	40
Spring Oats	96

Seed Type	lbs/acre
Orchard Grass	12
Ladino	3
White Clover	2

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Bary Hill

Comments: _____

Title: Oil and Gas Inspector

Date: 1-20-21

Field Reviewed? Yes No

RECEIVED
Office of Oil and Gas

FEB 03 2021


WV Department of
Environmental Protection

03/12/2021

PROPOSED VAN WINKLE S - 8HM

NOTES:

1. DRAWING NOT TO SCALE
2. REFERENCE IS HEREBY MADE TO THE WV D.E.P. OFFICE OF OIL & GAS, "EROSION AND SEDIMENT CONTROL FIELD MANUAL" FOR REQUIREMENTS AND BMPs FOR AVERAGE FIELD CONDITIONS CONCERNING THE MAINTENANCE OF EXISTING ROADS AND THE CONSTRUCTION OF PROPOSED ROADS. FIELD CONDITIONS MAY REQUIRE VARIANCE FROM THESE GUIDELINES AND THE EARTHWORK CONTRACTOR IS RESPONSIBLE FOR NOTIFICATION TO THE INSPECTOR AND THE OPERATOR SHOULD THESE CONDITIONS OCCUR.
3. ENTRANCES ONTO PUBLIC ROADS SHALL BE CONSTRUCTED OR MAINTAINED IN ACCORDANCE WITH WV D.O.T. REGULATIONS. ADDITIONAL PERMITS MAY BE REQUIRED.
4. TEMPORARILY SEED AND MULCH ALL SLOPES UPON CONSTRUCTION OF LOCATION.
5. SEE HUNTER PETHTEL N SITE PLAN PREPARED BY KELLEY SURVEYING, FOR COMPLETE CONSTRUCTION & EROSION AND SEDIMENT CONTROL DETAILS.




12 Van Horn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.462.5634
 1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952
 254 East Beckley Bypass | Beckley, WV 25801 | 304.255.6296
sllsv.com

TOPO SECTION:		OPERATOR:	
GLEN EASTON 7.5'		PREPARED FOR: TUG HILL OPERATING, LLC 380 SOUTHPOINTE BLVD SUITE 200 CANONSBURG, PA 15317	
COUNTY	DISTRICT	DATE	SCALE
MARSHALL	MEADE	12/24/2020	NONE
DRAWN BY	JOB NO.		
K.G.M.	8952		



**TUG HILL
OPERATING**

03/12/2021

4705102357



Well Site Safety Plan

Tug Hill Operating, LLC

1-20-21
Barry Stiller
Well Name: Van Winkle S-8HM
Pad Name: Hunter Pethtel

UTM (meters), NAD83, Zone 17:

Northing: 4,403,564.45


Easting: 523,396.73

January 2021

RECEIVED
Office of Oil and Gas
FEB 03 2021
WV Department of
Environmental Protection

03/12/2021

PROPOSED VAN WINKLE S - 8HM



NOTE: CLOSEST WATER PURVEYOR
GRANDVIEW - DOOLIN PUBLIC SERVICE DISTRICT
PROCTOR, WV

LAT: 39.7137712
LON: -80.8258327
LOCATED: S 49°13'48" W AT 37,316.19' FROM THE CENTER OF HUNTER PETHEL N WELL PAD LOCATION.

RECEIVED
Office of Oil and Gas



12 Vanhorn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.462.5634
1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952
254 East Beckley Bypass | Beckley, WV 25801 | 504.255.5296
slswv.com

TOPO SECTION:		OPERATOR:	
GLEN EASTON 7.5'		PREPARED FOR:	
COUNTY	DISTRICT	TUG HILL OPERATING, LLC	
MARSHALL	MEADE	380 SOUTHPOINTE BLVD	
		SUITE 200	
		CANONSBURG, PA 15317	
DRAWN BY	JOB NO.	DATE	SCALE
K.G.M.	8952	12/24/2020	1" = 2000'




03/12/2021

HUNTER PETHTEL LEASE VAN WINKLE S 8HM WELL TUG HILL OPERATING

5,182' T.H. 565' B.H.
T.H. LATITUDE 39°47'30"
B.H. LATITUDE 39°45'00"

T.H. LONGITUDE 80°42'30"
B.H. LONGITUDE 80°42'30"
3,630' T.H. 3,533' B.H.



TAG	SURFACE OWNER	PARCEL	ACRES
A	XCL MIDSTREAM OPERATING, LLC	9-13-5	190.12
B	XCL MIDSTREAM OPERATING, LLC	9-10-19.1	10.00
C	LOUIS AULENBACHER	9-13-4	100.191
D	SYLVIA I. VAN SCYOC, ET AL	9-13-2	41.5
E	ROBERT M. & NANCY MCCARDLE	9-13-26	9.02
F	ROBERT M. & NANCY MCCARDLE	9-16-1	46.80
G	ROBERT M. & NANCY MCCARDLE	9-13-25	48.00
H	ROBERT M. & NANCY MCCARDLE	9-16-5	133.00
I	ROBERT M. & NANCY MCCARDLE	9-16-2	53.40
J	WILLIAM B. KLUG, ET UX	9-16-3	71.00
K	WILLIAM B. KLUG, ET UX	9-16-4	73.39
L	WILLIAM B. KLUG, ET UX	9-18-5	122.437
M	BRIAN T. KLUG	9-18-2	85.00
N	JAMES D. FROHNAPPEL, ET UX	9-18-18	154.03
O	KEITH A. FERRELL, ET UX	9-20-6	64.75

LINE	BEARING	DISTANCE
L1	S 75°54' W	181.15'
L2	S 65°44' W	2260.13'
L3	N 21°04' E	2430.54'
L4	S 72°49' E	2524.56'

CURVE	ARC LENGTH	RADIUS	CHORD BEARING	CHORD LENGTH
C1	153.40'	1854.52'	S 72°44' W	153.36'
C2	391.88'	4929.64'	S 67°44' W	391.78'
C3	122.08'	330.11'	S 54°35' W	121.37'
C4	218.32'	415.75'	S 27°20' W	215.82'
C5	216.92'	590.37'	S 00°31' W	215.70'
C6	267.71'	829.29'	S 19°33' E	266.55'

12 Vanhorn Drive | P.O. Box 150 | Glenview, WV 26351 | 304.452.5534
1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952
254 East Beckley Bypass | Beckley, WV 25801 | 304.255.5295
slsvv.com

(S.P.C. NORTH ZONE) (UTM(M) ZONE 17 NORTH)

NAD'83 S.P.C.(FT)	N. 469,189.69	E. 1,623,741.64
NAD'83 GEO.	LAT-(N) 39.781702	LONG-(W) 80.726773
NAD'83 UTM (M)	N. 4,403,554.45	E. 523,395.73

LANDING POINT

NAD'83 S.P.C.(FT)	N. 467,293.9	E. 1,620,885.7
NAD'83 GEO.	LAT-(N) 39.776390	LONG-(W) 80.736841
NAD'83 UTM (M)	N. 4,402,972.3	E. 522,536.3

BOTTOM HOLE

NAD'83 S.P.C.(FT)	N. 454,048.4	E. 1,628,155.1
NAD'83 GEO.	LAT-(N) 39.740202	LONG-(W) 80.710344
NAD'83 UTM (M)	N. 4,398,974.0	E. 524,818.4



(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS.

P.S. 849 *C. Victor Moyers*

SCALE 1" = 2000' FILE NO. 8952P8HM.dwg
VAN WINKLE S 8HM-REV/1
DATE JANUARY 13, 20 21
REVISED _____
OPERATORS WELL NO. VAN WINKLE S 8HM
API WELL NO. 47 - 051 - 02357 H&A
NO. STATE COUNTY PERMIT

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

LEGEND

- LEASE LINE
- SURFACE LINE
- WELL LATERAL
- OFFSET LINE
- TIE LINE
- CREEK
- ROAD
- COUNTY ROUTE
- PROPOSED WELL
- EXISTING WELL
- PERMITTED WELL
- TAX MAP-PARCEL
- SURFACE OWNER (SEE TABLE)
- LEASE # (SEE WW-6A1)

03/12/2021

WELL OPERATOR TUG HILL OPERATING, LLC DESIGNATED AGENT DIANNA STAMPER
ADDRESS 1320 SOUTH UNIVERSITY DRIVE, SUITE 500 ADDRESS 5400 D BIG TYLER ROAD
FORT WORTH, TX 76107 CHARLESTON, WV 25313

**HUNTER PETHTEL LEASE
VAN WINKLE S 8HM WELL
TUG HILL OPERATING**

PARCEL	SURFACE ADJOINER	ACRES
5-16-8	LOUIS AULENBACHER	21.00
9-13-5.1	MICHAEL WALKER & JOSEPH BLAKE	3.26
9-18-4	WILLIAM B. KLUG, ET UX	1.00
9-18-3	WILLIAM B. KLUG, ET UX	1.33
9-18-15.1	NICHOLAS FROHNAPFEL, ET UX	0.68
9-18-16.1	NICHOLAS FROHNAPFEL, ET UX	1.50
9-18-16.2	JOHN F. WAYMAN	2.17
9-18-16.3	BERNARD KLUG, ET UX ESTS.	1.81
9-18-18.1	JOHN F. WAYMAN	1.10

T.H. LATITUDE 39°47'30"
B.H. LATITUDE 39°45'00"

(S.P.C. NORTH ZONE) (UTM(M) ZONE 17 NORTH)

NAD'83 S.P.C.(FT)	N. 469,189.89	E. 1,623,741.64
NAD'83 GEO.	LAT-(N) 39.781702	LONG-(W) 80.726773
NAD'83 UTM (M)	N. 4,403,564.45	E. 523,396.73
LANDING POINT		
NAD'83 S.P.C.(FT)	N. 467,293.9	E. 1,620,885.7
NAD'83 GEO.	LAT-(N) 39.776390	LONG-(W) 80.736841
NAD'83 UTM (M)	N. 4,402,972.3	E. 522,536.3
BOTTOM HOLE		
NAD'83 S.P.C.(FT)	N. 454,048.4	E. 1,628,155.1
NAD'83 GEO.	LAT-(N) 39.740302	LONG-(W) 80.710344
NAD'83 UTM (M)	N. 4,398,974.0	E. 524,818.4

T.H. LONGITUDE 80°42'30"
B.H. LONGITUDE 80°42'30"
3,630' T.H.
3,533' B.H.

REFERENCES



NOTES ON SURVEY

- NO WATER WELLS WERE FOUND WITHIN 250' OF PROPOSED GAS WELL. NO AGRICULTURAL BUILDINGS ≥ 2500 SQ. FT. OR DWELLINGS WERE FOUND WITHIN 625' OF THE CENTER OF PROPOSED WELL PAD.
- WELL SPOT CIRCLE & TOPO MARK SCALE IS 1"=2000'.
- BASED ON WV DOT COUNTY ROUTE 74 IS A 40' STRIP OF LAND ACQUIRED IN NUMEROUS DEEDS.




12 Vanhorn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.462.5634
1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952
254 East Beckley Bypass | Beckley, WV 25801 | 304.255.5296
slsv.com

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DIVISION OF ENVIRONMENTAL PROTECTION.

P.S. 849

C. Victor Moyers



(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS.
DATE JANUARY 13, 20 21
REVISED _____
OPERATORS WELL NO. VAN WINKLE S 8HM
API WELL NO. 47-051-01330 02357
STATE COUNTY PERMIT

MINIMUM DEGREE OF ACCURACY 1/2500 FILE NO. 8952P8HM.dwg
VAN WINKLE S 8HM-REV1
HORIZONTAL & VERTICAL CONTROL DETERMINED BY DGPS (SURVEY GRADE TIE TO CORS NETWORK) SCALE 1" = 2000'

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS



WELL TYPE: OIL GAS LIQUID INJECTION WASTE DISPOSAL IF "GAS" PRODUCTION STORAGE DEEP SHALLOW

LOCATION: GROUND: 756.10' ELEVATION PROPOSED: 753.50' WATERSHED FISH CREEK (HUC 10)
DISTRICT MEADE COUNTY MARSHALL QUADRANGLE GLEN EASTON 7.5'

SURFACE OWNER XCL MIDSTREAM OPERATING, LLC ACREAGE 190.12 ±
ROYALTY OWNER DENNIS HUNTER, ET AL - SEE WW-6A1 ACREAGE 10.2

PROPOSED WORK: LEASE NO. SEE WW-6A1
DRILL CONVERT DRILL DEEPER REDRILL FRACTURE OR STIMULATE PLUG OFF OLD FORMATION PERFORATE NEW FORMATION PLUG AND ABANDON CLEAN OUT AND REPLUG OTHER

PHYSICAL CHANGE IN WELL (SPECIFY) _____ TARGET FORMATION MARCELLUS
ESTIMATED DEPTH TVD: 6,220' / TMD: 22,731'

WELL OPERATOR TUG HILL OPERATING, LLC DESIGNATED AGENT DIANNA STAMPER
ADDRESS 1320 SOUTH UNIVERSITY DRIVE, SUITE 500 ADDRESS CT CORPORATION SYSTEM
FORT WORTH, TX 76107 ADDRESS 5400 D BIG TYLER ROAD
CHARLESTON, WV 25313

COUNTY NAME
PERMIT

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE
Chapter 22, Article 6A, Section 5(a)(5)
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
-------------------------	-----------------------	-----------------------	---------	-----------

*See attached pages

***Co-tenancy utilization – At least 7 mineral owners in tract. At least 75% of the royalty owners have executed a lease on the tract. The interests of the remaining co-tenants were acquired pursuant to the Co-tenancy Modernization and Majority Protection Act.**

**Acknowledgement of Possible Permitting/Approval
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

**RECEIVED
Office of Oil and Gas**

JAN 22

**WV Department of
Environmental Protection**

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Tug Hill Operating, LLC
 By: Amy L. Morris *Amy L. Morris*
 Its: Permitting Specialist - Appalachia Region

Lease ID	Parcel	Tag	Grantor, Lessor, Etc.	Grantee, Lessee, Etc.	Royalty	Deed Book	Page	Assignment	Assignment	Assignment	Assignment	Assignment	Assignment	Assignment	Assignment				
10*31312	9-13-5	A	DENNIS W HUNTER AND KATHY A HUNTER	CENTRAL MICHIGAN EXPLORATION LLC	1/8+	668	155	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Central Michigan Exploration LLC to Stone Energy Corp.: DB 668/155 & AB 21/356	Stone Energy Corp. to EQT Production Company: AB 38/75	EQT Production Company to TH Exploration LLC: 48/21		
10*31352	9-10-19.1	B	DENNIS W HUNTER AND KATHY A HUNTER	CENTRAL MICHIGAN EXPLORATION LLC	1/8+	690	60	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Central Michigan Exploration LLC to Stone Energy Corp.: AB 21/497	Stone Energy Corp. to EQT Production Company: AB 38/75	EQT Production Company to TH Exploration LLC: 48/21		
10*19250	9-13-4	C	LOUIS AULENBACHER	CHEVRON USA INC	1/8+	902	444	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127		
10*22355	9-13-4	C	DEL T KELLEY AND DEBORAH A KELLEY	AMERICAN PETROLEUM PARTNERS LLC	1/8+	916	84	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	American Petroleum Partners LLC to TH Exploration LLC: 42/109		
10*22362	9-13-4	C	TOD M KELLEY	AMERICAN PETROLEUM PARTNERS LLC	1/8+	916	81	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	American Petroleum Partners LLC to TH Exploration LLC: 42/109		
10*22382	9-13-4	C	BETTY LOU KAMPE	AMERICAN PETROLEUM PARTNERS LLC	1/8+	919	399	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109		
10*19256	9-13-2	D	RACHEL B OSTRANDER	CHEVRON USA INC	1/8+	915	516	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127		
10*19257	9-13-2	D	DELBERT M VAN SCYOC & SYLVIA I VAN SCYOC	CHEVRON USA INC	1/8+	911	485	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127		
10*19258	9-13-2	D	SHARON G VANSYOC	CHEVRON USA INC	1/8+	911	488	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Chevron USA Inc to TH Exploration LLC: 40/127		
10*25236	9-13-2	D	MINERAL ACQUISITION COMPANY I LP	TH EXPLORATION LLC	1/8+	1030	121	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
10*31380	9-13-26	E	OPAL M BLAKE	CHESAPEAKE APPALACHIA LLC	1/8+	683	1	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to Stone Energy Corp: 33/325 & 34/143	Stone Energy Corp to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21			
10*21131	9-16-1	F	ROBERT M MCCARDLE & NANCY R MCCARDLE	TH EXPLORATION LLC	1/8+	951	621	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		
10*22295	9-16-1	F	RACHEL B OSTRANDER	FOSSIL CREEK OHIO, LLC	1/8+	822	210	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Fossil creek Ohio LLC to Gulfport Energy Corp & Fossil Creek Ohio Partners Operating		
10*22319	9-16-1	F	SHARON G VAN SCYOC	FOSSIL CREEK OHIO, LLC	1/8+	822	204	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Fossil creek Ohio LLC to Gulfport Energy Corporation: 32/54 & 34/366	Gulfport Energy Corp & Fossil Creek Ohio LLC to American Petroleum Partners Operating LLC: 36/588	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109
10*28268	9-13-25	G	JOSEPH SHUTLER AND ELIZABETH SHUTLER	T G STILES	1/8+	63	203	TG Stiles to South Penn Oil Company: 60/366	South Penn Oil Company to Tri-State Gas Company: 80/150	Tri-State Gas Company to The Manufacturers Light & Heat Company: 148/388	The Manufacturers Light & Heat Company to AM Snider & Duane M Sniders, Partners dba Hundred Gas Company: 4/489	Hundred Gas Company to Carl D Perkins: 451/132	Carl D Perkins to Perkins Oil and Gas Inc: 583/72	Perkins Oil & Gas Inc to Stone Energy Corporation: 26/322	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21			

RECEIVED

Office of Oil and Gas

JAN 22

WV Department of Environmental Protection

10*28268	9-16-5	H	JOSEPH SHUTLER AND ELIZABETH SHUTLER	T G STILES	1/8+	63	203	TG Stiles to South Penn Oil Company: 60/366	South Penn Oil Company to Tri-State Gas Company: 80/150	Tri-State Gas Company to The Manufacturers Light & Heat Company: 148/388	The Manufacturers Light & Heat Company to AM Snider & Duane M Sniders, Partners dba Hundred Gas Company: 4/489	Hundred Gas Company to Carl D Perkins: 451/132	Carl D Perkins to Perkins Oil and Gas Inc: 583/72	Perkins Oil & Gas Inc to Stone Energy Corporation: 26/322	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*19083	9-16-2	I	RITA RAE STEPHENS	CHESAPEAKE APPALACHIA LLC	1/8+	683	302	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19084	9-16-2	I	GEORGE WILLIAM MCCAIN	CHESAPEAKE APPALACHIA LLC	1/8+	683	308	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19085	9-16-2	I	LESTER M MERCER	CHESAPEAKE APPALACHIA LLC	1/8+	683	305	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19086	9-16-2	I	HILDA IOLA MCCAIN	CHESAPEAKE APPALACHIA LLC	1/8+	684	151	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19087	9-16-2	I	BECKY ANN ROSS	CHESAPEAKE APPALACHIA LLC	1/8+	684	126	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19088	9-16-2	I	CHRISTY JO ROSS WHITE	CHESAPEAKE APPALACHIA LLC	1/8+	685	613	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/26	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19090	9-16-2	I	JENNIFER M. FOSTER	CHESAPEAKE APPALACHIA LLC	1/8+	683	314	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19091	9-16-2	I	HELEN LOUISE MCCAIN GATTS	CHESAPEAKE APPALACHIA LLC	1/8+	685	618	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19093	9-16-2	I	LEROY EUGENE RICHARDS	CHESAPEAKE APPALACHIA LLC	1/8+	685	621	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19094	9-16-2	I	MICHAEL EARL RICHARDS	CHESAPEAKE APPALACHIA LLC	1/8+	685	630	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19095	9-16-2	I	BETTY ANN STROSNIER	CHESAPEAKE APPALACHIA LLC	1/8+	684	148	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19096	9-16-2	I	RONNIE CUSANO	CHESAPEAKE APPALACHIA LLC	1/8+	683	326	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 22/481	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

10*19112	9-16-2	I	CHARLES E FOOCE AND MARY FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	695	539	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19113	9-16-2	I	GEORGE DAVID FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	695	543	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19114	9-16-2	I	LARRY WAYNE FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	694	371	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19115	9-16-2	I	KATHY WILLIAMS	CHESAPEAKE APPALACHIA LLC	1/8+	694	522	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19119	9-16-2	I	MICHAEL WESLEY HALL	CHESAPEAKE APPALACHIA LLC	1/8+	694	366	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19120	9-16-2	I	SHARON L SCHULER AND JOSEPH A SCHULER	CHESAPEAKE APPALACHIA LLC	1/8+	694	503	N/A	N/A	N/A	N/A	N/A	N/A	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19122	9-16-2	I	JAMES L. FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	696	631	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 24/84	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19123	9-16-2	I	TAMMY SUE FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	696	635	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 24/84	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19124	9-16-2	I	JENNIFER LYNN FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	696	627	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 24/84	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*19125	9-16-2	I	MARK A. FOOCE	CHESAPEAKE APPALACHIA LLC	1/8+	694	344	N/A	N/A	N/A	N/A	N/A	Chesapeake Appalachia LLC to Statoil USA Onshore Properties Inc: 23/479	Statoil USA Onshore Properties Inc to Chevron USA Inc: 30/427	Chesapeake Appalachia LLC to Chevron USA Inc: 30/461	Chevron USA Inc to TH Exploration LLC: 40/127
10*21082	9-16-2	I	HUBERT C AND JANE E OTTE	TH EXPLORATION LLC	1/8+	951	618	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21083	9-16-2	I	KARLA JO ALLEN	TH EXPLORATION LLC	1/8+	949	372	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21119	9-16-2	I	MICHAEL WESLEY HALL DNU	TH EXPLORATION LLC	1/8+	952	199	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21120	9-16-2	I	SHARON L SCHULER AND JOSEPH A SCHULER	TH EXPLORATION LLC	1/8+	952	201	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21131	9-16-2	I	ROBERT M MCCARDLE & NANCY R MCCARDLE	TH EXPLORATION LLC	1/8+	951	621	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*22498	9-16-2	I	H3 LLC MICHAEL E HOEFT MANAGING MEMBER	TH EXPLORATION LLC	1/8+	1028	556	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*26679	9-16-2	I	GARNET GAS CORP	TH EXPLORATION LLC	1/8+	1045	424	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*19638	9-16-3	J	GREGORY J HALL	TH EXPLORATION LLC	1/8+	944	461	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*19639	9-16-3	J	RANDALL S HALL	TH EXPLORATION LLC	1/8+	944	459	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27393	9-16-3	J	VICTOR LEWIS LANHAM	TH EXPLORATION LLC	1/8+	1058	404	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27520	9-16-3	J	MICHAEL I HALL JR AND DIANNE HALL	TH EXPLORATION LLC	1/8+	1060	194	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27558	9-16-3	J	CRYSTAL L CUNNINGHAM AND TIMOTHY CUNNINGHAM	TH EXPLORATION LLC	1/8+	1060	476	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27570	9-16-3	J	ENOCH R HYDE AND ELIZABETH HYDE	TH EXPLORATION LLC	1/8+	1060	478	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27572	9-16-3	J	JOHN W HYDE AND ALYCE F HYDE	TH EXPLORATION LLC	1/8+	1060	481	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27573	9-16-3	J	RUSSELL H HATCHER AND ELIZABETH HATCHER	TH EXPLORATION LLC	1/8+	1061	258	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27833	9-16-3	J	TIMOTHY A HOLLEY AND DEBRA J HOLLEY	TH EXPLORATION LLC	1/8+	1063	256	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*29086	9-16-3	J	BETTY L COX	TH EXPLORATION LLC	1/8+	1084	197	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*29514	9-16-3	J	NANCY M HYDE	TH EXPLORATION LLC	1/8+	1097	509	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*29685	9-16-3	J	FAMILY TREE CORPORATION	TH EXPLORATION LLC	1/8+	1100	252	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*29724	9-16-3	J	JANICE GUMP DEBOLT*	TH EXPLORATION LLC	1/8+	1100	73	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18038	9-16-4	K	JEANETTE A SHUTLER DAVIS AND ROY J DAVIS	TH EXPLORATION LLC	1/8+	927	84	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

RECEIVED
Office of Oil and Gas

JAN 22

10*18039	9-16-4	K	CLEMENT R SHUTLER AND NANCY L SHUTLER	TH EXPLORATION LLC	1/8+	927	82	N/A									
10*18337	9-16-4	K	VIRGINIA LEA SHUTLER	TH EXPLORATION LLC	1/8+	929	552	N/A									
10*18338	9-16-4	K	MARY MARGARET SHUTLER	TH EXPLORATION LLC	1/8+	929	554	N/A									
10*18439	9-16-4	K	MARTIN E FAHEY AND PAMELA S FAHEY	TH EXPLORATION LLC	1/8+	933	85	N/A									
10*18440	9-16-4	K	JOHN M FAHEY AND SANDY Y FAHEY	TH EXPLORATION LLC	1/8+	933	87	N/A									
10*18538	9-16-4	K	KRIS & JULIE BECKER	TH EXPLORATION LLC	1/8+	933	644	N/A									
10*18667	9-16-4	K	DONNA K FAHEY	TH EXPLORATION LLC	1/8+	936	81	N/A									
10*18668	9-16-4	K	THOMAS M FAHEY AND PATRICIA FAHEY	TH EXPLORATION LLC	1/8+	936	85	N/A									
10*18669	9-16-4	K	ANDREW E POWELL AND MARIE C POWELL	TH EXPLORATION LLC	1/8+	936	139	N/A									
10*22384	9-16-4	K	VIVIAN SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	916	642	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22429	9-16-4	K	DENNIS E BOGER AND MARY BETH BOGER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	921	19	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22477	9-16-4	K	NANCY E MCFARLAND AND SHAWN B MCFARLAND	AMERICAN PETROLEUM PARTNERS LLC	1/8+	921	24	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22478	9-16-4	K	URBAN SHUTLER AIF KEVIN C SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	921	29	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22479	9-16-4	K	KEVIN SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	920	115	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22482	9-16-4	K	MICHAEL J SHUTLER & PATRICIA SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	930	193	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22484	9-16-4	K	TERRENCE A SHUTLER AND DAWN I SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	928	28	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*22945	9-16-4	K	MARTHA J SHUTLER	AMERICAN PETROLEUM PARTNERS LLC	1/8+	917	1	N/A	American Petroleum Partners Operating LLC to TH Exploration LLC: 42/109								
10*29412	9-16-4	K	JANA K PARRY	TH EXPLORATION LLC	1/8+	1096	321	N/A									

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

10*29645	9-16-4	K	RED STONE RESOURCES LLC	TH EXPLORATION LLC	1/8+	1100	67	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27789	9-18-5	L	DONNA K FAHEY	TH EXPLORATION LLC	1/8+	962	87	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*27947	9-18-5	L	STONE HILL MINERALS HOLDINGS LLC	TH EXPLORATION LLC	1/8+	1063	568	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*28262	9-18-2	M	JAMES W MESSEY, CAROLINE MESSEY, GETRUDE S HENRICK ET VIR	ECLIPSE OIL COMPANY	1/8+	67	487	Eclipse Oil Company to CH Stolzenbach: DB 67/507	Wheeling Natural Gas Company to Manufacturers Light & Heat Company: DB 148/389	The Manufacturers Light & Heat Company to AM Snider & Duane M Snider, Partners dba Hundred Gas Company: AB 4/489	AM Snider, Duane M Snider & Kathleen Rinehart, Partners dba Hundred Gas Company to Hundred Gas Company: DB 256/189	Hundred Gas Company to Carl D Perkins: 451/132 & 451/418	Carl D Perkins to Perkins Oil and Gas Inc: 583/72	Perkins Oil & Gas Inc. to Stone Energy Corporation: 26/322	Stone Energy Corporation to EQT Production Company: 38/75	EQT Production Company to TH Exploration LLC: 48/21
10*47051.047.1	9-18-18	N	JAMES E BLATT	TH EXPLORATION LLC	1/8+	869	587	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*47051.047.2	9-18-18	N	JOHN WILLIAM BLATT	TH EXPLORATION LLC	1/8+	869	590	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*47051.047.3	9-18-18	N	CAROL LEE BURNSIDE	TH EXPLORATION LLC	1/8+	869	593	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*47051.047.4	9-18-18	N	LOIS JEAN CECIL	TH EXPLORATION LLC	1/8+	869	596	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17899	9-20-6	O	JOHN CALVERT	TH EXPLORATION LLC	1/8+	924	608	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17900	9-20-6	O	DELORES J MYERS	TH EXPLORATION LLC	1/8+	924	606	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17989	9-20-6	O	JANET F HIGGINS	TH EXPLORATION LLC	1/8+	925	445	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17990	9-20-6	O	EDWARD TYLA AND MARY TYLA	TH EXPLORATION LLC	1/8+	925	385	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17994	9-20-6	O	ELAINE BEAL	TH EXPLORATION LLC	1/8+	943	528	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*17995	9-20-6	O	THOMAS E BEAL AND LOIS BEAL	TH EXPLORATION LLC	1/8+	925	383	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18116	9-20-6	O	SUSANNE KRENTZ	TH EXPLORATION LLC	1/8+	927	80	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18277	9-20-6	O	JOHN J ZAGORSKI AND PAMELA L WOODHULL	TH EXPLORATION LLC	1/8+	929	110	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18279	9-20-6	O	ELAINE BOBINCHECK	TH EXPLORATION LLC	1/8+	929	56	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18282	9-20-6	O	ROBERT G TAYLOR AND JUDITH B TAYLOR	TH EXPLORATION LLC	1/8+	929	112	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18328	9-20-6	O	ROBERT E BEIFUSS AND PATRICIA J BEIFUSS	TH EXPLORATION LLC	1/8+	929	558	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18365	9-20-6	O	JEAN M JONES	TH EXPLORATION LLC	1/8+	931	309	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18372	9-20-6	O	JAMES RIDER	TH EXPLORATION LLC	1/8+	931	455	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18380	9-20-6	O	LEROY SUMMERHILL AND JUNE E SUMMERHILL	TH EXPLORATION LLC	1/8+	932	443	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18382	9-20-6	O	GAIL V RYBA	TH EXPLORATION LLC	1/8+	932	445	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18383	9-20-6	O	WILLIAM MATUSINEC AND CAROL A MATUSINEC	TH EXPLORATION LLC	1/8+	932	488	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18384	9-20-6	O	GEORGE S AUGUSTIN	TH EXPLORATION LLC	1/8+	932	490	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18431	9-20-6	O	DARYL W ERRICHELLO AND CATHERINE L ERRICHELLO	TH EXPLORATION LLC	1/8+	941	631	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18435	9-20-6	O	JOSEPH E BORK AND SUSAN A BORK	TH EXPLORATION LLC	1/8+	933	75	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18441	9-20-6	O	HAROLD SHELDON JR AND ANNETTE M SHELDON	TH EXPLORATION LLC	1/8+	933	89	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18442	9-20-6	O	ARTHUR J OCHSNER JR AND SANDRA J OCHSNER	TH EXPLORATION LLC	1/8+	933	91	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18489	9-20-6	O	MARJORIE E KRAUSE	TH EXPLORATION LLC	1/8+	933	73	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*18814	9-20-6	O	BEATRICE WAYMAN	TH EXPLORATION LLC	1/8+	938	28	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*19556	9-20-6	O	KEITH A FERRELL AND KRISTY J FERRELL	TH EXPLORATION LLC	1/8+	936	544	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21827	9-20-6	O	JANET PUCCI AND JOHN PUCCI	TH EXPLORATION LLC	1/8+	960	218	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*21829	9-20-6	O	RONALD ROSE & BARBARA ROSE	TH EXPLORATION LLC	1/8+	960	185	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*22591	9-20-6	O	MICHAEL ZAMAGIAS AND ELIZABETH ZAMAGIAS	TH EXPLORATION LLC	1/8+	966	478	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*22595	9-20-6	O	DUANE WOLLANT	TH EXPLORATION LLC	1/8+	984	511	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
10*22596	9-20-6	O	DOUGLAS WOLLANT AND LISA M STOEFLER	TH EXPLORATION LLC	1/8+	966	480	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

*Co-tenancy utilization - At least 7 mineral owners in tract. At least 75% of the royalty owners have executed a lease on the tract. The interests of the remaining co-tenants were acquired pursuant to the Co-tenancy Modernization and Majority Protection Act.

10*19638	9-18-4		GREGORY J HALL	TH EXPLORATION LLC	1/8+	944	461	N/A								
10*19639	9-18-4		RANDALL S HALL	TH EXPLORATION LLC	1/8+	944	459	N/A								
10*27393	9-18-4		VICTOR LEWIS LANHAM	TH EXPLORATION LLC	1/8+	1058	404	N/A								
10*27520	9-18-4		MICHAEL L HALL JR AND DIANNE HALL	TH EXPLORATION LLC	1/8+	1060	194	N/A								
10*27558	9-18-4		CRYSTAL L CUNNINGHAM AND TIMOTHY CUNNINGHAM	TH EXPLORATION LLC	1/8+	1060	476	N/A								
10*27570	9-18-4		ENOCH R HYDE AND ELIZABETH HYDE	TH EXPLORATION LLC	1/8+	1060	478	N/A								
10*27572	9-18-4		JOHN W HYDE AND ALYCE F HYDE	TH EXPLORATION LLC	1/8+	1060	481	N/A								
10*27573	9-18-4		RUSSELL H HATCHER AND ELIZABETH HATCHER	TH EXPLORATION LLC	1/8+	1061	258	N/A								

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Energy and Mineral Resources

4705102357

10*27833	9-18-4	TIMOTHY A HOLLEY AND DEBRA J HOLLEY	TH EXPLORATION LLC	1/8+	1063	256	N/A									
10*29086	9-18-4	BETTY L COX	TH EXPLORATION LLC	1/8+	1084	197	N/A									
10*29514	9-18-4	NANCY M HYDE	TH EXPLORATION LLC	1/8+	1097	509	N/A									
10*29685	9-18-4	FAMILY TREE CORPORATION	TH EXPLORATION LLC	1/8+	1100	252	N/A									
10*29724	9-18-4	JANICE GUMP DEBOLT*	TH EXPLORATION LLC	1/8+	1100	73	N/A									
10*23458	FISH CREEK	WEST VIRGINIA DIVISION OF NATURAL RESOURCES	TH EXPLORATION LLC	1/8+	1019	373	N/A									

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

ASSIGNMENT AND BILL OF SALE

This ASSIGNMENT AND BILL OF SALE (this "Assignment") dated as of December 1, 2020 (the "Execution Date"), is made by and between EQT PRODUCTION COMPANY, a Pennsylvania corporation, with an address at 625 Liberty Avenue, Suite 1700, Pittsburgh, Pennsylvania 15222 ("EQT"), and TH EXPLORATION, LLC, a Texas limited liability company, with an address at 1320 S. University Drive, Suite 500, Fort Worth, Texas 76107 ("TH") pursuant to the terms of that certain Acreage Trade Agreement by and among EQT, TH and TH Exploration II, LLC ("TH II"), dated July 8, 2020 (the "Agreement"). EQT and TH may be referred to herein together as the "Parties", and each individually as a "Party".

RECITALS

WHEREAS, EQT desires to transfer, convey and assign to TH certain of EQT's oil and gas leasehold interests located in Marshall County, West Virginia set forth on Exhibit A attached hereto and incorporated herein ("EQT Leases") in accordance with this Assignment and the Agreement; and

WHEREAS, TH desires to receive from EQT, all of EQT's right, title and interest in and to the EQT Leases in accordance with this Assignment and the Agreement.

NOW, THEREFORE, for and in consideration of the mutual promises contained herein and in the Agreement, the benefits to be derived by each Party hereunder and under the Agreement, and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby agree as follows:

ARTICLE I
DEFINED TERMS

1.1 *Definitions.* Capitalized terms used herein and not otherwise defined throughout this Assignment shall have the meanings given such terms in the Agreement.

ARTICLE II
ASSIGNMENT OF ASSETS

2.1 *Assignment.* Subject to the terms and conditions of this Assignment and the Agreement, EQT does hereby assign, convey and transfer to TH all of the right, title and interest of EQT in and to the following (collectively for purposes of this Assignment, the "EQT Assets"):

(a) Subject to the conveyance of the Wells Assets from EQT to TH II as described in the Agreement, the EQT Leases and appurtenances thereto (including rights of access and to install facilities), all Hydrocarbons within, produced from, derived from, or sold from the EQT Leases (and all proceeds related thereto), on and after the Valuation Date, and all Surface Contracts including but not limited to those set forth on Exhibit B attached hereto and incorporated herein (the "EQT Surface Contracts") related to the EQT Leases and such Hydrocarbons; and

(b) Copies of deeds, files and all other ownership information directly related to the acquisition, operations and maintenance of the EQT Leases, lease files for the EQT Leases

RECEIVED
Office of Oil and Gas

JAN 22 2021

WV Department of
Environmental Protection

03/12/2021

MICHAEL MORAN
BRIGHTON RESOURCES
5851 ELLSWORTH AVENUE, #1
PITTSBURGH PA 15232-1707

4705102357
BOOK 0040 PAGE 0127

STATE OF WEST VIRGINIA §
§
COUNTY OF MARSHALL §

Marshall County
Jan Pest, Clerk
Instrument 1428356
08/16/2017 @ 12:08:49 PM
ASSIGNMENTS
Book 40 @ Page 127
Pages Recorded 25
Recording Cost \$ 33.00

ASSIGNMENT AND CONVEYANCE

THIS ASSIGNMENT AND CONVEYANCE (the "Assignment") is made and entered into this 1 day of AUGUST, 2017 (the "Effective Date"), by and between CHEVRON U.S.A. INC. (hereinafter "Assignor") and TH EXPLORATION, LLC (hereinafter "Assignee") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated the 1st day of August, 2017 (the "Acreage Trade Agreement"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A", attached hereto and made a part hereof (hereinafter the "Leases"), less and except certain overriding royalty interests and exclusions; and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to the Leases as described below, subject to certain overriding royalty interests and less and except certain exclusions.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

1. Assignment. Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon, except that Assignor excepts and reserves from this Assignment the following:

A. The Chevron ORRI previously conveyed to Assignor and as described in that certain Memorandum of Assignment of Oil and Gas Lease Interests dated November 6, 2012 by and between Cornell Holdings Incorporated and Chevron U.S.A. Inc., which is recorded at Book 0028, Page 0239 in the Office of the County Clerk of Marshall County, West Virginia, and

B. As to each of the Leases and all oil, gas, and associated hydrocarbons produced, saved and sold thereunder, an overriding royalty interest equal to the difference between 82% and the

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

03/12/2021

ASHLEY FAUINGER
AMERICAN PETROLEUM PARTNERS OPERATING LLC
4600 J BARRY COURT STE 310
CANDONSBURG PA 15317-5854

4705102357

BOOK 0042 PAGE 0109

STATE OF WEST VIRGINIA §
§
COUNTY OF MARSHALL §

ASSIGNMENT AND CONVEYANCE

THIS ASSIGNMENT AND CONVEYANCE (the "**Assignment**") is made and entered into this 18th day of May, 2018, and made effective December 12, 2017 (the "**Effective Date**"), by and between AMERICAN PETROLEUM PARTNERS OPERATING, LLC, (hereinafter "**Assignor**") and TH EXPLORATION, LLC (hereinafter "**Assignee**") pursuant to the terms of that certain Acreage Trade Agreement between the Assignor and the Assignee dated December 12, 2017 (the "**Acreage Trade Agreement**"). Capitalized terms used but not defined herein and defined in the Acreage Trade Agreement shall have the meanings given to such terms in the Acreage Trade Agreement.

WITNESSETH:

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to those certain Oil and Gas Leases situated in Marshall County, West Virginia, as described in Exhibit "A", attached hereto and made a part hereof (hereinafter the "**Leases**"); and

WHEREAS, Assignor desires to assign, set over, and transfer to Assignee all of Assignor's right, title, and interest in and to the Leases as described below.

NOW, THEREFORE, for good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, and subject to the limited warranties, restrictions and conditions hereinafter mentioned, the parties hereto, intending to be legally bound, do covenant and agree as follows:

1. **Assignment**. Assignor does hereby grant, bargain, sell, convey, deliver, assign, set over and transfer, as of the Effective Date, to Assignee, its respective successors and assigns, forever, all of Assignor's right, title and interest in and to the Leases, and the lands covered thereby, together with all rights incident thereto and appurtenances thereon.

TO HAVE AND TO HOLD such right, title and interest in and to the Leases unto Assignee or its designee, and their respective successors and assigns, forever, in accordance with the provisions of this Assignment.

2. **Special Warranty**. Assignor represents and warrants that Assignor has not conveyed or otherwise encumbered (other than Permitted Encumbrances) its interest in the

Marshall County
Jan Pest, Clerk
Instrument 1440860
05/25/2018 @ 02:36:09 PM
ASSIGNMENTS
Book 42 @ Page 109
Pages Recorded 9
Recording Cost \$ 15.00

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

WV-ADR-0009

03/12/2021



January 15, 2021

WV Department of Environmental Protection
Office of Oil & Gas
601 57th Street, SE
Charleston, WV 25304
Attention: Wade Stansberry

RE: Van Winkle S-8HM

Subject: Marshall County Route 74 Road Crossing Letter

Dear Wade:

Tug Hill Operating, LLC (THO) hereby submits this letter as confirmation that THO has obtained the right to drill, extract and produce the minerals under Marshall County Route 74 in the area reflected on the Van Winkle S-8HM well plat. THO has conducted a full title search in the relevant Court House to confirm its ownership under said County Routes and is not currently aware of any recorded document that would suggest an ownership other than THO.

If your office has any questions or concerns regarding the contents of this letter, please do not hesitate to contact me directly at 304-376-0111, or by email at amorris@tug-hilop.com.

Sincerely,

A handwritten signature in blue ink that reads "Amy Morris".

Amy Morris
Permit Specialist – Appalachia Region
Cell 304-376-0111
Email: amiller@tug-hilop.com

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

03/12/2021

WW-6AC
(1/12)

RECEIVED
Office of Oil and Gas

JAN 22

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
WV Department of Environmental Protection NOTICE CERTIFICATION

Date of Notice Certification: 01/19/2021

API No. 47- 051
Operator's Well No. Van Winkle-S-8HM
Well Pad Name: Hunter Pethel

Notice has been given:

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State: <u>West Virginia</u>	UTM NAD 83	Easting: <u>523,396.73</u>
County: <u>Marshall</u>		Northing: <u>4,403,564.45</u>
District: <u>Meade</u>	Public Road Access: <u>County Route 74</u>	
Quadrangle: <u>Glen Easton 7.5'</u>	Generally used farm name: <u>XcL Midstream Operating, LLC</u>	
Watershed: <u>Fish Creek (HUC 10)</u>		

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following: *PLEASE CHECK ALL THAT APPLY		OOG OFFICE USE ONLY
<input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED		<input type="checkbox"/> RECEIVED/NOT REQUIRED
<input checked="" type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED		<input checked="" type="checkbox"/> RECEIVED
<input type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or <input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)		<input type="checkbox"/> RECEIVED/NOT REQUIRED
<input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION		<input checked="" type="checkbox"/> RECEIVED
<input checked="" type="checkbox"/> 5. PUBLIC NOTICE		<input checked="" type="checkbox"/> RECEIVED
<input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION		<input checked="" type="checkbox"/> RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.


03/12/2021

WW-6AC
(1/12)

Certification of Notice is hereby given:

THEREFORE, I Amy L. Morris, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	<u>Tug Hill Operating, LLC</u>	Address:	<u>380 Southpointe Boulevard, Plaza II, Suite 200</u>
By:	<u><i>Amy L. Morris</i></u>		<u>Canonsburg, PA 15317</u>
Its:	<u>Permitting Specialist - Appalachia Region</u>	Facsimile:	<u>724-338-2030</u>
Telephone:	<u>724-749-8388</u>	Email:	<u>amorris@tug-hillop.com</u>



Subscribed and sworn before me this 19 day of JANUARY, 2021
David Gabriel Delallo Notary Public

My Commission Expires 2/16/24

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

WW-6A
(9-13)

API NO. 47-051 -
OPERATOR WELL NO. Van Winde S-8HM
Well Pad Name: Hunter Pethtel

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF APPLICATION

Notice Time Requirement: notice shall be provided no later than the filing date of permit application.

Date of Notice: 1/28/2021 Date Permit Application Filed: 1/19/2021

Notice of:

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

Delivery method pursuant to West Virginia Code § 22-6A-10(b)

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice WSSP Notice ERS Plan Notice Well Plat Notice is hereby provided to:

SURFACE OWNER(s)

Name: Xcl Midstream Operating, LLC (Well Pad & Access Road)
Address: 380 Southside Boulevard, Plaza II, Suite 216
Canonsburg, PA 15317

Name: Frank E. & Mary Virginia Pethtel, Life Estate (Well Pad)
Address: 8845 Fish Creek Road
Canonsburg, WV 26025

SURFACE OWNER(s) (Road and/or Other Disturbance)

Name: Regina M. & Aaron D. Murray, Remainderman
Address: 5 Mound Manor
St. Mary's, WV 26170
Name: _____
Address: _____

SURFACE OWNER(s) (Impoundments or Pits)

Name: _____
Address: _____

COAL OWNER OR LESSEE

Name: CNX Land, LLC
Address: 1000 Conestoga Energy Drive
Canonsburg, PA 15317

COAL OPERATOR

Name: _____
Address: _____

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)

Name: *See attached
Address: _____

OPERATOR OF ANY NATURAL GAS STORAGE FIELD

Name: _____
Address: _____

*Please attach additional forms if necessary

RECEIVED
Office of Oil and Gas
FEB 03 2021

WV Department of
Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

WW-6A
(8-13)

API NO. 47-051 -
OPERATOR WELL NO. Van Winkle S-8HM
Well Pad Name: Hunter Pethel

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

RECEIVED
Office of Oil and Gas

FEB 03 2021

WV Department of
Environmental Protection

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

WW-6A
(8-13)

4705102357

API NO. 47-051 -
OPERATOR WELL NO. Van Winkle S-8HM
Well Pad Name: Hunter Pethel


Notice is hereby given by:

Well Operator: Tug Hill Operating, LLC
Telephone: 724-749-8388
Email: amorris@tug-hilltop.com *amorris*

Address: 390 Southpointe Boulevard, Plaza II, Suite 200
Canonsburg, PA 15317
Facsimile: 724-338-2030

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.



Subscribed and sworn before me this 26th day of January 2021
Susanne Deliere Notary Public
My Commission Expires 1/15/2025

RECEIVED
Office of Oil and Gas
FEB 03 2021
WV Department of Environmental Protection

03/12/2021

Exhibit WW-6A**Supplement Pg. 1A**

Tug Hill Operating, LLC
 380 Southpointe Blvd, Suite 200
 Cannonsburg, PA 15137


Residences within Two-Thousand Feet (2,000')

Well: Van Winkle S – 8HM
 District: Meade
 State: WV

There are four (4) possible residences, one (1) possible commercial or business site, no churches, no schools and no emergency facilities within two-thousand feet (2,000') of the above referenced well location. Number 6 is a water well only and is not a residence.

Residence (#1) TM 13 Pcl. 6 Mary Virginia Pethtel Phone: 304-684-2646, 304-845-3423 Physical Address: None Found – Possible Mobile Home Tax Address: 9845 Fish Creek Rd Glen Easton, WV 26039	Residence (#2) TM 13 Pcl. 7 Mary Virginia Pethtel Phone: 304-684-2646, 304-845-3423 Physical Address: 9845 Fish Creek Rd Glen Easton, WV 26039 Tax Address: Same	Commercial/Business (#3)* TM 13 Pcl. 5 Xcl Midstream Operating, LLC Phone: 1-888-751-0434 Physical Address: 9269 Fish Creek Rd. Glen Easton, WV 26039 Tax Address: 1320 S University DR STE 500 Fort Worth, TX 76107 *Physical address appears to be related to Oil & Gas Well Pad.
Residence (#4) TM 13 Pcl. 5 Xcl Midstream Operating, LLC Phone: 1-888-751-0434 Physical Address: None Found – Appears to be newer home Tax Address: 1320 S University DR STE 500 Fort Worth, TX 76107	Residence (#5) TM 13 Pcl. 5 Xcl Midstream Operating, LLC Phone: 1-888-751-0434 Physical Address: 9201 Fish Creek Rd. Glen Easton, WV 26039 Tax Address: 1320 S University DR STE 500 Fort Worth, TX 76107	(#6) Water Well Only (No Residence) Joseph L. Blake & Michael A. Walker 1207 Roberts Ridge Rd. Moundsville, WV 26041

PROPOSED VAN WINKLE S - 8HM 4705102357



NOTE: THERE APPEARS TO BE SIX (6) POSSIBLE WATER SOURCES WITHIN 2,000'. NUMBER 6 IS A WATER WELL ONLY (NO RESIDENCE).



12 Vanhorn Drive | P.O. Box 150 | Glenville, WV 26351 | 304.462.5634
 1412 Kanawha Boulevard, East | Charleston, WV 25301 | 304.346.3952
 254 East Beckley Bypass | Beckley, WV 25801 | 304.255.5296
 slswv.com

TOPO SECTION:		OPERATOR:	
GLEN EASTON 7.5'		PREPARED FOR:	
COUNTY	DISTRICT	TUG HILL OPERATING, LLC	
MARSHALL	MEADE	380 SOUTHPOINTE BLVD	
		SUITE 200	
		CANONSBURG, PA 15317	
DRAWN BY	JOB NO.	DATE	SCALE
K.G.M.	8952	12/24/2020	1" = 1000'



TUG HILL
OPERATING

03/12/2021

**STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF ENTRY FOR PLAT SURVEY**

Notice Time Requirement: Notice shall be provided at least **SEVEN (7)** days but no more than **FORTY-FIVE (45)** days prior to entry

Date of Notice: 12/11/2020 **Date of Planned Entry:** 12/18/2020

Delivery method pursuant to West Virginia Code § 22-6A-10a

- PERSONAL SERVICE
 REGISTERED MAIL
 METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to West Virginia Code § 22-6A-10(a), Prior to filing a permit application, the operator shall provide notice of planned entry on to the surface tract to conduct any plat surveys required pursuant to this article. Such notice shall be provided at least seven days but no more than forty-five days prior to such entry to: (1) The surface owner of such tract; (2) to any owner or lessee of coal seams beneath such tract that has filed a declaration pursuant to section thirty-six, article six, chapter twenty-two of this code; and (3) any owner of minerals underlying such tract in the county tax records. The notice shall include a statement that copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, which statement shall include contact information, including the address for a web page on the Secretary's web site, to enable the surface owner to obtain copies from the secretary.

Notice is hereby provided to:

SURFACE OWNER(s)

Name: XcL Midstream Operating, LLC (Well Pad & Access Road)
Address: 380 Southpointe Boulevard, Plaza II, Suite 215
Canonsburg, PA 15317

Name: Frank E. & Mary Virginia Pethtel, Life Estate (Well Pad)
Address: 9845 Fish Creek Road
Glen Easton, WV 26039

Name: Regina M. & Aaron D. Murray, Remainderman
Address: 5 Mound Manor
St. Marys, WV 26170

COAL OWNER OR LESSEE

Name: CNX Land, LLC
Address: 1000 Consol Energy Drive
Canonsburg, PA 15317

MINERAL OWNER(s)

Name: Frank E. & Mary Virginia Pethtel, Life Estate
Address: 9845 Fish Creek Road
Glen Easton, WV 26039 ****See attached list**

*please attach additional forms if necessary

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(a), notice is hereby given that the undersigned well operator is planning entry to conduct a plat survey on the tract of land as follows:

State:	<u>West Virginia</u>	Approx. Latitude & Longitude:	<u>39.78176850; -80.72661368</u>
County:	<u>Marshall</u>	Public Road Access:	<u>County Route 74</u>
District:	<u>Meade</u>	Watershed:	<u>Middle Fish Creek</u>
Quadrangle:	<u>Glen Easton 7.5'</u>	Generally used farm name:	<u>XcL Midstream Operating, LLC</u>

Copies of the state Erosion and Sediment Control Manual and the statutes and rules related to oil and gas exploration and production may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450). Copies of such documents or additional information related to horizontal drilling may be obtained from the Secretary by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Notice is hereby given by:

Well Operator: Tug Hill Operating, LLC
Telephone: 724-749-8388
Email: amorris@tug-hillap.com

Address: 380 Southpointe Boulevard, Plaza II, Suite 200
Canonsburg, PA 15317
Facsimile: 724-338-2020

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

03/12/2021

4705102357

WW-6A3 Notice of Entry for Plat Survey
Additional Parties to Notice
Van Winkle Wells

Additional Mineral Owner:
Dennis W. Hunter
3322 Rainbow Lane
North Ft. Myers, FL 33903



RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

03/12/2021

WW-6A5
(1/12)

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS
NOTICE OF PLANNED OPERATION

Notice Time Requirement: notice shall be provided no later than the **filing date of permit application.**

Date of Notice: 01/19/2021

Date Permit Application Filed: 01/19/2021

RECEIVED
Office of Oil and Gas

Delivery method pursuant to West Virginia Code § 22-6A-16(c)

CERTIFIED MAIL HAND
RETURN RECEIPT REQUESTED DELIVERY

JAN 22

WV Department of
Environmental Protection

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter; (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

Notice is hereby provided to the SURFACE OWNER(s)

(at the address listed in the records of the sheriff at the time of notice):

Name: XcL Midstream Operating, LLC

Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Name: Frank E. & Mary Virginia P. Intel (Life Estate)

Address: 9845 Fish Creek Road

Glen Easton, WV 26039

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83 Easting:	<u>523,396.73</u>
County:	<u>Marshall</u>	Northing:	<u>4,403,564.45</u>
District:	<u>Meade</u>	Public Road Access:	<u>County Route 74</u>
Quadrangle:	<u>Glen Easton 7.5'</u>	Generally used farm name:	<u>XcL Midstream Operating, LLC</u>
Watershed:	<u>Fish Creek (HUC 10)</u>		

This Notice Shall Include:

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by **W. Va. Code § 22-6A-10(b)** to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oil-and-gas/pages/default.aspx.

Well Operator: Tug Hill Operating, LLC

Telephone: 724-749-8388

Email: amorris@tug-hillop.com

Address: 380 Southpointe Boulevard, Plaza II, Suite 200

Canonsburg, PA 15317

Facsimile: 724-338-2030

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

03/12/2021

4705102357

**Additional Surface Owner – Van Winkle Wells
WW-6A5**

Regina M. & Aaron D. Murray ✓
5 Mound Manor
St. Marys, WV 26170

RECEIVED
Office of Oil and Gas

JAN 22

WV Department of
Environmental Protection

03/12/2021



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110
Charleston, West Virginia 25305-0430 • (304) 558-3505

Byrd E. White, III
Secretary of Transportation/
Commissioner of Highways

January 20, 2021

Jimmy Wriston, P. E.
Deputy Secretary/
Deputy Commissioner

James A. Martin, Chief
Office of Oil and Gas
Department of Environmental Protection
601 57th Street, SE
Charleston, WV 25304

RECEIVED
Office of Oil and Gas

JAN 22

Subject: DOH Permit for the Hunter-Pethtel Pad, Marshall County
Van Winkle S-8HM Well Site

WV Department of
Environmental Protection

Dear Mr. Martin,

This well site will be accessed from a DOH permit #06-2009-0275 which has been transferred to Tug Hill Operating for access to the State Road for a well site located off Marshall County Route 74 SLS.

This operator is in compliance with §22-6A-20 of the WV Code. Operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated October 1, 2018. This letter is valid for permitting purposes for one year from this letter's date.

Very Truly Yours,

Gary K. Clayton, P.E.
Regional Maintenance Engineer
Central Office O&G Coordinator

Cc: Amy Morris
Tug Hill Operating
CH, OM, D-6
File



JAN 22


PLANNED ADDITIVES TO BE USED IN FRACTURING OR STIMULATION WV Department of
Environmental Protection

Van Winkle Wells

PRODUCT NAME:	CHEMICAL DESCRIPTION:	PRODUCT USE:	HAZARDOUS COMPONENT:
GBW-20C	Hemicellulase Breaker	Breaker - Water	None
ALPHA 1427		Biocide	Glutaraldehyde – CAS#000111-30-8 Quaternary ammonium chloride CAS# 007173-51-5 Alky dimethyl benzyl ammonium Chloride (C12-16) – CAS#068424-85-1 Ethanol – CAS# 000064-17-5 Water – CAS# 007732-18-5
FRAC SAND	Silica Sand (various Mesh sizes)	Proppant	Crystalline silica (quartz) CAS# 14808-60-7
S-8C, Sand	Silica Sand (100 mesh)	Sand	Silica – CAS# 14808-60-7
GW-3LDF		Gellant - Water	Petroleum Distillate Blend – Proprietary, (Not Associated with Diesel Fuel) Guar gum – CAS# 009000-30-0
FRW-18		Friction Reducer	Hydrotreated light distillate CAS# 064742-47-8
Scaletrol		Scale Inhibitor	Ethylene glycol – CAS# 000107-21-1 Diethylene glycol – CAS# 000111-46-6

Hunter Pethel Well Site
Tug Hill Operating
Exhibit A: Final Design: Issue for Permitting

XcL Midstream
 Operating, LLC
 TM: 13
 Parcel: 5



NOTE: All surface boundaries and elevations are based on boundary evidence collected with existing grade (RTS) elevations.



Legend


Optimal Closed 2" Closure	24" Compact Fiber Rock	WV Wellhead
Optimal Closed 18" Closure	Super Size Facer	WV Wellhead
Design 2" Closure	Limit of Disturbance	Production Pool Construction
Design 18" Closure	Area of Impact	Existing Area Construction
Center of Structure	Existing Utility Pole Line	Access Road Construction
Fractured Area	Existing Fence	Utility/Energy Material
	Property Line	Additional Closure
		Final Disturbed Area
		Final Disturbed Area
		Final Disturbed Area

Disturbed Area

Well Pad Construction	43,747
Production Pool Construction	1,127,262
Existing Area Construction	2,740,421
Access Road Construction	1,278,262
Utility/Energy Material	1,117,421
Additional Closure	1,278,262
Final Disturbed Area	10,025,421


Acreage Report

Parcel/Owner	TM: Parcel	Acres	Acres Length	Type
Parcel 1	135	1,546.27	1,546.27	Well Pad Access Road
Parcel 2	135	91.97	91.97	Production Pool Access Road
Parcel 3	135	227.11	227.11	Existing Area Access Road




TUG HILL OPERATING
 Hunter Pethel Well Site
 Made District
 Marshall County, WV
 Date: 12/04/2020
 Scale: As Shown
 Designed By: ZS
 File No:
 Sheet 9 of 13

Hunter Pethtel Well Site
Tug Hill Operating
Exhibit A: Final Design: Issue for Permitting



APPROVED
WVDEP OOG
 2/24/2021



Well Pad Location	Disturbed Area
West Pad Construction	181,742
Production Pad Construction	1,132,262
Staging Area Construction	0,000
Storage Tank Construction	1,292,262
Gravel Pad Construction	1,132,262
Additional Infrastructure	1,292,262
Total Disturbed Area	10,000,000
Total Well Pad Area	0,000,000
Total Staging Area	0,000,000
Total Production Pad Area	0,000,000
Total Storage Tank Area	0,000,000
Total Gravel Pad Area	0,000,000
Total Additional Infrastructure	0,000,000

Legend	Symbol
Original Ground Elevation	Blue Dotted Line
Disturbed Area	Green Shaded Area
Staging Area	Orange Shaded Area
Production Pad	Yellow Shaded Area
Storage Tank	Red Shaded Area
Gravel Pad	Light Blue Shaded Area
Additional Infrastructure	Dark Blue Shaded Area
Well Pad	Blue Dotted Line
Production Pad	Blue Dotted Line
Storage Tank	Blue Dotted Line
Gravel Pad	Blue Dotted Line
Additional Infrastructure	Blue Dotted Line
ASB Well#1 (20M)	Blue Circle
ASB Well#2 (20M)	Blue Circle
ASB Well#3 (20M)	Blue Circle
ASB Well#4 (20M)	Blue Circle
ASB Well#5 (20M)	Blue Circle
ASB Well#6 (20M)	Blue Circle
ASB Well#7 (20M)	Blue Circle
ASB Well#8 (20M)	Blue Circle
ASB Well#9 (20M)	Blue Circle
ASB Well#10 (20M)	Blue Circle
ASB Well#11 (20M)	Blue Circle
ASB Well#12 (20M)	Blue Circle
ASB Well#13 (20M)	Blue Circle
ASB Well#14 (20M)	Blue Circle
ASB Well#15 (20M)	Blue Circle
ASB Well#16 (20M)	Blue Circle
ASB Well#17 (20M)	Blue Circle
ASB Well#18 (20M)	Blue Circle
ASB Well#19 (20M)	Blue Circle
ASB Well#20 (20M)	Blue Circle

TUG HILL OPERATING

THIS DOCUMENT PREPARED FOR TUG HILL OPERATING

Kelly Services

Hunter Pethtel Well Site
 Meade District
 Marshall County, WV

Date: 12/04/2020
 Scale: As Shown
 Designed By: ZS
 File No:
 Sheet 10 of 13