



COAL OWNED BY T.L. ROGERSON

- New Location...
- Drill Deeper...
- Abandonment...

FEB 11 1941

Company THE MANUFACTURERS LIGHT & HEAT CO.

Address 800 UNION TRUST BLDG. PITTSBURGH PA.

Farm HENRY WENDT-NOW-PRISCILLA STRAIGHT

Tract Acres 98A 15P. Lease No. 2245

Well (Farm) No. 1 Serial No. 2323

Elevation (Spirit Level) 1223'

Quadrangle CAMERON S.E. 1/4

County MARSHALL District LIBERTY

Engineer J. C. McCarver

Engineer's Registration No.

File No. Drawing No. 10-4

Date JANUARY 30-1941 Scale 1" = 800'

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

WELL LOCATION MAP

File No. MARS-150A

- Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

200

Ab K-A

WELL RECORD

Permit No. Drilled in 1918

Oil or Gas Well Gas  
(Kind)

Company The Manufacturers Light & Heat Co.  
Address 800 Union Trust Bldg., Pittsburgh, Pa.  
Farm Henry Handt Acres 10 1/4  
Location (waters) \_\_\_\_\_  
Well No. 1 - 2323 Elev. 1223 ft  
District Liberty County Marshall  
The surface of tract is owned in fee by Paul Heironimus Address Cameron, W. Va.  
Mineral rights are owned by The Mfrs L. & H Co.  
800 Union Trust Bldg., Address Pittsburgh, Pa.  
Drilling commenced Oct. 21, 1918  
Drilling completed Dec. 11, 1918  
Date shot \_\_\_\_\_ Depth of shot \_\_\_\_\_  
Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	303*6"	303*6"	Size of
8 1/4	1130*5"	1130*5"	
6 5/8	1592*	1592*	Depth set
5 3/16	2221*9"	2221*9"	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. FT. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 10 1/4 FEET 96 INCHES  
FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Pittsburgh Coal			101 1/4	1052			
Lime			1052	1100			
Murphy Sand			1265	1280			
Lime			1380	1400			
Lime			1460	1490			
Lime			1530	1600			
Lime			1681	1704			
Gas Sand			1704	1768	Little water 1710		
Lime			1832	1864	Big water 1753		
Salt Sand			1864	2154			
Lime			2160	2189			
Lime			2194	2255			
Big Injun			2255	2502			
Squaw Sand			2600	2651			
30-Foot Sand			2854	2896			
Lime			2905	2915			
Lime			2935	2955			
50-Foot Sand			3037	3062			
Gordon Stray			3095	3103			
Gordon Sand			3108	3125			
4th Sand			3140	3146			
5th Sand			3175	3180			
Slate			3180	3230			
Total depth				3230			

