

COAL OWNED BY I. L. ROGERSON - MOUNDSVILLE W.VA

NEW LOCATION
 DRILL DEEPER
 ABANDONMENT

COMPANY THE MANUFACTURERS LIGHT AND HEAT CO.
 ADDRESS 800 UNION TRUST BLDG. PITTSBURGH, PA.
 FARM GEORGE E. TODD
 TRACT ACRES 124 LEASE NO. 2066
 WELL (FARM) NO. 2 SERIAL NO. 2745
 ELEVATION (SPIRIT LEVEL) 1215'
 QUADRANGLE CAMERON (S.E. 1/4)
 COUNTY MARSHALL DISTRICT CAMERON
 ENGINEER *J. M. ...*
 ENGINEER'S REGISTRATION NO. ...
 FILE NO. ... DRAWING NO. Y-11-123
 DATE APRIL 3 1945 SCALE 1" = 800'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

FILE NO. MARS-217-A

1 DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS. SCALE 1 TO 62,500. LATITUDE AND LONGITUDE LINES BEING REPRESENTED BY BORDER LINES AS SHOWN.

NOTES ONE INCH SPACES ON BORDER LINE OF ORIGINAL ...



113
683

258

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

WELL RECORD

217-A
Permit No. Drilled in 1922



Oil or Gas Well Gas
(KIND)

Company The Manufacturers Light & Heat Co.
 Address 800 Union Trust Bldg., Pittsburgh, Pa.
 Farm George E. Todd Acres 12 1/4
 Location (waters) _____
 Well No. 2 - 2745 Elev. 1215 ft.
 District Cameron County Marshall
 The surface of tract is owned in fee by George Todd
R. D. 1 Address Cameron, WVa.
 Mineral rights are owned by The Mfrs L & H Co.
800 Union Trust Bldg Address Pittsburgh, Pa.
 Drilling commenced 11/3/22
 Drilling completed 12/11/22
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16.			Kind of Packer
18.			
10.	253'	253'	Size of
8 1/4.	1196.6	616.6	6 5/8 x 4
6 1/2.	1932	1932	Depth set
5 3/16.			2553
3.			Perf. top
2.			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 779 FEET 84 INCHES
493 FEET 36 INCHES 680 FEET 48 INCHES
1534 FEET 48 INCHES _____ FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay			0	14			
Sand			14	40			
Slate			40	260			
Limestone			260	330			
Slate & Lime			330	460			
Bluff Sand			460	493			
Waynesburg Coal			493	496			
Lime			496	680			
Mapletown Coal			680	684			
Limestone			684	765			
Slate			765	779			
Pittsburgh Coal			779	786			
Manassas Lime			786	876			
Sand - Murphy			876	923	Gas at 889		
Red Rock			923	936			
Sand			936	956			
Red Stone			956	964			
Lime			964	982			
Red Rock			982	1015			
Slate & Lime			1015	1036			
Red Rock			1036	1115			
Lime			1115	1151			
Red Rock			1151	1178			
Limestone			1178	1188			
Red Rock			1188	1192			
Little Dunkard			1192	1255			
Slate			1255	1285			
Pink Rock			1285	1290			
Big Dunkard			1290	1341			
Slate & Shells			1341	1398			
Gas Sand			1398	1427			
Slate & Shells			1427	1492			
Salt Sand			1492	1534			
Coal			1534	1538			
Limestone			1538	1548			
Slate			1548	1584			
Salt Sand			1584	1624			
Slate & Shells			1624	1710			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
alt Sand			1710	1758			
Slate & Shells			1758	1852			
Limestone			1852	1871			
Slate			1871	1886			
Maxon Sand			1886	1904			
Slate & Lime			1904	1932			
Big Lime			1932	1969			
Big Injun			1969	2212			
Slate & Shells			2212	2300			
Berea Grit			2300	2420			
Slate & Shells			2420	2543			
Gantz Sand			2543	2567			
Slate, Lime, Shells			2567	2648			
Pink Rock			2648	2705			
Slate			2705	2730			
50-Foot Sand			2730	2751	Gas 2733 to	2738	
Slate			2751	2799			
Gordon Sand			2799	2839			
Slate			2839	2874			
4th Sand			2874	2881			
Slate			2881	2896			
5th Sand			2896	2902	Some gas at	2898	
Slate			2902	2957			
Total depth				2957			

Date April 3rd, 1945

APPROVED THE MANUFACTURERS LIGHT & HEAT COMPANY, Owner

By Sam H. Fowler
Land Dept. (Title) Office Manager