

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

February 23, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-4700749, issued to ENERGY DEVELOPMENT CORPORATION, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: 8

Farm Name: RUSSNAK, STEVE & ETHEL

API Well Number: 47-4700749 Permit Type: Plugging

Date Issued: 02/23/2015

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date Septe	24	20 14		
2)Operator	's			
Well No.	EDC #8			
3) API Well	No.	47-047	- 0749	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4)	Well Type: Oil <u>x</u> / Gas/ Liquid (If "Gas, Production <u>x</u> or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow_X_
5)	Location: Elevation 2177' District Sandy River 6	Watershed Atwell Branch County McDowell Quadrangle Brashaw 261
6)	Well Operator Address Energy Development Corp P.O. Box 1049 Bluefield, VA 24605	7) Designated Agent Sandra K. Belcher Address 160 Kade Hollow Road Bluefield, WV 24701
8)	Oil and Gas Inspector to be notified Name Gary Kennedy Address P.O. Box 268 Nimitz, WV 25978	9) Plugging Contractor Name Address
1. 2. 3. 4. 5. 6. 7. 8. 9.		instructions) Aquo'-4650' and tap plug Alog Fraperior a collar e 4-1/2" casing cut from surface
wor	k can commence.	il and gas inspector 24 hours before permitted
Wor	k order approved by inspector	Date 11/7/19

47-047-00749F

State of West Virginia DEPARTMENT OF ENERGY

Division of Oil and Gas

Well Operator's Report of Well Work

Farm Name: Russnak, Steve & Ethel	O _J	Operator Well No. EDC #8				
Location: Elevation: 2177'			Bradshaw	7.5		
District: Sandy River	Co	ounty: Mo	Dowell			
Latitude: 1,150 Feet South of	37 De	egrees	22 Mir	nutes	30 Seconds	
Longitude: 4,850 Feet West of	81 De	egrees	45 Mir	nutes	0 Seconds	
Company: Energy Development Corp. 534 Virginia Avenue						
Bluefield Va. 24605		Casing	Used	Left	Cement	
Agent: Sandra Belcher		&	in	in	Fill Up	
Inspector: Barry Stollings		Tubing	Drilling	Well	Cu. Ft.	
Permit Issued: 6/19/2002		16	34'	34'		
Well work Commenced: 8/13/2002		8 5/8	1888'	1888'	450 sks	
Well work Completed: 1/30/2003	<u> </u>					
Verbal Plugging Permission granted on: NA	n	4 1/2		4933'	100 sks	
Rotary X Cable Tool Rig	×				141 sks	
Total Depth (ft): LTD- 4967' DTD- 496	57' <u> </u>					
Fresh Water Depths (ft): 104'	:					
Salt Water Depths (ft): none						
Is coal being mined in area: No	ti i i i i i i i i i i i i i i i i i i	The second				
Coal Depths: 124-126', 328-330', 1175-1179', 1380-1	383', 1605	-1607			M	
OPEN FLOW DATA:						
Producing formation(s): NA		Pa	y zone dept	th (ft)	See back	
Gas: Initial open flow 0 MCF	D/D	Oil: Initial	open flow	0	Bbl/d	
Final open flow 0 MCF	/D	Final o	open flow	0	Bbl/d	
Time of open flow between initial a	nd final tes	sts: 0	Hours			
Static rock pressure 0	_psig (sur	face pressu	re) after	0	Hours	
Second producing formation(s): NA	*	Pa	y zone dept	h (ft)	See back	
Gas: Initial open flow MCF	7/D	Oil: Initial	open flow		Bbl/d	
Final open flow MCF	/D	Final o	open flow		Bbl/d	
Time of open flow between initial a	nd final tes	sts:	Hours	39		
Static rock pressure	_psig (sur	face pressu	re) after		Hours	
NOTE: ON THE BACK OF THIS FORM PUPERFORATED INTERVALS, FRACTURING OF 2.)THE WELL LOG WHICH IS A SYSTEMATALL FORMATIONS INCLUDING COAL	R STIMUL FIC DETA	ATING, P ILED GEO	HYSICAL LOGICAL	RECO	GE, ETC. RD OF	
			S _c	-Da	scelved	
FOR: Energy De	velopmer	nt Corpo	ration (Office	a series on key	
BY: //////	W.	D. Eva	ns_	NON	2 0 2014	
DATE: July 1	1, 2007	×				

API # 47-047-00749F page 2

8-13-2002

MIRU Fisher Well Surveys, set Bridge Plug at 2840'. Shot 4 squeeze holes from 2810-2811'. MIRU BJ Services, attempt to circulate prior to squeeze cement job. Could not establish circulation. SD, Rig down Fisher & BJ, move off location.

8-16-2002

Fill backside with water, MIRU BJ Services. Attempt to circulate prior to squeeze cement job. Could not establish circulation. SD, Rig down BJ, move off location.

1-22-2003

MIRU Schlumberger Well Services to squeeze 4 1/2" casing. Established circulation, pumped 141 sks Class A cement thru 4 squeeze holes at 2810'. Followed plug downhole with wireline to 2720'. SD, Rig down Schlumberger, move off location.

1-30-2003

MIRU Key Energy Surveys, ran bond log from 2596' up to 1782'. TOC at 2120'. Rig down Key, move off location. Waiting on swab rig/service rig.

See completion report filed on November 1, 1978 for additional information on formations, and original completion.

Office

NOV 2 0 2014





STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

Falcon Drilling Rig #2

WELL	RECORD

Rotary_X_ Oil. Gas_X Cable_ Comb. Recycling

1

Quadrangle Bradshaw Permit No. McD - 749

Producing Sand

Sand

Company Energy Development Corporation

Address P.O. Box 165, Bluefield, Va. 24605

Frac with 500 gal. HCl and

Berea

Water Flood___ Storage_ Disposal_ (Kind) Cement fill up Left Casing and Used in Cu. ft. (Sks.) Tubing Drilling in Well 341 7 sks. Crew

18881

4933

450 sks. Dow.

100 sks. Dow.

17 holes

Farm J.N. Harman III Acres 83			-
Location (waters) Atwell Br Elev 2185 EKB	Size 20-16		
District Big Creek County McDowell	Cond.	34'	_
The surface of tract is owned in fee by	13-10"		
Steve & Ethel Russnak	9 5/8		_
Address Newark, Delaware	** 8 5/8	1888'	
Mineral rights are owned by J.N. Harman III	7	l	
Address Welch, W. Va.	5 1/2		
Drilling Commenced 7-22-78	4 1/2		
Drilling Completed 8-3-78	3		
Initial open flow 21 M cu. ft bbls.	2		
Final production 169M cu. ft. per day bbls.	Liners Used		
Well open hrs. before test 850# RP.	-		-
Well treatment details:	Attach copy of	cementing recor	d.

Depth 4832 - 4848

Feet 1175-1179, 1380-1383 1605-1607 Coal was encountered at 124-126, 328-330 Salt Water_ Feet Fresh water

* Remarks Bottom Feet Oil, Gas or Water Formation Color Hard or Soft Top Feet Sub Base 10 15 Sandy Shale 67 -Sand 15 Sand & Shale 67 96 5' wat. 104' 96 124 Sand Coal 124 126 328 Sand 126 Coal 328 330 Received 339 330 Sand & Shale Office of Oil & Gas Sand 339 410 440 Sand & Shale 410 454 440 Sand NOV 20 2014. 454 1160 Sand & Shale 1175 Sand 1160 1179 Coal 1175 Sand 1179 1288 1380 Sand & Shale 1288 1380 1383 Coal Sand & Shale 1383 1605 1605 1607 Coal DIR 1904 1607 Sand & Shale Sand 1904 1988 Sand & Shale 1988 2360

2380


2360

^{*} Indicates Electric Log tops in the remarks section.

Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil. Gus or Water	· Remarks
Shale	2380	2394		8
Sand	2394	2484		× × ×
Shale & Sand	2484	2528		· ·
Lime	2528	2582		
Shale	2582	2634		$_{\circ}v$
Sand - Shaley Shale & Sand	2634	2702	8 *	*
Sand & Shale	2702 2860	2860 3108		63
Sand	3108	3168		
Sand & Shale	3168	3394		*
Shale	3394	3494		
Little Lime	3494	3544	g u	721
Shale ·	3544	3600		8
Big Lime	3600	4165	Gas chk 4700	No show
Shale & Sand	4165	4224	ii irme saar mise y	TOTAL CONTRACTOR
Sand & Shale, Weir	4224	4362		
Sand & Shale	4362	4493		
Shale	4493	4776		-
Coffee Shale	4776	4794		. Territoria de la companya della companya della companya de la companya della c
Berea	4794	4870		¥
Shale	4870	4936		
Sand, Shaley Shale	4936	4950		
TOTAL DEPTH	4950	4967		= "
TOTAL DELTI		4707		2
e ₈ %				•
Initial open flow 21 Mcf	per day			
5				镁
(0)				w [‡]
Logged by Birdwell				
	1	l l		
				· · · · · · · · · · · · · · · · · · ·
				90
1				941
*				911
*				911 *
*				911
			,	911
*				
*				· · · · · · · · · · · · · · · · · · ·
*				Received
*			*	Received
				Received Office of Oil & C
				Received Office of Oil & C
				Received Office of Oil & C
				Received Office of Oil & C
				Received Office of Oil & C
				Received Office of Oil & C
				Received Office of Oil & C Nuv 2 0 2014
				Received Office of Oil & C Nuv 2 0 2014
				Received Office of Oil & C Nuv 2 0 2014
				Received Office of Oil & C Nuv 2 0 2014
				Received Office of Oil & C Nuv 2 0 2014
				Received Office of Oil & C Nuv 2 0 2014
				NUV 20 CO.
				NUV 20 CO.
				NUV 20 CO.
				Received Office of Oil & C Nuv 2 0 2014
				NUV 20 CO.
				NUV 20 CO.
				NUV 20 CO.
				NUV 20 CO.

Date .	The second	11 7710	
APPRONEDEner	gy_Developm	ent Corpo	ration Owner
lt.	9 Gene	Hann	i Cons
		(Title)	

4700749P





Received GAS

02/27/2015

BOND CEMENT AND OR SONIC SEISMOGRAM LOG THE STATED THE FINISHED LOGGED INTERVAL LOGGED CEMENT TOP CEMENTINO DATA ANTER CEMENTINO DATA ANTER RUN NO. CEMENTINO DATA ANTER RUN NO. CEMENTINO DATA NEUTRON RULE RUN NO. CEMENTINO DATA NEUTRON RUN NO. CEMENTINO DATA NEUTRON RULE RUN NO. RUN NO. RUN NO. RUN NO. ORGANA RUN NO. OR	i Po RCZ	OPR. RECO	E 0 8	DEPTI BOTTO TOP L	DATE RUN NO. TYPE LOG		HBC-	4706749 P
THIS MEADING AND COUNTY NOT THE TOTAL AND CONTROL SETS AND THE TOTAL SETS AND THE S	віт	RIG TIM	DENSITY	H-LOG	ANENT MEASUR ING ME		-GR-93	.
WELL HARDING AND LOS CONFORMS TO APT RECOMMENDED STANDARD PRACTICE RY-32 NO DATE RECOMMENTED STANDARD PRACTICE RY-32 NO DATE RY-32 NO DATE RECOMMENTED STANDARD PRACTICE RY-32 NO DATE RY-32 N	B 0 2	BY EMP. D	LB./G	GER GED INTE	EASUF		3844	OND
THIS MEADING AND EQUIPMENT DATA (FROM DEFINAL LOGGED INTERVAL LOGGED CEMENT TOP) LOGGED CEMENT TOP CEMENTING DATA 1 2 SQUEZZE NO. 1 SQUEZZE NO. 1 SQUEZZE NO. 2 SQUEZZE NO. 1 SQUEZZE NO. 2 SQUEZZE NO. 1 SQUEZZE NO. 2 SQUEZZE NO. 1 SQUEZZE NO. 2 SQUEZZE NO. 3 SQUEZZE	FROM		F F	RVAL	ED FF		77 < 0	CE
FELD HERE THIS PRINCIPLE THI				VA F	ğ	OCAT	VELL_	M W
THIS HEADING AND LOG CONFORMS TO API RECOMMENDED STANDARD PRACTICE RP-32 (07) LOGGING AND EQUIPMENT DATA (BOND STANDARD PRACTICE RP-32 (07) DATE RECORDED 9-28-78 TOOL MODEL NO. 5547-0-0 DIAMETER 3,5" x 1,75" TOOL MODEL NO. 5547-0-1 LENGTH 17' (4' SPACING) CEMENTING DATA 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO		Z.m		222		ž		GAMM
FOLD HERE THIS HEADING AND LOG CONFORMS TO AP! RECOMMENDED STANDARD PRACTICE RP-32 (87) LOGGING AND EQUIPMENT DATA (BOND SEMENT LOG) DATE RECORDED 9-28-78 TOOL MODEL NO. 5547-0-0 DIAMETER 3,5" x 1,75" 17' (4' SPACING) CEMENTING DATA 1 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SETTING TIME (HRS.) TYPE CEMENT SACKS USED PRECEDING FLUID SK ADDITIVE SK STANDER SLURRY WEIGHT BREAKDOWN PRESSURE SURFACE MAX. PRESS. BOTTOM DATA RUN NO. LOG TYPE DIAM. 3,5" TOOL MODEL NO. 5547-0-0 DIAM. 3,5" TOOL MODEL NO. 5549-25 DIAM. TYPE SCINT. SENERAL SERIAL NO. SPACING TYPE STRENTH O2/27/2015				882 878 300	ABC B B -28-7	CDOWE	NERGY	A RAY
FOLD HERE	4-1	NEY			VE GI			LOG O
This heading and log conforms to api accommended standard practice apply (7)							#8	
FOLD HERE THIS HEADING AND LOG CONFORMS TO API RECOMMENDED BYANDRAD PRACTICE RP-32 (87) LOGGING AND EQUIPMENT DATA (BOND CEMENT LOG) DATE RECORDED 9-28-78 TOOL MODEL NO. 5547-0-0 17' (4' SPACING) CEMENTING DATA 1 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SPECIAL SQUEEZE NO. 3 SPACING PRECEDING FLUID SACKS USED PRECEDING FLUID SA ADDITIVE SA RETARDER SLURRY WEIGHT SREAKDOWN PRESSURE SURFACE MAX. PRESS. SOTTOM MAX. PRESS.							MENT	SEIS O
FOLD HERE	ASINO				OMSI	STATE	CORP	Moo
FOLD HERE	FROM 0				GRAM	II was	ORATI	I RAN
FOLD HERE	ORD				6 2 5	ОТНЕ	ON	
TOLD MERE THIS MEADING AND LOG CONFORMS TO AN I RECOMMENDED STANDARD PRACTICE RY-33 (P) LOGGING AND EQUIPMENT DATA (BOND CEMENT LOG) DAATE RECORDED 9-28-78 TOOL MODEL NO. 5547-0-0 DIAMETER 3,5" x 1,75" DIAMETER 17' (4' SPACING) CEMENTING DATA CEMENTING DATA CEMENTING DATA 12 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 4 SQUEEZE NO. 5 SQUEEZE						R SERV		ြ
LOGGING AND EQUIPMENT DATA (BOND CEMENT LOG)						/ICES:	=	
DATE RECORDED DATE RECORDED 9-28-78 TOOL MODEL NO. 5547-0-0 DIAMETER 3,5" x 1.75" LENGTH 17' (4' SPACING) COGGED INTERVAL 4878' - 4300' COGGED CEMENT TOP CEMENTING DATA 1 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 4 SQUEEZE NO. 5 SQUEEZE NO. 5 SQUEEZE NO. 5 SQUEEZE NO. 5 SQUEEZE NO. 6 SQUEEZE NO. 6 SQUEEZE NO. 6 SQUEEZE NO. 7 SQUEEZE NO. 7 SQUEEZE NO. 7 SQUEEZE NO. 8 SQUEEZE NO. 9 SQUEEZE NO. 9 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 9 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQ	FOLD HERE	Ť	HIS HEAD					
DIAMETER 3.5" x 1.75"	DATE RECORDED		9-28	III— The Control of t	DEQUIPMENT			
CEMENTING DATA		1					3.5" x 1.75	ii .
CEMENTING DATA 1 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 4 SQUEEZE NO. 5 SQUEEZE NO. 6 SQUEEZE NO. 6 SQUEEZE NO. 7 SQUEEZE NO. 7 SQUEEZE NO. 8 SQUEEZE NO. 8 SQUEEZE NO. 8 SQUEEZE NO. 8 SQUEEZE NO. 9 SQUEEZE NO			4070	12001		LENGTH	17' (4' SPA	CING)
1 2 SQUEEZE NO. 1 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 3 SQUEEZE NO. 2 SQUEEZE NO. 3 SQUEEZE NO. 4 SQUEEZE NO. 2 SQUEEZE NO. 5 SQUEEZE NO. 4 SQUEEZE NO. 2 SQUEEZE NO. 5 SQUEEZE NO. 6 SQUEEZE NO. 7 SQUEEZE NO.		OP.	40/0	- 4300				
DATE AND HOUR SET SETTING TIME (HRS.) YPE CEMENT AGKS USED PRECEDING FLUID % ADDITIVE % RETARDER SURFACE MAX. PRESS. SOTTOM MAX. PRESS. SOTTOM MAX. PRESS. SOTTOM MODEL NO. DIAM. 3.5" DIAM. ONE CELECT. MODEL NO. DIAM. DETECT. MODEL NO. DIAM. STYPE SCINT. LENGTH JUM. DIST. TO N. SOURCE SENERAL S							_	
SETTING TIME (HRS.) TYPE CEMENT SACKS USED **PRECEDING FLUID **ADDITIVE **RETARDER **SURFACE MAX. PRESS. **BOTTOM MAX. PRESS.	ATE AND HOUR SE	T	-	1	2	SQUEEZE NO. 1	SQUEEZE NO. 2	SQUEEZE NO
RACKS USED PRECEDING FLUID % ADDITIVE % RETARDER % RETARDER SURFACE MAX. PRESS. BOTTOM MAX. PRESS. BOTTOM MAX. PRESS. GAMMA RAY RUN NO. ONE DIAM. DIAM. 3.5" DIAM. DIAM. DISTECT. MODEL NO. DIAM. TYPE SCINT. LENGTH 3" LENGTH 3" DETECT. MODEL NO. SEMPAL DIST. TO N. SOURCE DIAM. SERIAL NO. GENERAL SERIAL NO. HOIST TRUCK NO. 1480 TYPE STRENGTH DO2/27/2015			ļ		 			
### RECEDING FLUID ### ADDITIVE ### RETARDER ### SELURRY WEIGHT #### SELURRY WEIGHT ##### SELURRY WEIGHT ###################################	YPE CEMENT							
% ADDITIVE % RETARDER \$LURRY WEIGHT BREAKDOWN PRESSURE \$URFACE MAX. PRESS. \$BOTTOM MAX. PRESS. \$BOTTOM MAX. PRESS. \$URN NO. \$UN NO				\			_	
% RETARDER SLURRY WEIGHT BREAKDOWN PRESSURE SURFACE MAX. PRESS. BOTTOM MAX. PRESS. GAMMA RAY RUN NO. POOL MODEL NO. DETECT. MODEL NO. DETECT. MODEL NO. TYPE SCINT. LENGTH 3" DIST. TO N. SOURCE GENERAL BOURCE MODEL NO. SPACING SPACING HOIST TRUCK NO. 1480 TYPE STRONGTH STRENGTH O2/27/2015	7 2 m 7 m 6 7 7 7 m 7 7 m 7 m 7 m 7 m 7 m 7				 		+	
BREAKDOWN PRESSURE SURFACE MAX. PRESS. BOTTOM MAX. PRESS. BOTTOM MAX. PRESS. BOTTOM M						-,.		
SURFACE MAX. PRESS. BOTTOM MAX. PRESS. GAMMA RAY RUN NO. RUN NO. DIAM. DIAM. DETECT. MODEL NO. S549-25 DIAM. TYPE SCINT. LENGTH DIST. TO N. SOURCE GENERAL HOIST TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH DETECT. MODEL NO. STRENGTH DETECT. MODEL NO. SERIAL NO. SPACING TYPE DIST. TRUCK NO. 1480 TYPE DIAM. DETECT. MODEL NO. SERIAL NO. SERIAL NO. STRENGTH DIAM. DETECT. MODEL NO. SERIAL NO. SERIAL NO. STRENGTH DIAM. DIAM. DETECT. MODEL NO. SERIAL NO. SERIAL NO. STRENGTH DIAM. DIAM. DIAM. DIAM. DETECT. MODEL NO. DIAM. DETECT. MODEL NO. TYPE DIAM. SERIAL NO. SERIAL NO. STRENGTH DIAM. DI	SLURRY WEIGHT					2 -2 -		
GAMMA RAY			ļ					
RUN NO. ONE RUN NO. COLUMN NO. COL			1	3"				
RUN NO. ONE RUN NO. TOOL MODEL NO. 5547-0-0 LOG TYPE DIAM. 3.5" TOOL MODEL NO. DIAM. DETECT. MODEL NO. DIAM. DETECT. MODEL NO. SOURCE MODEL NO. SOURCE MODEL NO. SERIAL NO. SERIAL NO. SPACING INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH D2/27/2015			MMA RAY	,			NEUTRON	Ille.
TOOL MODEL NO. 5547-0-0 LOG TYPE	RUN NO.	ONE		- 1		RUN NO.		
DIAM. 3.5" TOOL MODEL NO. DIAM. DIAM. DIAM. DETECT. MODEL NO. DIAM. DETECT. MODEL NO. SOURCE MODEL NO. SOURCE MODEL NO. SERIAL NO. SPACING DETECT. MODEL NO.			-0-0		M. W.	LOG TYPE		and a
TYPE SCINT. DETECT. MODEL NO. OFFICE SCINT. DETECT. MODEL NO. OFFICE O	DIAM.	3.5"			1 8 12 1		Flat Silv	
LENGTH 3" LENGTH DIST. TO N. SOURCE LENGTH SOURCE MODEL NO. SERIAL NO. SERIAL NO. HOIST TRUCK NO. 1480 INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH O2/27/2015	The state of the s				-		- ARCROLO	III GA TAND
DIST. TO N. SOURCE GENERAL GENERAL SERIAL NO. HOIST TRUCK NO. 1480 INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH 102/27/2015			F	-	1 1 1			7014
SOURCE MODEL NO. SERIAL NO. SERIAL NO. SPACING INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH 02/27/2015				7. 7		to recommend the second second second		1
HOIST TRUCK NO. 1480 SPACING INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH 02/27/2015	5.51. 15 H. 500KC				1 7 7	SOURCE MODEL NO.		7 - 1
INST. TRUCK NO. 1480 TYPE TOOL SERIAL NO. STRENGTH 02/27/2015								
TOOL SERIAL NO. STRENGTH 02/27/2015					1 to - 1 to -			
TOOL SERIAL NO.		1480		3" 1	_ 1			12/27/204 <i>E</i>
LOGITHORNE NOT 1 TZZNOU	LOG TICKET NO.	22540	n	L		J.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		4/4//2015

RUN		THS	SPEED FT./MIN.	T. C. SEC.	SENS. SETTING	38	ZERO DIV. L. OR R.	API GR. UNITS PER LOG DIV.	T. C. SEC.	SENS. SETTINGS	ZERO: API N. DIV. L. OR R. PER LC	G DIV.
NO. 1	FROM 4872.51	4300°	30	3	G-300 D-3	300	d	10.5			470074	₹ ₽
•	TO 7 E. S	10.00			R-5		<u> </u>					
\Box			 									
EMAR	KS:											
								<u> </u>				
											والمراجع والمراجعة والمراج	and the same of th
1 1			1		7							
1-1				1-1-	1		 					
	ئەت دە مىلىد ئەت مىل <mark>م</mark> ىد			+						BOND CEM	CALL CLIDAL	
<u>.</u>	GΔN	MA RAY	CURVE	<u> </u>	*	FORM	ATION BON	D CURVE		BOND CEN	ENI CURVE	
	uni	-				-						
				1	.]							
+ _+_			apartir a justice		7							
					. <u>į</u>					Pan	eivēd	
,		1 -1		ساد والمسلم	-1					Office	Cil & Gas	
		-			-		-1			. <u> </u>	orania de la composición del composición de la composición del composición de la composición del composición de la composición del composición de la composi	
										NOV 2	0 2014	
·	نسا بهینیسیا این در داران معمولیتان	<u> </u>			-							
i)	مؤسسان وأسمان إحداد إ]	<u> </u>				 		
	GAMMA-	RAY ZER	O & STA	TISTIC	AL TAKEN A	430	U f					!
}			7				- i - - - - - - - - - - -					
·,····		7					1-1-1-	1				:
		1 1 2			i	The						
				RE	PEAT SECT	TNA						1
4	-1/2" CAS OLLAR LO	ING										
- C	OLLAK LU				4300							
			ا خر						{	-1	1	
									<u> </u>			
-					·! \$	1			}			1
		أسحاد بالدالد إسحار حاد	- \$		· ·				2			لسح
4		. ,	5						<u> </u>			
1		-	-		-				1			1
			- 3						}			<u>.</u>
	1		:	_ -	-				1			4-1
1.			5			i			1]
1	1								1			- 1
- 4 -	1-1-1-		->-									
					4350							
1	 										=	1
	لدار را سهدست سال		ا کے					++3	+			
.] .		<u></u>						- 3				
1			}						441		المحرا	<u>-</u>
Ť			3	- []					H		2	
		La de la composición dela composición de la composición dela composición de la composición dela composición dela composición de la composición de la composición de la composición dela composición de la composición dela composición dela composició	+ 2 +						H			
- 1 -			1						-++-			
_		-	4						111			- []
		L	احتر				- 3				-	
-			5				3			7-1-7	00/0-/0	
1			1		4400)	5		-		UZ/2//20°	1.5
· -:			1	,								7







WW-4A Revised 6-07

1) Date: Sep	September 24, 2014		
2) Operator's Well	Number		
EDC	#8		
3) API Well No.: 47	- 047 0749		

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	ner(s) to be served: 5)	(a) Coal Operator
	(a) Name	Sarah E. Price 📈	Name
	Address	1266 Atwell Branch Road	Address
		Raysal, WV 24879	
	(b) Name		(b) Coal Owner(s) with Declaration
	Address		Name
			Address
	(c) Name		Name
	Address		Address
6)]	Inspector	Gary Kennedy	(c) Coal Lessee with Declaration
	Address	P.O. Box 268	Name
		Nimitz, WV 25978	Address
	Telephone	304-382-8402	
m	MILE DE	DOOMS NAMED ABOVE	
1.(THE PE	RSONS NAMED ABOVE: Y	ou should have received this Form and the following documents:
	(1) The a	application to Plug and Abandon a Well on	Form WW-4B, which sets out the parties involved in the work and describes the
	well	its and the plugging work order; and	
	(2) The p	olat (surveyor's map) showing the well locat	ion on Form WW-6.
	The reason	you received these documents is that you have r	ights regarding the application which are summarized in the instructions on the reverses side.
		ou are not required to take any action at all.	

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

The state of the s	Well Operator	Energy Development Corporation Received Office of Oil & Gas
CO.	By: Its:	President NOV 2 0 2014
	Address	P.O. Box 1049
		Bluefield, VA 24605
	Telephone	276-322-5437
Subscribed and sworn before me this	$\frac{24th}{heV}$ de	Notary Public
My Commission Expires & Lec	. 31, 2015	Not ARY # 249599

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov. 02/27/2015

SURFACE OWNER WAIVER

Operator's Well Number

	ш0
PH I	ᅲᄶ

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.
WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

Received
Office of Oil & Gas

NOV 20 2014

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or towarrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials.

FOR EXECUTION BY A NATURAL PERSON

FOR EXECUTION BY A CORPORATION,

ETC.

Date 10-24 21 Name EDC Operating Company

Signature

T.

W. D. Evans President

Date 10-27-14

Signature ///

2/<u>2</u>7/2015

WW-9 Rev. 5/08

Page		of	
API Number 47 - 47	-	0749	
Operator's Well No. EDC #8	_		


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

	IL AND GAS PIT WASTE DISCHARGE
Operator Name Energy Development Corporation	
Watershed Atwell Branch	Quadrangle Bradshaw
Elevation 2177' County McDo	owell District Sandy River
Description of anticipated Pit Waste: No Waste Anti	icipated
Will a synthetic liner be used in the pit?	ANY WELL REFLUENT MUST BE DISPUSED OF PROPERCY
Proposed Disposal Method For Treated Pit Wastes: Land Application Underground Injection (UIC Per Reuse (at API Number Off Site Dispposal (Supply form X Other (Explain Tank will be on	WW-9 for disposal location)
Proposed Work For Which Pit Will Be Used: Drilling Workover Other (Explain	NOV 2 0 2014 Swabbing x Plugging
on August 1, 2005, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violation law or regulation can lead to enforcement action. I certify under penalty of law that I have person application form and all attachments thereto and that, be obtaining the information, I believe that the information penalties for submitting false information, including the post Company Official Signature	nd conditions of the GENERAL WATER POLLUTION PERMIT issued to Virginia Department of Environmental Protection. I understand that the iss of any term or condition of the general permit and/or other applicable sally examined and am familiar with the information submitted on this ased on my inquiry of those individuals immediately responsible for is true, accurate, and complete. I am aware that there are significant is sibility of fine or imprisonment.
Company Official (Typed Name) W. D. Evans	
Company Official Title President	
× 120	W. S.
Subscribed and sworn before me this 24th day of	f September, 2014
Jandra K. Belcher	Notory Public
My commission expires Nec. 31, 2015	NotARY # 249599

Operator's Well No.	
---------------------	--

Property Boundary Road = = = = = = = = = = = = = =			L	EGEND			
Proposed Revegetation Treatment: Acres Disturbed Distance D	Property Boundary			Diversion		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1111
Planned Fence Stream Open Ditch North N Buildings Water walls Water walls Drill site Proposed Revegetation Treatment: Acres Disturbed I.ime 3 Tons/acre or to correct to pH Lime 3 Tons/acre or to correct to pH Lime 4 Tons/acre or to correct to pH Lime 5 Tons/acre Seed Mixtures Area I Bus/acre KY-31 40 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Lime 4 Tons/acre Seed Type 1 Ibs/acre KY-31 40 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Area II Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Area II Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Area II Area I	Rond = = = = =	====		Spring (\rightarrow		
Open Ditch Rock North N Buildings Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed Lime 3 Tons/acre or to correct to pH Lime 4 Tons/acre or to correct to pH Fertilizer (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed Mixtures Area I Seed Type Area I Seed Type Area I Seed Type Area II Area II Seed Type Area II Area II Seed Type Area II Area	Existing Fence — X —	- × — × —		Wet Spot	5		
Open Ditch Rock North N Buildings Water wells Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed Lime 3	Planned Fence /	_//_		Drain Pipe	with size in inches	— @ —	
Open Ditch Rock North N North N Pit: cut walls Pit: compacted fill walls Proposed Revegetation Treatment: Acres Disturbed Proposed Revegetation Treatment: Acres Disturbed Lime 3 Tons/acre or to correct to pH Lime 3 Tons/acre or to correct to pH Fertilizer (10-20-20 or equivalent) 1/3 ton lbs/acre (500 lbs minimum) Mulch Hay 2 Tons/acre Seed Mixtures	Stream	7 7	Ħ	Waterway	\longleftrightarrow	$\Rightarrow \Leftrightarrow \in$	-
Pit: cut walls Pit: compacted fill walls Pit: compacted fill walls Area for Land Application of Pit Waste. Proposed Revegetation Treatment: Acres Disturbed Proposed Revegetation Treatment: Acres Disturbed Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 ton		ma		Cross Drain	7/////		
Proposed Revegetation Treatment: Acres Disturbed Acrestrial	Rock & SE	-		Artificial F	ilter Strip XXXX	**************************************	XXX
Area for Land Application of Pit Waste Proposed Revegetation Treatment: Acres Disturbed	North N			Pit: cut wal	ls Euro		
Proposed Revegetation Treatment: Acres Disturbed 1 Acre Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 ton Ibs/acre (500 lbs minimum) Mulch Hay 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Faccoived Comments: Office of Oil & Gas NOV 20 2014 Title: Taspucker Date: Minim	Buildings			Pit: compa	cted fill walls		
Proposed Revegetation Treatment: Acres Disturbed 1 Acre Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 ton Ibs/acre (500 lbs minimum) Mulch Hay 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5° topographic sheet. Plan Approved by: Received Comments: Office of Oil & Gas NOV 20 2014 Title: Taspucker Date: Minim	Water wells			Area for La	and Application of Pit	Waste	
Lime	Drill site				(F)		
Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 ton 15/3 ton	Proposed Revegetation Treatme	ent: Acres Disturbed	1 Ac	re	Prevegetation pH		=,(
Fertilizer (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31	, , , , 3	Tona/agra on to correct	t to nII	6.5			_
Seed Mixtures Area I Seed Type KY-31 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Plan Approved by: Title: Taspucker Date: IIITIM	Lime	1011s/acre of to correct	t to pri				
Seed Mixtures Area I Seed Type KY-31 Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Plan Approved by: Title: Taspucker Date: IIITIM	Fertilizer (10-20-20 or	equivalent)	lbs/a	icre (500 lbs n	ninimum)		
Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31	Hav	2		re			
Area I Seed Type KY-31 Alsike Clover Annual Rye Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Received Office of Oil & Gas NOV 2 0 2014 Title: Title: Title: Date: IIIIIII			CI	Mintons			
Seed Type lbs/acre Seed Type lbs/acre KY-31			Seeu	Mixtures			
Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Received Office of Oil & Gas NOV 2 0 2014 Title: Trapector Date: ###################################							
Alsike Clover 5 Annual Rye 15 Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Received Office of Oil & Gas NOV 2 0 2014 Title: Triput feet	0505	W 524			Seed Type	ios/acre	
Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Office of Oil & Gas NOV 2 0 2014 Title: Trapector		40	- >	!			-
Attach: Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Office of Oil & Gas NOV 2 0 2014 Title: Trapector	Alsike Clover	5					
Drawing(s) of road, location,pit and proposed area for land application. Photocopied section of involved 7.5' topographic sheet. Plan Approved by: Comments: Office of Oil & Gas NOV 2 0 2014 Title: Title: Title: Date: IITITY	Annual Rye	15	—:	*			-
Comments: Office of Oil & Gas NOV 2 0 2014 Title: Tospic for Date: 11/7/17			ınd appli	cation.			=
Comments: Office of Oil & Gas NOV 2 0 2014 Title: Tospic for Date: 11/7/17	,	100 000 000					
Title:	Plan Approved by:	Huy Kensus	alig				= -
Title:	Comments:	v 3	~				
						Office of Oil	飞 Gas
						NOV 2 0 20	014
	Title: Inspector			Date:	11/7/14	·	-
		Ves () No			



WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-047-0749	WELL NO.:_	#8	
FARM NAME: Sarah E.	Price		
RESPONSIBLE PARTY NA	AME: Energy Development C	Corporation	
COUNTY: McDowell	DISTRICT:	Sandy River	
QUADRANGLE: Brad	lshaw		
SURFACE OWNER:S	arah E. Price		
ROYALTY OWNER:Le	eta Dotson Harman		
UTM GPS NORTHING:	4136410.35		
UTM GPS EASTING: 43	32118.18 GPS ELEVA	TION: 2176.6'	
The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters. 2. Accuracy to Datum – 3.05 meters 3. Data Collection Method: Survey grade GPS: Post Processed Differential Real-Time Differential Mapping Grade GPS _X : Post Processed Differential _X Real-Time Differential 4. Letter size copy of the topography map showing the well locations I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas. President			
Mapping Grade GPS X	: Post Processed Differential X	Office of Olympic	
	Real-Time Differential	al Dept. of L	
4. Letter size copy of I the undersigned, hereby cert belief and shows all the information prescribed by the Office of O	of the topography map showing the value of the tify this data is correct to the best of mation required by law and the regulate il and Gas.	well location? ^{N*} y knowledge and tions issued and	
Whave Signature	President Title	12/31/14 Date	



EDC OPERATING COMPANY

November 5, 2014

Gary Kennedy P. O. Box 268 Nimitz, WV 25978

RE:

Plugging Permit for EDC Well #8, API #47-047-0749

Dear Mr. Kennedy:

Enclosed please find completed plugging permit for the above-referenced.

Bill Evans hand carried the Surface Owner Waiver to Sarah Price, therefore the information wasn't mailed.

We are waiting for the Surface Owner Waiver from the President of Hall Mining for EDC Well #151 and Well #153. I will mail the permits when we receive the signed waiver.

If you should have any questions, please contact me.

Thank you for cooperation in this matter.

Sincerely,

Sandra Belcher

Administrative Assistant

Sandra Belcher

Enclosure

/skb

Received Office of Oil & Gas

† = Owner on Hold

** = Joint Interest Bill

Flat Royalty Y = Yes

N = None B = Both

Direct Pay O = Oil G = Gas

EDC OPERATING COMPANY

Report: dmrwrel5

Page

Well Interest Listing For Royalty Owners

Selection Criteria: Well ID: 0008 - 0008 in All Groups

Sort Order:

09/24/2014

8.2.4

11:31:52

Well ID

0.0000000 0.0000000 After Payout 330-345-9888 0.000000.0 0.0000000 Misc Rev 1 Misc Rev 2 0.0000000 0.00000000 0.0000000 Wooster, OH 44691 234-40-9510 0.000000.0 After Casing Point 0.0000000 0.000000.0 Before Casing Point 0.0000000 0.000000.0 Class 5 0.0000000 0.000000.0 Class 4 2811 Taylor Drive DOIDFI FTTPRH Status Program 0.000000.0 0.000000.0 Class 3 0.0000000 0.000000.0 Class 2 ⋖ 0.0000000 14.0625000 0.0000000 14.0625000 Class 1 z z z a Z Z Trans 0 Working Interest 0.000000.0 0.000000 Interest Other Leta Dotson Harman 14.0625000 J. N. Harman #1 Interest Well Name 14.0625000 14.0625000 ō 14.0625000 Interest Gas L0049 Well ID 8000

Property --Office of as NOV 2 0 2014

M = Monthly Q = Quarterly S = Semi-Annually A = Annually B = Both Oil and Gas Int Types O = Oil G = Gas Legend: Owner Types R = Royalty Owner
O = Override Royalty W = Working Interest Disbursement Frequency