


WR-35
Rev (5-01)

DATE:

API #: 47-4702522 

State of West Virginia
Department of Environmental Protection
Office of Oil and Gas

Well Operator's Report of Well Work

Farm name: Berwind Land Company

Operator Well No.: MC108

LOCATION: Elevation: 1,736.53'

Quadrangle: War

District: Big Creek

County: McDowell

Latitude: 10,905 Feet South of 37 Deg. 17 Min. 30 Sec.

Longitude: 3,985 Feet West of 81 Deg. 42 Min. 30 Sec.

Company: CNX Gas Company LLC

| | Casing & Tubing | Used in drilling | Left in well | Cement fill up Cu. Ft. |
|--|-----------------|------------------|------------------|------------------------|
| Address: <u>2481 John Nash Blvd.</u> | <u>13 3/8"</u> | <u>16.15'</u> | <u>16.15'</u> | |
| <u>Bluefield, WV 24701</u> | <u>7"</u> | <u>309'</u> | <u>309'</u> | <u>50 sks.</u> |
| Agent: <u>John H. Johnston</u> | <u>4 1/2"</u> | <u>1,345.19'</u> | <u>1,345.19'</u> | <u>70 sks.</u> |
| Inspector: | | | | |
| Date Permit Issued: <u>2/29/2008</u> | | | | |
| Date Well Work Commenced: <u>5/15/2008</u> | | | | |
| Date Well Work Completed: <u>5/19/2008</u> | | | | |
| Verbal Plugging: | | | | |
| Date Permission granted on: | | | | |
| Rotary Cable Rig | | | | |
| Total Depth (feet): <u>1,364.98</u> | | | | |
| Fresh Water Depth (ft.): <u>30</u> | | | | |
| <u>665</u> | | | | |
| Salt Water Depth (ft.): | | | | |
| Is coal being mined in area (N/Y)? | | | | |
| Coal Depths (ft.): | | | | |

RECEIVED
Office of Oil & Gas

AUG 20 2009

WV Department of
Environmental Protection


OPEN FLOW DATA

Producing formation _____ Pay zone depth (ft) _____
Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d
Final open flow _____ MCF/d Final open flow _____ Bbl/d
Time of open flow between initial and final tests _____ Hours
Static rock Pressure _____ psig (surface pressure) after _____ Hours

Second producing formation _____ Pay zone depth (ft) _____
Gas: Initial open flow _____ MCF/d Oil: Initial open flow _____ Bbl/d
Final open flow _____ MCF/d Final open flow _____ Bbl/d
Time of open flow between initial and final tests _____ Hours
Static rock Pressure _____ psig (surface pressure) after _____ Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

Signed:


By: Buford Myers Vice Pres., CNX Gas VA Operations
Date: _____

OCT 30 2009

COMPANY CNX
 HOLE MC-108
 RIG #: 294
 LOCATION: BERWIND, WV
 DATE STARTED: 5/15/2008
 DATE COMPLETED: 5/19/2008
 ELECTRIC LOGGED: YES
 GROUTED: YES

| DEPTH FROM | THICKNESS TO | FT | STRATA DESCRIPTION, VOIDS ETC. |
|------------|--------------|-------|--------------------------------|
| 0 | 16.15 | 16.15 | OVERBURDEN |
| 16.15 | 30 | 13.85 | SANDY SHALE |
| 30 | 60 | 30 | SANDY SHALE |
| 60 | 90 | 30 | SANDY SHALE/COAL |
| 90 | 120 | 30 | SANDY SHALE/COAL |
| 120 | 150 | 30 | SANDY SHALE/COAL |
| 150 | 180 | 30 | SANDY SHALE/COAL |
| 180 | 210 | 30 | SAND/SANDY SHALE |
| 210 | 240 | 30 | SANDY SHALE/SAND |
| 240 | 270 | 30 | SAND/COAL |
| 270 | 300 | 30 | SAND/SANDY SHALE |
| 300 | 330 | 30 | SAND/SANDY SHALE |
| 330 | 365 | 35 | SANDY SHALE/COAL |
| 365 | 395 | 30 | SAND/SANDY SHALE |
| 395 | 425 | 30 | SANDY SHALE |
| 425 | 455 | 30 | SANDY SHALE |
| 455 | 485 | 30 | SANDY SHALE/COAL |
| 485 | 515 | 30 | SANDY SHALE/COAL |
| 515 | 545 | 30 | SANDY SHALE/COAL |
| 545 | 575 | 30 | SANDY SHALE/SAND |
| 575 | 605 | 30 | SAND |
| 605 | 635 | 30 | SANDY SHALE |
| 635 | 665 | 30 | SANDY SHALE |
| 665 | 695 | 30 | SANDY SHALE/COAL |
| 695 | 725 | 30 | SAND/SANDY SHALE |
| 725 | 755 | 30 | SANDY SHALE/SAND |
| 755 | 785 | 30 | SAND |
| 785 | 815 | 30 | SAND/SANDY SHALE/COAL |
| 815 | 845 | 30 | SANDY SHALE/COAL/SANDY SHALE |
| 845 | 875 | 30 | SANDY SHALE/SAND |
| 875 | 905 | 30 | SAND/SANDY SHALE |
| 905 | 940 | 35 | SANDY SHALE/COAL P-3 |
| 940 | 970 | 30 | SANDY SHALE |
| 970 | 1000 | 30 | SANDY SHALE/COAL |

049 2522

| | | |
|------|------|---------------------|
| 1000 | 1030 | 30 SANDY SHALE |
| 1030 | 1060 | 30 SANDY SHALE |
| 1060 | 1090 | 30 SANDY SHALE |
| 1090 | 1120 | 30 SANDY SHALE/COAL |
| 1120 | 1150 | 30 SANDY SHALE/COAL |
| 1150 | 1180 | 30 SANDY SHALE/COAL |
| 1180 | 1210 | 30 COAL/SANDY SHALE |
| 1210 | 1240 | 30 SANDY SHALE |
| 1240 | 1270 | 30 SANDY SHALE |
| 1270 | 1300 | 30 SANDY SHALE |
| 1300 | 1330 | 30 SANDY SHALE |
| 1330 | 1360 | 30 SANDY SHALE |

1360' TOTAL DEPTH
16.15' OF 13 3/8" CASING
309.4' OF 7" CASING
1341.83' OF 4 1/2" CASING

OCT 30 2009

McDermott 2522 - 22