WR-35 Rev (8-10)

State of West Virginia Department of Environmental Protection Office of Oil and Gas Well Operator's Report of Well Work

DATE:	
API#:	47-4702819

rm name: Berwind Land Company	Operator Well No.: CBM-MC136			
OCATION: Elevation: 2,335.91'	Quadrangle:	War		
District: Big Creek Latitude: 7,940 Feet South of 37 Deg. Longitude 3,280 Feet West of 81 Deg.	County: McDowell g. 17 Min. 30 Sec. g. 42 Min. 30 Sec.			
ompany: CNX GOS COMPANY LLC				
Address:	Casing & Tubing	Used in drilling	Left in well	Cement fill up Cu. Ft.
2481 John Nash Blvd., Bluefield, WV 24701	13 3/8"	19'	19'	n/a
Agent: John H. Johnston	7"	339.55'	339.55'	100 sks
Inspector: Gary L. Kennedy	4 1/2"	1,830.16'	1,830.16'	120 sks
Date Permit Issued: 7/01/2011				
Date Well Work Commenced: 11/09/2011				
Date Well Work Completed: 11/14/2011				
Verbal Plugging:				
Date Permission granted on:				
Rotary Cable Rig				
Total Vertical Depth (ft): 2,020 DTD				
Total Measured Depth (ft):				
Fresh Water Depth (ft.): n/a				
Salt Water Depth (ft.): n/a				
Is coal being mined in area (N/Y)?				_
Coal Depths (ft.):				
Void(s) encountered (N/Y) Depth(s)				
OPEN FLOW DATA (If more than two producing formation Producing formation NO OPEN FLOW TEST CONDUCTED Pay Gas: Initial open flow MCF/d Oil: Initial open flow	zone depth (ft)_lowB		ta on separate sh	neet)
Final open flow MCF/d Final open flow	vBt	1/d		
Time of open flow between initial and final tests Static rock Pressure psig (surface pressure) af			- 1977年 第第日日 - 1	
Static rock Pressurepsig (surface pressure) an	iernou	18		MAY 3 2012
Second producing formation Pay zo Gas: Initial open flow MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow	lowB	bl/d	A Company	
Gas: Initial open flow MCF/d Oil: Initial open flow Bbl/d Final open flow MCF/d Final open flow Bbl/d Time of open flow between initial and final tests Hours				
Static rock Pressure psig (surface pressure) at				
certify under penalty of law that I have personally examined at attachments and that, based on my inquiry of those individue information is true, accurate, and complete.	uals immediatel	y responsible fo	or obtaining the in	
Butival My ers, Vice	Pres-VA (<u>_</u> jasOps.	Date	

Were core samples taken? Yes No No	Were cuttings caught during drilling? Yes No	
Were $\frac{Y}{Y/N}$ Electrical, $\frac{Y}{Y/N}$ Mechanical, $\frac{Y}{Y/N}$	or Geophysical logs recorded on this well?	
FRACTURING OR STIMULATING, PHYS	THE FOLLOWING: 1). DETAILS OF PERFORATED INTER SICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEM THE TOPS AND BOTTOMS OF ALL FORMATIONS, INCLUDING ROM SURFACE TO TOTAL DEPTH.	MATIC
Perforated Intervals, Fracturing, or Stimulating:		
	Top Depth / Bottom Depth	
Formations Encountered: Surface:	Top Depth / Bottom Depth	
See Exhib), † [
		Adv W
		wu.
		,

COMPANY:

CNX GAS CO LLC

HOLE:

MC-136

RIG:

LOCATION:

BERWIND LAKE RD, VA

DATE STARTED:

11/9/2011

DATE COMPLETED: 11/14/2011

ELECTRIC LOGGED YES GROUTED: YES

DEPTH	THICK	NESS		STRATA
FROM	TO	FT	•	DESCRIPTION, VOIDS ETC
Majoranga dan Sarat I mananda asar manan 18 kanya dalam da 18 kilonda	0	19.55	19.55	OVERBURDEN
	19.55	30	10.45	SAND/SHALE
	30	45	15	SAND/SHALE
	45	46	1	COAL
	46	60	14	SHALE/SAND
	60	90	30	SAND/SHALE
	90	100	10	SHALE
	100	101	1	COAL
	101	120	19	SHALE/SAND
	120	145	25	SAND/SHALE
	145	146		COAL
	146	150		SHALE
•	150	180		SHALE/SAND
	180	210		SAND/SHALE
	210	240		SAND/SHALE
	240	270		SAND/SHALE
	270	295		SAND/SHALE
	295	296		COAL
	296	300		SHALE
	300	330	_	SAND/SHALE
	330	360		SAND/SHALE
	360	370		SAND/SHALE
	370	400		SAND/SHALE
	400	430		SAND/SHALE
	430	445		SAND/SHALE
	445	446		COAL
	446	460		SHALE/SAND
	460	490		SAND/SHALE
	490	520		SAND/SHALE
	520	550		SAND/SHALE
	550	551		COAL
	551 500	580		SHALE/SAND
	580	600		SAND/SHALE COAL
	600	601 610		SHALE
	601 640			SHALE
	610 620	620 621		COAL
	620 621	621 640		SHALE
	640	645		SHALE
	645	646		COAL
	646	665		SHALE/SAND/SHALE
	665	666		COAL
	600	000	1	OVAL

```
666
           670
                     4 SHALE
670
           700
                    30 SHALE/SAND/SHALE
700
           701
                     1 COAL
                    29 SHALE/SAND/SHALE
701
           730
                    15 SAND/SHALE
730
           745
                     1 COAL
745
           746
746
           760
                    14 SHALE/SAND
                    30 SAND/SHALE
760
           790
                    15 SAND/SHALE
790
           805
           806
                     1 COAL
805
                    14 SHALE/SAND
           820
806
820
           850
                    30 SAND/SHALE
                    30 SAND/SHALE
           880
850
880
           910
                    30 SAND/SHALE
                    10 SAND/SHALE
910
           920
920
           921
                     1 COAL
                    19 SHALE/SAND
           940
921
940
           970
                    30 SAND/SHALE
                    30 SAND/SHALE
970
           1000
                    30 SAND/SHALE
1000
          1030
                    15 SAND/SHALE
1030
          1045
           1046
                     1 COAL
1045
                    14 SHALE/SAND
1046
          1060
1060
           1085
                    25 SAND/SHALE
                     1 COAL
1085
           1086
1086
           1090
                     4 SHALE
                    20 SAND/SHALE
1090
          1110
1110
           1111
                     1 COAL
                     9 SHALE/SAND
1111
           1120
1120
           1130
                    10 SHALE
                     1 COAL
           1131
1130
                    19 SHALE/SAND/SHALE
1131
           1150
           1151
                     1 COAL
1150
1151
           1180
                    29 SHALE/SAND
                    30 SAND/SHALE
           1210
1180
                    20 SAND/SHALE
1210
           1230
                     1 COAL
           1231
1230
1231
           1240
                     9 SHALE/SAND
                    30 SAND/SHALE
           1270
1240
1270
           1271
                     1 COAL
           1300
                    29 SHALE/SAND
1271
                    30 SAND/SHALE
1300
           1330
                    30 SAND/SHALE
           1360
1330
                    15 SAND/SHALE
1360
           1375
                     1 COAL
1375
           1376
                    14 SHALE/SAND
1376
           1390
           1420
                    30 SAND/SHALE
1390
                     10 SAND/SHALE
           1430
1420
1430
           1431
                     1 COAL
                     19 SHALE/SAND
           1450
1431
1450
           1475
                     25 SAND/SHALE
                     1 COAL
           1476
1475
1476
           1480
                     4 SHALE
                    30 SAND/SHALE
1480
           1510
1510
           1530
                    20 SAND/SHALE
```

1530	1531	1 COAL
1531	1540	9 SAND/SHALE
1540	1570	30 SAND/SHALE
1570	1585	15 SAND/SHALE
1585	1588	3 COAL POCA 3
1588	1600	12 SAND/SHALE
1600	1630	30 SAND/SHALE
1630	1660	30 SAND/SHALE
1660	1690	30 SAND/SHALE
1690	1717	27 SAND/SHALE
1717	1718	1 COAL
1718	1720	2 SAND/SHALE
1720	1750	30 SAND/SHALE
1750	1780	30 SAND/SHALE
1780	1790	10 SAND/SHALE
1790	1791	1 COAL
1791	1800	9 SAND/SHALE
1800	1801	1 COAL
1801	1810	9 SAND/SHALE
1810	18 4 0	30 SAND/SHALE
1840	1870	30 SAND/SHALE
1870	1900	30 SAND/SHALE
1900	1930	30 SAND/SHALE
1930	1960	30 SAND/SHALE
1960	1990	30 SAND/SHALE
1990	2000	10 SAND/SHALE
2000	2020	20 RED SHALE

2020

2020FT TOTAL DEPTH 19.55FT OF 13 3/8 CASING 339.55FT OF 7 CASING 1830.16FT OF 4 1/2 CASING