

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

April 30, 2014

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-5900152, issued to CHESAPEAKE APPALACHIA, L.L.C., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions,

please free to contact me at (304) 926-0499 ext. 1654

Chief

James Martin

Operator's Well No: 806287 (17-6287)

Farm Name: FIRST CENTURY BANK, INC.

API Well Number: 47-5900152

Permit Type: Plugging
Date Issued: 04/30/2014

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged within two years of the date of issuance of this permit.

1) Date 3/25/2014 2) Operator's Well No. 806287 3) API Well No. 47-059 - 00152

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

41	Well Type: Oil/ Gas X/ Liquid injection/ Waste disposal/
-,	(If "Gas, Production X or Underground storage) Deep / Shallow X
5)	Location: Elevation <u>1333'</u> Watershed <u>Shaft Branch of West Fork of Twelvepole Crk</u> District <u>Harvey</u> County <u>Mingo</u> Quadrangle <u>Trace 7.5</u>
6)	Well Operator Address P. O. Box 18496 Oklahoma City, OK 73154-0496 Chesapeake Appalachia. L.L.C.7) Designated Agent Eric B. Gilespie Address P. O. Box 6070 Charleston, WV 25362
8)	Oil and Gas Inspector to be notified 9)Plugging Contractor Name Jeremy James Name Address P. O. Box 147 Address
	Address P. O. Box 147 Address Ona, WV 25545
1kkk	kkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkkk
10)	Work Order: The work order for the manner of plugging this well is as follows:
	(SEE ATTACHED PLUGGING PROCEDURE)
	ification must be given to the district oil and gas inspector 24 hours before permitted k can commence.
Wor	k order approved by inspector $4-3-14$

05/02/2014

Received

APR 1 6 2014

806287 P&A PROCEDURE

- 1) Prepare road and location, MIRU Service Rig
- 2) Attempt to pull 3 1/2" and packer

A) If successful:

- a) RIH with tools to check TD at approximately 2830'
- b) Run W.S. to 2820', load hole with gel, pull W.S. to 2550'
- c) Spot 100' cement plug 2550'-2450', pull W.S. to 1900'
- d) Spot 125' cement plug 1900'-1775', pull W.S.
- e) Proceed to step #3

B) If unsuccessful:

- a) RIH with tools to check TD at approximately 2820'
- b) Rip holes at approximately 2775' and 2740'
- c) Run W.S. to 2775', load hole with gel
- d) Spot 100' cement plug 2775'-2675', pull W.S.
- e) Attempt to cut 3 ½" below packer at approximately 2000' and pull (If unable to pull 3 ½" packer then rip holes at approximately 1975' & 1940', spot 125' cement plug 2000'-1875', cut 3 ½" at 1830', spot 100' cement plug 1830'-1730', proceed to step #3)
- f) Run W.S. to 2000', load hole with gel
- g) Spot 225' cement plug 2000'-1775', pull W.S.
- h) Proceed to step #3
- 3) RIH with tools to check TOC. (If top of plug is not above 1825' then re-set plug)
- 4) Rip holes in 6 5/8" at approximately 1435', 1400', 1225' and 1190'
- 5) Run W.S. to 1450', load hole with gel
- Spot 100' cement plug 1450'-1350', pull W.S. to 1225'
- 7) Spot 100' cement plug 1225'-1125', pull W.S.
- 8) Cut 6 5/8" at free-point (approximately 1010') and pull
- 9) Run W.S. to 1010', load hole with gel
- 10) Spot 100' cement plug 1010'-910', pull W.S.
- 11) Attempt to pull 10" casing
 - A) If successful:
 - a) Run W.S. to 610', load hole with gel, pull W.S. to 525'
 - b) Spot 100' cement plug 525'-425'
 - c) Proceed to step #12

B) If unsuccessful:

a) Rip holes to 10" at approximately 500' and 465'

Received

b) Run W.S. to 670'

APR 1 6 2014

- Spot 100' cement plug 670'-570', pull W.S. to 520'
- d) Spot 100' cement plug 520'-420', pull W.S.
- e) Cut 10" at free-point (approximately 250') and pull
- f) Proceed to step #12
- 12) Pull or run W.S. to 250', load hole with gel
- 13) Spot 100' cement plug 250'-150', pull W.S. to 100'
- Spot 100' cement plug 100' surface
- 15) Pull W.S. and top off with cement
- 16) Erect monument and reclaim as prescribed by law

ELEU. 1323.

Office of Oil and Gas
WV Dept. of Environmental Protection

05/02/2014

06-10



Halden

DEPARTMENT OF MINES OIL AND GAS DIVISION

WELL RECORD Permit No. MIN-152 Gas Oil or Gas Well. United Fuel Gas Co. Left in Well Company_ Casing and Tubing **Packers** Address P. O. Box 1273, Charleston 25, W. Va Acres 6852.4 Central Trust Co. Size Location (waters) West Fk. of 12-Pole Crack Kind of Packer. Elev 1323.46 6287 District Harvey Mingo County. 610 610 Size of. 10_ The surface of tract is owned in fee by-Address 1828 1828 Depth set Mineral rights are owned by The Central Trust Co. 6%. Wm. E. Anderson V.P. Address Cincinnati 1. Ohio 58/16. Perf. top. Drilling commenced 2-23-49 Perf. bottom. Drilling completed 8-23-49 Perf. top. 2866 To 3620 Lipers Used Date Shot 8-25-49 Perf. bottom 5600# Gel. 6 /10ths Water in 2" Inch Open Flow /10ths Merc. in_ CASING CEMENTED. SIZE Date Inch 103 M - Shale On Fr. 1bs. 48 Rock Pressure COAL WAS ENCOUNTERED AT 35 24 FEET INCHES bbis., 1st 24 hre. 210 FEET 60 INCHES 482 FEET 96 INCHES Fresh water 245, 840 INCHES FEET INCHES feet Salt water_ Hard or Soft Formation Bottom Remarks Color Top Surface 30 14 Slate 30 35 Sand 37 35 Coal 72 37 Sand 72 85 Slate 85 100 Sand 100 177 Slate 177 200 Sand 210 200 Slate 2451 1/2 B.P.H. Water 21.5 210 Coal 255 215 Slate 255 340 Sand 350 340 Slate 350 475 Sand 482 475 Slate 482 490 Coal 490 515 Slate 515 535 Sand 595 535 Slate 595 600 Sand 600 610 Slate 610 680 Lime 730 680 Slate & Shells 8401 1 Bailer Water 730 825 Sand 825 943 Slate & Shells 1073-1080 4X10 W 2" 84 M 1005 943 Gag Sand 1255 1005 011 1209-1217 Show Salt Sand OCT 1949 1255 1260 Water Sand 1260 1318 011 Show Slate 318 1630 Sand 05/02/2014 1630 1680° Slate 1692 Lime Shells 1680 ESSESSING. 1695 1692 Slate 1700 1695 Red Rock 1700 1712 Lime Shells 1712 1750 Slate Lime Shells 1750 1765 1765 1770 Slate

(Over)

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
Little Lime Big Lime Red Injun Slate & Shel Coffee Shale			1770 1790 1922 2026 2500	1790 1922 2026 2500 2542	Gas Gas	1885 ¹ 2020 ¹	Show Show
Berea Grit Brown Shale Gray Shale Brown Shale White Shale			2542 2611 2675 2800 3015	2611 2675 2800 3015 3270	Shale Gas	2925-29301	6/10 W 2" 103
Brown Shale White Shale Total Depth			3270 3610 3620'	3610 3620	Test before Shot 8-25-4 Test 18 Hrs	shot 2/10 W 9 with 5600# . after shot	2" 60 M Gel. 2866-3620 6/10 W 2" 103
					OPEN FLOW -	103 <u>M</u> – Sha	Le
			- 2	-3-	Shut in 8-2	6-49 in 6-5/	3" Casing
1							
						4.5	
						-	
				8			05/02/2014

	Date	October	5,	, 19.49
APPROVED_		United Fuel	Gas Co.	, Owner
Ву	Chief Engir	Moou		

UNITED FUEL GAS COMPANY

SERIAL WELL NO. 6287		LEASE NO	31896			MAP SQUARE 30-25
RECORD OF WELL NO. 6287	on the		CASING AND	TUBING		TEST BEFORE SHOT
central Trust Co.#17farm of 685	2. Acres	BIZE	WEIGHT	UNED IN	LEFT IN WELL	2 /10 of Water in 2inch
in Harvey	District	104	32.75#	620:40	610+41	/10 of Merc, ininch
Mingo	County					Volume 60 MCF Cu. ft
State of: West Virginia		6-5/8"ID	20#	1841:20	1841:2#	TEST AFTER SHOT
Field: Branchland		7.		E Y-12		6 /10 of Water in 2 inch
Rig Commenced By Contracts	or 194					/10 of Merc, inincl
Rig Completed By Contract						Volume 103 MCF Cu. ft
Drilling Commenced 2-23	1949					48 Hours After Sho
9.07	1949					Rock Pressure 415#
Dining completed						Date Shot 8/25/49
Drilling to cost \$2.75 Contractor is: H. A. Moore	per foot					Size of Torpedo 5600# Gelatiz
				SHUT IN		Oil Flowedbbls. 1st 24 hrs
Address: Hunti ngton			0.000 110		5 7 11	Oil Pumpedbbls. 1st 24 hrs
Driller's Name R. F. phil	14 mg		6-5/8"in.		Casing	On Pumpedouts. 1st 24 hrs
	_	C = 100000 = 100		Well abandoned and		
Rufus Horn			acker Bott			
			1100000000			Plugged194
			The sales to the	set		-
Elevation: 1323,46				et	rom	
		DRIL	LER'S RECORD			
FORMATION	TOP	воттом	THICKNESS			REMARKS
Surface	0	1/4	14	-		
Slate	3/1	30	16			
Sand	30	35	5			
Coal	35	57	2	7		
Sand	37	72	35	-		
Slate	72	85	13			
Sand	85	100	15			
Slate	100	200	77 23			
Sand	177	-	_			
Slate	200	21.0	10			
Coal	210	215	5			
Slate	215	255	140	1/2 bai	ler water	per hour at 245:
Sand	255	340	85 10	-		
	-1-			1.1		
Slate	340	350			API	PROVED
	340 350 475	475 482	125			E. Gebeon

LEASE NO. 31896

MAP SQUARE 30-25

		DRILLI	R'S RECORD	
FORMATION	TOP	воттой	THICKNESS	REMARKS
Slate	490	515	25	
Sand	515	535	20	
Slate	535	. 595	60	
Sand	595	600	. 5_	
Slate	600	610	10	
Lime	610	680 -	70	
Slate & Shells	680	. 730	50	
Sand	<i>7</i> 30	825	95	1 bailer water per hour at 810*
Slate & Shells	825	943	118	
Sand	943	1005	62	
Salt Sand	1005	1008	3	
Salt Sand	1008	1255	247	Gas 1073 to 10801 - 4/10 W-24
Water Sand	1255	1260	5	Show of oil at 1809 to 1217
Slate	1260	1318	58	Show of oil at 1435
Sand	1318	1325	.7	
Sand	1325	1670	345	
Slate	1670	1680	10	
Lime Shell	1680	1692	15	Reduced hole at 1685*
Slate	1692	1695	3	·
Red Rock	1695	1700	5	
Lime Shell	1700	1712	12	
Slate	1712	1750	38	
Lime Shell	1950	1765	15	
Slate	1765	1770	5	
Little Lime	1770	1790	· 20 ·	,
Big Lime	1790	1922	132	7m CD Casing set at 1828
Red Injun	1922	2026	104	Show of gas at 1885t REGEIVED
Slate Shells	2026	2500	1,71,	about of one of 9000t (
Coffee Shale	2500	2542	42	SEP * 1949
Berea Grit	2542	2611	69	DIVISIO. GEPT.
Brown Shale	2611	2675	64	
Gray Shale	2675	2800	125	
Brown Shale	2800	3015	215	Gas from 2925 to 2930:- 6/10 W-2*
White Shale	3015	3270	255	
Brown Shale	3270	3610	340	APPROVSD
White Slate	3610	3620	10	M. E. Gelson
Total Depth	3620			The state of the s

100=

1) Date:	3/25/2014	1		100	
2) Operator'	s Well Numb	er 806287			
3) API Well I	No.: 47 -	059	-	00152	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS

(a) Name	ner(s) to be served: First Century Bank, Inc.	5) (a) Coal Opera Name	Consol of KY, Inc.
Address	P. O. Box 1559	Address	P. O. Box 76
	Bluefield, WV 24701 W		Naugatuck, WV 25685
		(b) Coal Own	ner with Declaration
		Name	First Century Bank, Inc.
		Address	P. O. Box 1559
			Bluefield, WV 24701
(b) Name		(c) Coal Lessee	With Declaration
Address		Name	Consol of KY, Inc.
		Address	P. O. Box 76
			Naugatuck, WV 25685
Inspector	Jeremy James		e with Declaration
Address	P. O. Box 147	Name	
	Ona, WV 25545	Address	
Telephone	(304) 951-2596		
O THE PE	RSONS NAMED ABOVE:	You should have recei	ved this Form and the following documents:
(1) The	application to Plug and Abandon a Well o	on Form WW-4B, which s	sets out the parties involved in the work and describes the
	its and the plugging work order; and		

However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	By:	Chesapeake Applalach	David Stumbo
	Its:	Production Superinte	endent- Devonian, Eastern Div.
	Address	P. O. Box 18496	-0
		Oklahoma City, OK 7	3154-0496
	Telephone	(606) 298-3400	Plan VII BILL
			Office of MAR 27 2014
Subscribed and sworn before me t	this 25th.	day of March	-artification





SURFACE OWNER WAIVER

Operator's Well Number API

806287

47-059-00152

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- Damage would occur to publicly owned lands or resources;
- The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON

ETC.

0

Slam Date 3 28/14 Name

FOR EXECUTION BY A CORPORATION,

First Century Bowls Irc Successor Trustee for Henry R. Clartemon Est.

Date

Signature

APR 01 2014

WV Department of Environmental Protection 05/02/2014

SURFACE OWNER WAIVER

Operator's Well Number APT

806287

47-059-00152

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

> NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> > Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON FOR EXECUTION BY A CORPORATION,

ETC

____ Date 4/3/14 Name

Signature

Date

Received

APR - 4 2014

05/02/2014

Office of Off and Gas WV Dept. of Environmental Protection

WW-4B
Reverse

API No. 47-059-00152

5900152P

Farm Name First Century Bank Inc. (Central Trust Co 17)

Well No. 806287

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

X	TΔ	T	TH	R
V V	1	1	1	Tr

The undersigned coal operator \(\sum \) / owner \(\sum \) / lessee \(\sum \) / of the coal under this well location has examined this proposed plugging work order. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Date: 4/3/14

By: CONSOL OF KY - TACK PILHARDSON
Its VICE-PRESIDENT

RECEIVED
Office of Oil and Gas

05/02/2014

APR 0 4 2014

WV Department of Entiremmental Prefection WW-9 Rev. 02/01

Page1	of	- 2	
API Number 47	059	-	00152
Operator's Well No	8062	87	

STATE OF WEST VIRGINIA

DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name Chesapeake Appalachia, L.L.C. OP Code 494477557
Watershed Shaft Branch of West Fork of Twelvepole Creek Quadrangle Trace, WV 7.5'
Elevation 1333' County Mingo District Harvey
Description of anticipated Pit Waste: Plugging returns
Will a synthetic liner be used in the pit? Yes ZOML,
Proposed Disposal Method For Treated Pit Wastes: X Land Application Underground Injection (UIC Permit Number) Reuse (at API Number) Off Site Dispposal (Supply form WW-9 for disposal location) Other (Explain)
Proposed Work For Which Pit Will Be Used: Drilling Swabbing Workover X Plugging Other (Explain
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on December 31, 1999, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official TitleProduction Superintendent, Appalachian South BU. Northern Division
Subscribed and sworn before me this 25th day of March , 20 14 Shurie Chrone Notary Public Colland Gas
My commission expires 5/24/2017


Property Boundary		Diversion Leaves 111111111111111111111111111111111111
Rond = = = =	======	Spring O-
Existing Fence — 🗶	_ × _ × _	Wet Spot
Planned Fence/	_/_/_	Drain Pipe with size in inches
Stream		Waterway \longleftrightarrow \longleftrightarrow \longleftrightarrow
	·>	
Rock 635686		Artificial Filter Strip XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
North N		Pit: cut walls
Buildings 📆		Pit: compacted fill walls
Water wells		Area for Land Application of Pit Waste
Drill site 💮		
Fertilizer (10-20	250 lb Tone	lbs/acre (500 lbs minimum)
Cereal Rye	17.5 / 1/8	
Attach: Drawing(s) of road, loca	ition,pit and proposed area for	r land application.
	nvolved 7.5' topographic shee	
Plan Approved by:		
Title: (hspacto	6006	Date: 4-9-14
Field Reviewed?	(Yes	() No

LECEND

Received

APR 1 6 2014

Office of Oil and Gas
WV Dept. of Environmental Protection



NOTE: SURFACE OWNERS SHOWN ON THIS DRAWING ARE TAKEN FROM LOCAL COUNTY ASSESSORS TAX MAPS AND SHOULD NOT BE RELIED UPON FOR SECURING RIGHTS OF WAY OR DAMAGE NEGOTIATIONS.


2014

00


MAR

TRACE/MYRTLE WV 7.5'

ACCESS ROAD DETAIL



Drawing Legend



General Notes

THIS DRAWING IS A SCHEMATIC REPRESENTATION OF THE PROPOSED WELL SITE AND ACCESS ROAD, PROPOSED STRUCTURES SUCH AS WELL SITE, DRILLING PIT, ROADWAYS, CULVERTS, SEDIMENT BARRIERS ETC. ARE SHOWN IN APPROXIMATE PRE-PLANNING

TREES AND SLASH WILL BE CLEARED AS NECESSARY BEFORE ANY PROPOSED ROAD, SITE, OR PIPELINE CONSTRUCTION BEGINS, IF SUFFICIENT RESIDUE MATERIALS ARE AVAILABLE FROM CLEARING, THIS MATERIAL WILL BE WINDROWED BELOW THE ANTICIPATED FILL OUTSLOPE(S) TO INTERCEPT AND RETAIN SEDIMENT FROM DISTURBED AREAS, ALL MARKETABLE TIMBER WILL BE CUT AND STACKED IN AREAS

ALL CULVERT PIPES WILL BE A MINIMUM OF 12" IN DIAMETER, ALL CULVERT PIPES INSTALLED WILL BE ACCOMPANIED BY AN ENTRANCE SUMP WITH DIMENSIONS NO LESS THAN 3 FT. (WIDTH) X 3FT (LENGTH) X 4FT (DEEP). CULVERTS WILL BE INSTALLED AT AN ANGLE TO ENSURE PROPER FLOW. THE OUT FALL OF CULVERTS WILL BE PROTECTED FROM EROSION AND SEDIMENTATION USING, LARGE ROCKS OR OTHER SEDIMENT CONTROLS DEEMED NECESSARY IN THE PREVENTION OF EROSION AND SEDIMENT ATION. STORM WATER FROM THE DITCHES TO THE CULVERTS WILL BE DIRECTED TO STABLE NATURAL VEGETATIVE AREAS, WHERE CULVERTS ARE NOT PRACTICAL. OPERATOR WILL HAVE OTHER SEDIMENT CONTROL IN PLACE TO

TEMPORARY SEEDING: SEE ATTACHMENT #1

CROSS DRAINS, BROAD BASED DIPS, WATER BARS, AND DIVERSION DITCHES WILL BE EMPLOYED DURING THE CONSTRUCTION PHASE. THESE EROSION AND SEDIMENT CONTROL STRUCTURES WILL BE USED TO CONTROL EROSION AND SEDIMENTATION DURING THE CONSTRUCTION PHASE, WHERE APPLICABLE AND AREAS THAT WILL

WATER BARS AND DIVERSION DITCHES WILL BE AN INTEGRAL PART OF THIS RECLAMATION PROCESS AND SHALL BE INSTALLED AND SPACED IN ACCORDANCE WITH THE AS-BUILT ROADWAY SLOPES AND TABLE 11-4 OF THE EROSION SEDIMENT CONTROL FIELD MANUAL

PERMANENT SEEDING: SEE ATTACHMENT #1

TEMPORARY SEEDING TO BE APPLIED TO ALL SLOPES AFTER CONSTRUCTION.





CONSTRUCTION & RECLAMATION SITE PLAN PROPOSED PLUG AND ABANDONMENT WELL 806287


> Located Near The Community Of Parsley In The Harvey District Of Mingo county West Virginia.

DATE: 3-21-14 DRAWN BY: JDH

SCALE: Not To Scale 806287 P&A Rec Plan.dwg









CERTIFIED MAIL

March 26, 2014

Mr. James Martin Division of Environmental Protection Office of Oil and Gas - Permitting 601 57th Street SE Charleston, WV 25304

Dear Mr. Martin:

Chesapeake Appalachia, L.L.C. proposes to plug and abandon Well 808015, API No. 47-059-00341 and Well 806287, API No. 47-059-00152. Please find attached a check for each application in the amount of \$100.00 for the permit applications to plug and abandon.

If you have any questions, please call our Honey Branch office (606) 298-3400 or email dave.stumbo@chk.com.

Sincerely,

David Stumbo,

Production Superintendent

avid Strubo su

Enclosure: Permit Application Package to Plug and Abandon

C: Jeremy James - Inspector P. O. Box 147 Ona, WV 25545 Office of Count Bas

MAR - 7 TeV

Image: 1 TeV

Environmental Free City