

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Monday, April 8, 2019
WELL WORK PLUGGING PERMIT
Vertical Plugging

CORE APPALACHIA OPERATING LLC 414 SUMMERS STREET

CHARLESTON, WV 25301

Re: Permit approval for 806408 47-059-00170-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number: 806408

Farm Name: TWELVEPOLE LIMITED PAR

U.S. WELL NUMBER: 47-059-00170-00-00

Vertical Plugging Date Issued: 4/8/2019

04/12/2019

I

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. This well is under a consent order and must be plugged under the terms of that agreement.

1) Date	February 13	47-	059	- 001100
	ator's No. 80640	3	04/12	2/2019
3) API 1	Well No.	47-059	- 00170	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

5)	Location: Ele		Watershed Jenni	e Deep/ Shallow
- /		strict Kermit		Quadrangle Wilsondale
)	Well Operator	Core Appalachia Operating, LLC	7) Designated A	gent Jessica Greathouse
	Address	P.O. Box 6070		ress P.O. Box 6070
		Charleston, WV 25362		Charleston, WV 25362
)	Oil and Gas In	aspector to be notified	9)Plugging Con	tractor
	Name Alle	en Flowers	Name	Precision Drilling (BOSS)
	Address 16	5 Grassy Lick Lane	Address	3978 N Elmdale Road
	1.0	perty, WV 25124	4.44240.3	Olney, IL 62450

10) Work Order: The work order for the manner of plugging this well is as follows:

SEE ATTACHED SHEET

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector

All har

Date 3-5-20/9

47-059-001708

PLUGGING PROCEDURE 806408 MINGO COUNTY, WEST VIRGINIA API# 47-059-00170

BY: DMC

DATE: 2/25/19

Current Status

10" @ 661' 6 5/8" @ 1859'

Shale: Shot 3037-3597'

TD @ 3597°

Fresh Water @ 305', 500', 503'

Salt Water @ 1055', 1390'

Gas Shows @ 1602', 1973', 2010', 3087', 3315', 3437'

Coal @ 50-53', 420-422', 557-560'

Elevation 1431.03'

9/17/2018 Echometer FL @ 794'

Objective: Plug and abandon

- 1) Prepare road and location.
- 2) PJSA. MIRU service rig and support equipment.

3) Blow well down. Check TD.

- 39. GEL SHOT HOLE TO 2900 .

- 4) Spot 100' cement plug @ TD, ~ 3017 2917'.
- 5) TIH and tag cement plug.
- 6) Spot 6% gel from 2917 2060'.
- 7) Spot 135' cement plug from 2060 1925'.
- 8) Attempt to pull 6 5/8" csg. If unsuccessful, cut 6 5/8" at free point and pull.
- 9) Spot 6% gel from 1925 1900'.
- 10) Spot 100' cement plug from 1900 1800'.
- 11) Spot 6% gel from 1800 1650'.
- 12) Spot 100' cement plug from 1650 1550'.
- 13) Spot 6% gel from 1550 1480'.
- 14) Spot 140' cement plug from 1480 1340'.
- 15) Spot 6% gel from 1340 1100'.
- 16) Spot 100' cement plug from 1100-1000'.
- 17) Attempt to pull 10" csg. If unsuccessful, cut 10" at free point and point. If necessary shoot holes @ 560', 500', 420', 300', 100', 50'.
- 18) Spot 6% gel from 1000 710'.
- 19) Spot 460' cement plug from 710-250'.
- 20) Spot 6% gel from 250 100'.

MF. 3-5-19

21) Spot 100' cement plug from 100' - Surface.

47-059-00170f

- 22) Pull work string and top off w/cement.
- 23) Erect permanent monument (30" minimum height and 6" minimum diameter pipe) with API # (1/2" height numbering) and reclaim.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

806408 47-059-001709

Naugatuck
Permit No. MIN-170

WELL RECORD

Oil or Gas Well Gas 04/12/20049

			2.00	04/12/240/459
Company United Fuel Gas Company Address P. O. Box 1273, Charleston 25, W. Va.	Casing and Tubing	Used in Drilling	Left in Well	Packers
Farm Henry Closterman Acres 3920 Location (waters) Jennies Creek Well No. 6408 Elev. 1431.03	Size			Kind of Packer
District Harvey County Mingo The surface of tract is owned in fee by	18	661 *	661'	Size of
Mineral rights are owned by The Central Trust Co. Cincinnati Address Ohio	6%	1859'	18591	Depth set
Drilling commenced 11-25-48 Drilling completed 1-28-49 Date Shot 2-2-49 From 3037 To 3597	3 2 Liners Used			Perf. top Perf. bottom Perf. top
With 3800 Gel. Open Flow 52/10ths Water in 2 Inch				Perf. bottom
Volume 304 M - Shale Cu. Ft.	CASING CEME	ENTED	SIZE	No. Ft. Dat
Rock Pressure 510 lbs. 48 hrs. Oil bbls., 1st 24 hrs. Fresh water 305, 500, 503 feet feet	COAL WAS EL	NCOUNTERE 24 INC		
L-4- HAND TARK	FEET	IN(

Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found	Remarks
		- 1,000,0		,	120,000		
Soil			0	6			
Sand			6	50			
Coal			50	53 80			1
Blate			53				
and			80	140	Makee	2051	2 B.P.H.
Slate			140	255	Water	3051	Z Der .II.
Sand			255	355			
Slate			355	405			
Sand			405	420			
Coal			420	422	17.0	5001	1 0 0 4
Slate			422	477	Water	5001	4 B.P.H. Half Full
Sand			477	505	Water	5031	nail ruil
Slate			505	557	- 4		RECEIVED
Coal			557	560		Offic	RECEIVED e of Oil and Gas
Slate			560	700			1
Broken Sand			700	735		re	B 1 5 2019
Slate			735	763		- W/	Danadas
Sand			763	825	h	Environ	Department of mental Protection
Slate			825	855 892			
Sand			855 892	940	1	i i	
Slate			940	990			¥
Sand Slate	1		990	1160	4		
			1160	1225	1		
Salt Sand Slate			1225	1230	Water	1285	Small Amor
Sand)	1230	1292	III DOI	120)	Duigita, Amo
Slate			1292	1300	Water	1350	Sand
Sand			1300	1365	Water	1358	Half Full
Slate			1365	1380	Hauer	4336	1 11077
Sand			1380	1462		1	1
Slate & She	179	1	1462	1565	1	7	
Sand	410		1565	1583		T-	
Slate			1583	1588	Gas	16021	Show
Sand			1588	1642	700	-7,5-	215211
Slate			1642	1645	1	Y	
Sand			1645	1656			
Slate			1656	1663			
Red Rock			1663	1668			

806408 47-059-001708

Formation	Color	Hard or Soft	Тор	Bettom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shell Lime Slate & Shell	,		1668 1706 1712	1706 1712 1 81 9			
Little Lime Pencil Cave	. 3		1819	1845 1848	B. Lime Gas	19731	Show
Big Lime Keener Injun Slate & Sheli Sunbury Shal			1848 2018 2065 2100 2598	2018 2065 2100 2598 2617	Gas	2010†	04/1 ^h 2/2019
Berea Brown Shale White Shale			2617 2705 2775	2705 2775 3085	Shale Gas	30871	Show
Brown Shale Gray Shale Brown Shale White Slate			3085 3160 3280 3590	3160 3280 3590 3597	Shale Gas	3315¹ 3437¹	Show "
Total Depth			35971		Test before Shot 2-2-49	shot 2/10 W with 3800# (l" 15 M el. from 3037- 3597'.
					Test 18 hrs.	after shot	52/10 W 2" 304
					OPEN FLOW -	304 M - Shal	 e
					48 Hr. R.P.	510#	
					Shut in 2-3-	49 in 6-5/8	Casing.
							-
						Off	RECEIVED de of Oil and Gas
						į	EB 1 5 2019
						W Enviro	Department of mental Protection
						i	
					- 1	1	,
					:		
, -					÷		
	<u> </u>		<u> </u>				

	Date	March	14,	, 19 /49
APPROVED	Unite	ed Fuel Ga	s Company	, Owner
Ву_	Chief Engir		ore DR	

04/12/2019

WW-4A Revised 6-07

February 13, 2019 1) Date: 2) Operator's Well Number 806408 00170 3) API Well No.: 47 -47-059

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL.

(a) Name Address	Twelve Pole Limited Partnership P.O. Box 1956	Name Address	None
Aumess	Williamson, WV 25661	Address	
(b) Name		(b) Coal O	wner(s) with Declaration
Address		Name	Henry R. Closterman Estate, C/O First Century Bank
		Address	P.O. Box 1559
			Bluefield, WV 24701
(c) Name		Name	
Address		Address	0
Inspector	Allen Flowers	(c) Coal Le	essee with Declaration
Address	165 Grassy Lick Lane	Name	Ark Land, LLC
	Liberty, WV 25124	Address	One City Place Drive
Telephone	304-552-8308		St Louis, MO 63141
Telephone	304-552-8308		

(2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

	OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA Phyllis A. Copley 144 Willard Circle Huntoane, WV 25528	Well Operator By: Its: Address	Core Appalachia Operating, LLC Jessica Greathouse Manager - HSE & Administration Services P.O. Box 6070	
say c	Immiselon Expires September 16, 2	1000 1	Charleston, WV 25362	
**********	1422204666666666666666666666666666666666	Telephone	304-353-5240	

RECEIVED Office of Oil and Gas Subscribed and sworn before me this FFB 1 5 2019 My Commission Expires

Oil and Gas Privacy Notice

WV Department of Environmental Protection

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

Date

SURFACE OWNER WAIVER

Operator's Well Number

806408

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have objection to a permit being issued or		ne planned wo	k described in these materials, and I have no
FOR EXECUTION BY A NATURAL ETC.			FOR EXECUTION BY A CORPORATION,
	Date	Name	SUMMIT LOSINGWINT BANK, TRUSTER
Signature		By Its	VICE-PRES + TRUST OFFICER Date
		200	DRIVE PROTED 3/8/19

Signature

WW-9 (5/16)

API Number47 - 059 01 Operator's Well No. 806408

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name_Core Appalachia Operating, LLC	OP Code 494518671
Watershed (HUC 10) Jennie Creek	
Do you anticipate using more than 5,000 bbls of water to co	
Will a pit be used? Yes V No	
	ging returns/Cement - Will utilize above ground tanks
Will a synthetic liner be used in the pit? Yes	No If so, what ml.? 20
Proposed Disposal Method For Treated Pit Wastes	
Land Application (if selected pro-	vide a completed form WW-9-GPP)
Underground Injection (UIC Per	mit Number)
Reuse (at API Number Off Site Disposal (Supply form V	WW-9 for disposal location)
	d will be hauled to a Core tank battery and disposed of properly)
Will closed loop systembe used? If so, describe:	
	ontal)? Air, freshwater, oil based, etc.
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium?	
Drill cuttings disposal method? Leave in pit, landfill, remove	ed offsite, etc
-If left in pit and plan to solidify what medium will I	be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number?	
	Pa-
where it was properly disposed	ed within 24 hours of rejection and the permittee shall also disclose
I certify that I understand and agree to the terms and on April 1, 2016, by the Office of Oil and Gas of the West V provisions of the permit are enforceable by law. Violations of the regulation can lead to enforcement action. I certify under penalty of law that I have personal application form and all attachments thereto and that based on	d conditions of the GENERAL WATER POLLUTION PERMIT Issue in irriginia. Department of Environmental Protection. I understand that the fany term or condition of the general permit and/or other applicable later than my inquiry of those individuals immediately responsible for o btaining ate, and complete. I am aware that there are significant penalties for
Company Official Signature	OFFICIAL SEAL NOTARY PUBLIC
Company Official (Typed Name) Jessica Greathouse	Phylliad Copley
Company Official Title Manager - EHS and Adminis	strative Services Hurricane, WV 25528
	b=24000000000000000000000000000000000000
ubscribed and swom before me this 14th day of	February 2019
Phillis a. Cox	Sluy Notary Public
Ty commission expires Systember 10	., 2023

Operator's Well No. 806408

Lime 3	Tons/acre or to corr	ect to pH 6.5	
Fertilizer type 1	0-20-20 or equivalent	15	
Fertilizer amount_		lbs/acre	
Mulch 2		Tons/acre	
		Seed Mixtures	
Te	emporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alsike Clover	5
Annual Rye	15	11-11-11-11-11-11-11-11-11-11-11-11-11-	
attach: flaps(s) of road, location, pit rovided). If water from the p W), and area in acres, of the hotocopied section of involves.	the land application area.	d application (unless engineered plans includ ovide water volume, include dimensions (L, V	ing this info have been W, D) of the pit, and d
Maps(s) of road, location, pit rovided). If water from the p y, W), and area in acres, of the motocopied section of involved	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
Maps(s) of road, location, pit rovided). If water from the page, W), and area in acres, of the contractions of the contractions of the contractions are a second contractions.	the land application area.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
flaps(s) of road, location, pit rovided). If water from the p , W), and area in acres, of the notocopied section of involved an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have been W, D) of the pit, and d
Maps(s) of road, location, pit rovided). If water from the page 2, W), and area in acres, of the notocopied section of involve an Approved by:	the land application area. ved 7.5' topographic sheet.	The water volume, include dimensions (L,	ing this info have bee W, D) of the pit, and c

CORE APPALACHIA, L.L.C.

Diagram of Well 806408 API 47-059-00170 Field Office - Kermit County - Mingo



Note: No Land Application if pit is used

RECEIVED Office of Oil and Gas

FEB 1 5 2019


WV Department of Environmental Protection

Site Plan

Prepared by: Kris Aldridge

Date: 2/9/2019

04/12/2019



WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WELLL	CATION FURIM: GP	5	
_{API:} 47-059-00170	WELL NO.:	806408	
FARM NAME: H. Closter	man 31		
RESPONSIBLE PARTY NAME	: Core Appalachia Op	perating, LLC	2
COUNTY: Mingo	DISTRICT: Ke	ermit	1
QUADRANGLE: Wilsonda			
SURFACE OWNER: Twelve	Pole Limited Partne	ership	
ROYALTY OWNER: Henry	R Closterman Esta	te	
UTM GPS NORTHING: 4194	747.97m		
UTM GPS EASTING: 38242	6.06m GPS ELEVA	ΓΙΟΝ: 427.21m [1401.59	1
The Responsible Party named above preparing a new well location plat for above well. The Office of Oil and Othe following requirements: 1. Datum: NAD 1983, Zon height above mean sea leading to Datum – 3.4 2. Accuracy to Datum – 3.4 3. Data Collection Method Survey grade GPS: Post P	For a plugging permit or assigned Gas will not accept GPS coordinate: 17 North, Coordinate Units: mevel (MSL) – meters. 25 meters:	API number on the tes that do not meet	
	Time Differential		Office of Oil and Gas
Mapping Grade GPS X: Pos			FEB 1 5 2019
	al-Time Differential X		WV Department of Environmental Protection
4. Letter size copy of the I the undersigned, hereby certify thi belief and shows all the information prescribed by the Office of Oil and	required by law and the regulati	knowledge and	State
Findsless	EHS Specialist	2/11/19	
Signature	Title	Date	