

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Monday, November 13, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re:

Permit approval for 9615 47-061-00260-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: MURPHY, MIKE

U.S. WELL NUMBER: 47-061-00260-00-00

Vertical Plugging

Date Issued: 11/13/2023

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 2. Well work activities shall not constitute a hazard to the safety of persons.
- 3. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

WW-4B Rev. 2/01

1) Date Oct 12, 2023,	20 23
2)Operator's	
Well No. Murphy 9615	
3) API Well No. 47-061	- 00260

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERM	IIT TO PLUG AND ABANDON
4)	Well Type: Oil/ Gas X/ Liquid (If "Gas, Production or Und	injection/ Waste disposal/ lerground storage) Deep/ Shallow X
5)	Location: Elevation 1005' District Cass	Watershed Robinson Run of The Monongahela River County Monongalia Quadrangle Morgantown North
6)	Well Operator Address DEP Paid Plugging Contract 601 57th St. Charleston, WV 25304	7) Designated Agent Jason Harmon Address 601 57th St. Charleston, WV 25304
8)	Oil and Gas Inspector to be notified Name Bryan Harris Address P.O.Box 157 Volga, WV 26238	9)Plugging Contractor Name Address
	Work Order: The work order for the mann	
	fication must be given to the district oi c can commence.	l and gas inspector 24 hours before permitted
vork	c order approved by inspector Bryan Harris	Date Oct 12, 2023





STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS ON

				and the second second		1 ' ' '	
	om M. Ira: 29 Februar	and the second s	atom, W. Ya	Casing and Tubing	Used 16 Drilling	Left in Well	Packers
arm Mik			Acres 55	-		:	
ocation (water	s) Robin	eon Run	2007	Size		1:_	
Vell No Kope			Elev 1005	16		· - · · · · · · · · · · · · · · · · · ·	ind of PackerLarkin
intrict_Case		_County_Yono		13 57		7	ze of 150 × 50
he surface of t		c by Velle		84			
		7/11-John M.		634		m 1155 D	epth set 1150
inetal Lights a	ire owned by—		ntown T. To	: • • •	, , , ,	1160	
rilling commen	ced Vey 2		-	3			erf. top
	ed July			2	<u> </u>	. P	erf. bottom
ate Shot Hot			ro	Liners Used		P	erf, top
/101	100		P	·!	(e)	P	erf. bottom.
pen Flow ge	/10ths Water		Incl	1 2	<u> </u>		
	the Merc.	Įn	Įoci	CASING CEM	ENTED	SIZENo.	FtDate
olume7			Cu. Pt	i			
		1bs.	bbls, 1at 24 hrs	1	NCOUNTERED	AŤFE	etinches
il	ED No	1	THE SA DIA	FEE	TINC	ješ FE	etinches
FFF VCIDIF				FEE	TINCI	iesFe	ETINCHES
ELL FRACTU	IRED Wa		V(p)				
ELL PIOTOIC			11 - 1				<u> </u>
ESULT AFTE	R TREATMEN	T	1	7 . 97	14	<u>: </u>	***
OCK PRESSU			1			<u> </u>	
	,						
resh Water		Feet		Salt Water		Feet	
		Feet		· i	Sil Gas		
Formation Tors	Celer ,	Feet Hard or Soft drilled, I	Top Filling done We had, no pass through	Bottom. through cas	ylymythis.	Depth on of Injun. Me' complete	Remarks Old record
Formation Formation Formation 1600 fee	Color , ations not s snow unte	Feet Hard or Soft drilled, I	cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646	Bottom, through cas may of verificating. We 5 10 85 120 250 567 819	or Water ing to botto	Depth on of Injun. Me' complete	Remarks Old record
Formation Formation Formation 1600 fee	Color , ations not s snow unter the A 5" b	Feet Hard or Soft drilled, I	cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819	Bottom. through cas may of verif casing. We 5 10 85 120 250 567 819 823	or Water ing to botte yi this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation Formation Formation 1600 fee 1600 fee 11 11 11 11 11 11 11 11 11	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646	Bottom. through cases of verificating. We so that the second sec	or Water ing to botte yi this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation Formation Formation Formation 1000 feet 1100 feet	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 1355	Bottom. through cases of verificating. We see the see	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 656 819 915 954 0 1355 1373	Bottom. through cases of verificating. We see the see	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases yet of verificating. We see the	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation Formation Formation Formation Formation 1000 feet 1000 feet 1100 feet	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 656 819 915 954 0 1355 1373	Bottom. through cases of verificating. We see the see	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record
Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott 807*	Remarks Old record well at
Formation Formation Formation Formation Formation Formation Shows gs 1600 fee	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases yet of verificating. We see the	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott 807*	Remarks Old record well at
Formation Formation Formation Formation Formation Formation Shows gs 1600 fee	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. We complete bit to bott	Remarks Old record well at
Formation Formation Formation Formation Formation Formation A condition Formation Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth on of Injun. No complete bit to bott 807' 975	Remarks Old record well at
Formation Formation Formation Formation Formation Formation A condition Formation Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth of Injun. We complete bit to bott 807* 975 1523 JUL 1962	Remarks Old record d well at
Formation Formation Formation Formation Formation Formation Shows gs 1600 fee	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had, no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth of Of Injun. We complete bit to bott 807' 975 1523 JUL 1962 RECEIVE Next Virgin	Remarks Old record well at
Jors shows 68	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I red at 1523. It will not	Cilling done We had no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 1355 1373 1375 1432	Bottom. through cases you of verificating. We casing. We case a cas	or Water ing to botto yis this. used 4-3/4 Water Gas	Depth of Of Injun. We complete bit to bott 807' 975 1523 JUL 1962 RECEIVE Next Virgin	Remarks Old record well at
Formation Formation Formation Formation Formation Formation A condition Formation Formation	Color , ations not s show unter the A 5" b	Feet Hard or Soft drilled, I	Cilling done We had no pass through OLD RECORE 0 5 80 110 230 555 646 819 915 954 0 1355 1373 1375 1432	Bottom. through cases of verificating. We solve the serious of th	or Water ing to botte yis this. used 4-3/4	Depth of Injun. We complete bit to bott 807* 975 1523 JUL 1962	Remarks Old record well at



STATE OF WEST VIRGINIA TO SET OF COUNTY DEPARTMENT OF MINES

Pehrung OIL AND GAS DIVISION Quadrangle Morgantown WELL RÉCORD Oil or Gas Well Company Hope Natural Gas Company M. G. Murchy Location (waters). 10051 Well No. 9615 The surface of tract is owned in fee by 1188 Mineral rights are owned by Drilling commenced 1-13-11 Drilling completed 2-16-11 Liners Used Date Shot No record From Open Flow /10ths Water in CASING CEMENTED. /10ths Merc. in INCHES COAL WAS ENCOUNTERED AT. δii.... bbls., 1st 24 hrs. 10 PEET 120 NOHES INCHES INCHES Salt water 9751 8071 Oll, Gas or Water Depth Found Color Formation Ő Soil 10 Coal 85. 80 Coal 120 110 Coal 250 230 Murphy Little Dunk 555 646 819 567 819 Big Dunkard 823 Freeport Coal 915 925 Sand '. Water 1166 lat. & 2nd. Salt 1373 1355 Little Lim Pencil Cave 1373 1375 1375 1432 Rig Lime 1523 Big Injun 1432 9.523 15231 TOTAL DEPTH FEB 1945

PLUGGING PROJECT 4706100260 Murphy 9615

Well detail:

5" casing with 2" tubing, setting in 7" casing, visible at surface.

No wellhead.

Well leaking gas at 2" and 5" strings. Elevation 1005'.

Well was drilled in 1911 to 1523'. Drilled Deeper in 1962 to 1600'.

Records indicate:

- Coal 60" - Coal 60" <u>8</u>0, - Coal 120" 110' 805' - Fresh water 975 - Salt water 1005 - Elevation - 6 5/8" casing - 5 3/16" casing 1188' 1480' - Gas show Big Injun - TD 1523'

1600'

Site-based considerations:

Well sits on the outer edge of a former strip job.

300' from county road, 400' from Robinson Run, 1.7 miles upstream of The Monongahela River.

Location and access road are very overgrown with vegetation.

PLUGGING PROJECT 4706100260 Murphy 9615

V. REMEDIATION AND/OR PLUGGING WORK PLAN

Notify Inspector Specialist, Bryan Harris 304-553-6087, Notification is required 24 hrs prior to commencing plugging operations

Well records show:

- 5' to 10' Coal - 80' to 85' Coal - 110' to 120' Coal Fresh Water - 805' Salt Water - 975' - 1005' Elevation - 1097' Gas Show 6 5/8" casing - 1188' 5 3/16" casing - 1480' Packer set in 5" - 1480' - 1523' Big Injun Gas Show

- 1. Disconnect production line. Install 24" cellar around well.
- 2. Rig up to existing 5 3/16" casing.
- 3. Pull 2" tubing and packer.
- 4. Load hole with water. Run bond log on 5" casing.
- 5. Run in hole with work string to TD at 1600'.
- 6. Run 1sx Gel followed by 100' cement plug.
- 7. Free point 5" casing and pull.
- 8. Set cement plug from 1500' to 1300'.
- 9. Perf 6" casing @ 1100', 1050' and 1000'.
- 10. Set cement plug from 1200' to 1000'. WOC
- 11. Set cement plug from 1000' to 800'.
- 12. Perf 6" casing @ 500', 450', and 400'.
- 13. Set cement plug from 550' to 350'.
- 14. Set cement plug 200' to surface.
- 15. Set monument.
- 16. Reclaim

NOTE.. Any casing found in the well with out cement in the annulus that cannot be retrieved must be perforated and cement at all saltwater, freshwater, coal, oil, gas, casing shoe and elevation points.

WW-4A Revised 6-07

1) Date: Oct 12, 2023	
2) Operator's Well Number	
Murphy 9615	

3) API Well No.: 47 -

061 - 00260

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4)	Surface Own	er(s) to be served:	5) ((a) Coal Operator	
,	(a) Name	Rick Heller	32	Name	NA
	Address	1782 Lazzelle Union F	Rd.	Address	
		Maidsville, WV. 26541			
	(b) Name			(b) Coal Ow	ner(s) with Declaration
	Address			Name	Ringold Mining Co.
	Address			Address	Old Lock 8 Rt. 166
					Pt. Marion, PA. 15474
	() NT			Name	The management of the second o
	(c) Name				
	Address			Address	
6)	Inspector	Bryan Harris		(c) Coal Les	see with Declaration
	Address	P.O.Box 157		Name	Na
	riddross	Volga, WV 26238	(Address	
	Telephone	304-553-6087			
	Telephone	001 000 0001			
	well it (2) The pl The reason y However, you Take notice t accompanyin Protection, w the Application	and the plugging work at (surveyor's map) show ou received these documer u are not required to take an that under Chapter 22-6 of ag documents for a permit to	to order; and wing the well location at sis that you have right at a sign action at all. the West Virginia Code to plug and abandon a virginia code to plug and abandon a virginia code to mailed by registered	the e, the undersigned well of well with the Chief of the in the attached Application or certified mail or deli	sets out the parties involved in the work and describes the ation which are summarized in the instructions on the reverses side. Operator proposes to file or has filed this Notice and Application and coffice of Oil and Gas, West Virginia Department of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, wered by hand to the person(s) named above (or by publication in
			Well Operator	DEP Paid Plugging	Contract
			By:	Jason Harmon	Jason Harmon
^			Its:	601 57th St.	
3	WEST	OFFICIAL SEAL SALL	Address	Charleston, WV 253	304
{	STA A ST	NOTARY PUBLIC ATE OF WEST VIRGINIA	Address	Chanceton, 111 200	<u>~ : </u>
{	RE	NAE DAWN WHITLOCK	Talankana	304-926-0450	
5		Street, SE, Charleston, WV 25304 5	Telephone	304-920-0430	
٧		Cummun			
			nak	120	0.03
Sul	oscribed and s	worn before me this	s de	ay of Coto	mer 3000
	Jano	media	J. D. H	cele	Notary Public
My	Commission l	Expires	01010	2021	
		- 4	7		

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.



west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 Phone: (304) 926-0450 Fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary dep.wv.gov

October 26, 2023

Ringold Mining Co. Old Lock 8 Rt. 166 Pt. Marion, PA 15474 9489 0090 0027 6074 7904 61

RE: Well API#: 47-061-00260

API#: 47-061-01943

Ringold Mining Co,

Records held by the Office of Oil and Gas (OOG) indicate that you are the owner of coal underlying a parcel located along Lazelle Union Rd. in Maidsville, WV further identified on tax forms as Parcel ID: 31-03-0007-0021-0013. Our records additionally show that wells having API Numbers 47-061-00260 and 47-061-01943 are located on that property. Based on an abandoned well inspections dated August 30, 2022 and June 27, 2023, respectively (see enclosed), these wells are considered a potential hazard or imminent danger, a possible pollutant to the surface or underground, or is wasting natural resources (leaking) and must be properly plugged or cleaned out and re-plugged.

Pursuant to W. Va. Code § 22-6-29, and under the direction and supervision of West Virginia Department of Environmental Protection, a contractor for the State of West Virginia will enter onto the property, properly plug the above named well at no cost to you. Further, the state will remove all associated materials from the well location and reclaim, seed, and mulch the well location and well road accesses used, to state specifications.

If you have comments or concerns regarding this proposed well plugging, please contact me at your earliest convenience. Otherwise, please sign and return the enclosed waiver affirming that you have no comment on this proposed activity. A copy of the permit application is included for your consideration. If you have any questions, please contact me at (304) 926-0499 ext. 41102.

Respectfully,

Jasøn Harmon Deputy Chief

ason Harmon

SURFACE OWNER WAIVER

Operator's Well Number

Murphy 9615

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

> Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE · Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUTION BY A CORPORATION, FOR EXECUTION BY A NATURAL PERSON

ETC.

Date 10/19/23 Name DEP Paid Plugging Contract

Bryan Harris Inspector Specialist

Signature by Jan Hun Date 10/19/23

API Number	47 -	061	_00260	
Operator's We			phy 9615	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name DEP Paid Plugging Contract OP Code
Operator Name DEP Paid Plugging Contract OP Code Watershed (HUC 10) Robinson Run of The Monongahela River Quadrangle Morgantown North
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Do you anticipate using more than 2,000
Will a pit be used? Yes No V
If so, please describe anticipated pit waste: Will a synthetic liner be used in the pit? Yes No ✓ If so, what ml.?
Will do yill d
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP)
Underground Injection (UIC Permit Number) Reuse (at API Number)
Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain
Will closed loop systembe used? If so, describe: Na
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Na
-If oil based, what type? Synthetic, petroleum, etc. Na
Additives to be used in drilling medium? Na
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Na
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) Na
-Landfill or offsite name/permit number? Na
Permittee shall provide written notice to the Office of Oil and Cas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
TO THE ALL WATER POLICEON DEDMIT Serve
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on the application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the condition of the certificant penaltics for the condition of the certificant penaltics for the certificant pe
the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
OFFICIAL SEAL NOTARY PUBLIC
Company Official Signature STATE OF WEST VIRGINIA RENAE DAWN WHITLOCK
My Commission Expires April 06, 2027
Company Official Title Deputy Chief
Subscribed and swom before me this 27th day of October , 2023
Notary Public
My commission expires (2002)
Company Official Signature Company Official (Typed Name) Jason Harmon Company Official Title Deputy Chief Subscribed and sworn before me this April 1987 April

Operator's Well No	. Murphy 9615
--------------------	---------------

Lime 2 tons	Fons/acre or to correc	t to pH	
Fertilizer type 20-20-20	0		
Fertilizer amount 500 lb		lbs/acre	
Mulch_ 2 tons		_Tons/acre	
		Seed Mixtures	
Tempora	ry	Perm	anent
Seed Type	lbs/acre	Seed Type Meadow Mix	lbs/acre 50 lbs
		Clover	5 lbs
ed). If water from the pit will, and area in acres, of the lan	be land applied, pro d application area.	l application (unless engineered plans incluvide water volume, include dimensions (L	iding this info hav
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan	be land applied, pro d application area. 5' topographic sheet.	l application (unless engineered plans include water volume, include dimensions (L	iding this info hav , W, D) of the pit,
s) of road, location, pit and p ed). If water from the pit will , and area in acres, of the lan	be land applied, pro d application area. 5' topographic sheet.	l application (unless engineered plans include water volume, include dimensions (L	iding this info hav, W, D) of the pit,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav, W, D) of the pit,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav, W, D) of the pit,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav, W, D) of the pit,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav, W, D) of the pit,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav,
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav
s) of road, location, pit and ped). If water from the pit will, and area in acres, of the lan copied section of involved 7.5 pproved by: Bryan Ha	be land applied, pro d application area. by topographic sheet.	vide water volume, include dimensions (L	iding this info hav

SITE PREPARATION

706100260 Murphy 9516

Access road will need to be re-established. Brush stacked along lower side of road.

Location will need to be brushed and cleared for access.


Brush stacked to lower side. Stone as necessary for stabilization of plugging equipment.

Site Reclamation

4706100260 Murphy 9615

Location will be smoothed and reclaimed with lime, fertilizer, seed and mulch to state specifications. Access road will be smoothed up and left for landowner.

11/13/23, 10:50 AM Capture.PNG





West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

WELL LO	CATION FORM. GI	S
_{API:} 4706100260	WELL NO.:	Murphy 9615
FARM NAME: Murphy		
RESPONSIBLE PARTY NAME:	DEP Paid Pluggi	ng Contract
county: Monongalia	DISTRICT: C	ass
OHADRANGLE: Morgant	own North	
SURFACE OWNER: Heller,	Geoffrey R. Jr. &	Kimberly A.
ROYALTY OWNER: Richa	rd A. Pultorak &	Carol S.
UTM GPS NORTHING: 5 86	363	
UTM GPS EASTING: 43 94	929 GPS ELEVA	TION: 1005'
preparing a new well location plat for above well. The Office of Oil and Gothe following requirements: 1. Datum: NAD 1983, Zone height above mean sea leterated above mean sea leterated. 2. Accuracy to Datum – 3.0 and Collection Method: Survey grade GPS: Post Prepare above well and the survey grade GPS: Post Prepare above well and the survey grade GPS: Post Prepare above well and the survey grade GPS: Post Prepare above well and the survey grade GPS: Post Prepare above well and GPS: Post Prepare above well. The office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Office of Oil and GPS: Post Prepare above well. The Oil and GPS: Post Pr	as will not accept GPS coordin e: 17 North, Coordinate Units: revel (MSL) – meters. 55 meters	ates that do not meet
	ime Differential	
Mapping Grade GPS X: Post	Processed Differential	
Rea	l-Time Differential	
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regular	y knowledge and
Bryan Harris	Inspector Specialist	Oct 12, 2023
Signature	Title	Date

API No.	4706100260
Farm Name	Murphy
Well No.	9615

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging	r/ owner/ lessee/ of the coal under this well location work order. The undersigned has no objection to the work proposed to be well operator has complied with all applicable requirements of the West lations.
Date:	
	By:
	Its

. . 0



(%)	DEPARTMENT OF MINES OIL AND GAS DIVISION	
	NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL To THE DEPARTMENT OF MINES, Challey Camp College Company College Company College Company College Coll	
	Box 744 morgantown was 129 Formor winds may 15 1962	
	PHOPOSED LOCATION District ADDRESS Monongolia County	8
	Mike Musthy & Farm	lev.1005
•	The undersigned well operator is entitled to drill upon the above named farm of tract of land for oil and gas, having fee title thereto, (or as the case may be) under grant or lease dated 12 th day of 1910 made by A Milder a	6
Ġ	and recorded on the St. day sir the office of the County Clerk for said County in Book 5 4 9 , page 5 9 4	
	The enclosed plat was prepared by a competent engineer and shows the proposed location of a well to be drilled for oil and gas by the undersigned well operator, on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or land marks. The undersigned well operator is informed and believes there are no coal operators operating beds	
	of coal beneath said farm or tract of land on which said well is located, or within 500 feet of the bound- aries of the same, who have mapped their workings and filed their maps as required by law, excepting the coal operators or coal owners (if any) above named as addressees. The above named coal operators or coal owners (if any) are notified that any objections they may desire to make to such proposed location, or which they are required to make by Section 3 of said Code, if	
	the drilling of a well at said proposed location will cause a dangerous condition in or about their respective coal mines, must be received by, or filed with the Department of Mines within ten days from the receipt of a copy of this notice and accompanying plat (by said Department. Said coal operators are further notified that forms for use in making such objections will be furnished to them by the Department of Mines promptly on request and that all such objections must set forth as definitely as is reasonably possible the ground or grounds on which such objections are based and indicate the direction and distance the proposed location should be moved to overcome same.	
•	(The next paragraph is to be completed only in Department's copy.) Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above.	
	named coal operators or coal owners at their above shown-respective address day before, or on the same day with the mailing or delivery of this copy to the Department of Mines at Charleston, West Virginia. Very truly yours	
	Address of Fairmon Lan	
	COSTATE OPERATOR OF STATE	

Section 8 . . . If no such objections he filed or he found by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorised to proceed to drill at said location.

MON-260-Redrill

PERMIT NUMBER 1/17/2023

		Latinos 199° 451
-0		
-1		
	8	R.L.LAZZELL S
	nd .	
-2	AZZELL	
	M.S. MURPI	
		X. in all
1,81		No. of the second secon
		MARY CARLOW
	OWN SANDERS HAS.	
New Location		\vec{j}
Drill Deeper		
Company JOHN M	TRAXLER	STATE OF WEST VIRGINIA
Address /29 EAIRM	OR DRIVE WESTOVER	DEPARTMENT OF MINES
Farm M.G. MUPH TractAcres	5 Lease No.	CHARLESTON
Well (Farm) No	Serial No. 94/5	WELL LOCATION MAP
Elevation (Spirit Level) Quadrangis MORSA		
County MONONSAL	A District CASS	Topographic Maps, scale 1 to 82,500, lat- litude and longitude lines being represented
Engineer's Registration	E Dahw	by border lines as shown.
File No. 2-190-233	Drawing No. 9238	Denotes one lach spaces on border line of original tracing.
		在 [海 接近的 数 6) 等等常数 经验 自命政治 法信息 。 (3 4 6) (4 4 7 4 9

Date May. 14, 1962 Scale / - 500.0 BASTO, N.Y.



Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4706101943 06100260

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Mon, Nov 13, 2023 at 1:08 PM

To: Henry J Harmon henry.j.harmon@wv.gov, Bryan O Harris henry.j.harmon@wv.gov, musick@assessor.org, jdevincent@assessor.org, kliller@assessor.org

To whom it may concern, plugging permits have been issued for 4706101943 06100260.

James Kennedy

WVDEP OOG

2 attachments



4706101943.pdf 2030K



4706100260.pdf 2348K