LATITUDE 40 Nosh Ammons - 2 Post Elev. 1337.97 - 3 Sanny ! Harold Ammons J. D. Yost 93.083 Ac. walnut Wilson N75'35 W /22.38' Minimum Error of Closure Less than 1 in 2000 Well \$3 Approximately 500° Source of Elevation Yost Flo Berdine Elev. 1228.20 I, the undersigned, hereby certify that this map is correct to the best of my know-ledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia. Fracture..... New Location..... Drill Deeper..... Signed: Musicia Abandonment.. Map No. STATE OF WEST VIRGINIA DEPARTMENT OF MINES Company Yost & Yost Address Rt. *2 Fairview W.V. OIL AND GAS DIVISION CHARLESTON 93.083 Acre _Acres__3/2__Lease No Well (Farm) No. Elray Vost Hoirs 6 Serial No. FILE NO. MON-351-DD Elevation (Spirit Level) 1337.92 Quadrangle___ Blacksuille + Denotes location of well on United States County Monangalia _ District_ C /ax Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border Engineer William P. Foley lines as shown. Engineer's Registration No ... Denotes one inch spaces on border line of File No .. Drawing No. original tracing. "= 600° 47-061 Scale. KOE IMPERIALTA

111300

-- JAM 1 0 1881

Plot LATITUDE Nosh - 2 Eleu. 1337.97 Sanny ! Harold J. D. Yost AMMONS 1.655 93.083 Ac. 296 W m Cov On Walnut Wilson Farm Stone N75'35 W

N75'35 W

Minimum Error of Closure Less than 1 in 2000 Source of Elevation Yost Heirs Well 3 Heproximately 500 N.E. on the Flo Berdine Farm Elev. I, the undersigned, hereby certify that this map is correct to the best of my know-Fracture..... ledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia. New Location..... Drili Deeper..... Signed: Milliam Abandonment...... Map No. Squares: STATE OF WEST VIRGINIA DEPARTMENT OF MINES Company Yost & Yost . Inc. Address Rt. #2 Fairview W.V. OIL AND GAS DIVISION CHARLESTON Farm J. D. Yost 93.083 Acres Tract_____Acres_3/2 ...Lease No. WELL LOCATION MAP Well (Farm) No. Elrey Yest Heirs 6 Serial No. FILE NO. MON-351 Elevation (Spirit Level) 1337.97 Quadrangle Blacksuille Denotes location of well on United States County Manangalia District. Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border Engineer William P. Foley lines as shown. Engineer's Registration No... Denotes one inch spaces on border line of Drawing No. original tracing. 47-061 = 600 8-9-76 K-E IMPERIALTH

Eva




STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

Quadrangle Blacksville
Permit No. Mon. 351 47-061



OH.	& GAS-I	NOISIVIS
FARE	T. OF	MINES

freezis. X 🐞 🗞 🗷	SATIETY OF THE
RotaryX	Oil
Cable	Gas_X
Recycling	Comb.
Water Flood	Storage
Dienocal	Dry

			2 isposui	(Kind)
Company Yost & Yost, Inc. Address Route # 2, Fairview, WV 26570 Farm Elroy Yost Acres 312	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Day's Run Well No. 6 Elev. 1338 District Clay County Monongalia	Size 20-16 Cond.			
The surface of tract is owned in fee by	13-10" 9 5/8			
Address Route # 2, Fairview, WV 26570 Mineral rights are owned by Mabel Wilson &	8 5/8 7	581	581	160 sacks
Williams Address Rt. 2, Fairview, WV Drilling Commenced 9-12-76	5 1/2 4 1/2	, '		
Drilling Completed 9-17-76 Initial open flow 21,000 cu. ft bbls.	$\frac{3}{\cancel{2}}$ 1½ tub.	965	965	set on packer
Final production 21,000 tft. per day bbls. Well open hrs. before test RP.	Liners Used			
Well treatment details:	Attach copy of	comenting rec	ord.	

Coal was encountered at 105 - 810 - 940 Feet Inches

Fresh water 60 - 520 Feet Salt Water Feet Depth 1,025

Formation Color Hard or Soft Top Feet Bottom Feet Oil Gas or Water # Remarks

Formation Color	Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or Water * Remarks
Sand-Shale	Hard	0	65	
Sand	Hard	65	90	water
Shale	soft	90	105	
Coal	Soft	105	108	coal
Shale-Slate		108	233	
Red Rock	Soft	233	256	
Lime-Sand	Hard	256	285	
Red Rock	Soft	285	315	
Shale	Soft	315	343	
Lime-Slate	Hard	343	430	
Bluff Sand	Hard	521	581	
Lime		581	610	
Sand-Shale		610	670	
Shale-Lime	Soft	670	700	
Sand-Shale		700	730	

(over)


^{*} Indicates Electric Log tops in the remarks section.

				* -x
Formation Color Ha	ard or Soft	Top Feet []	Bottom Feet	Oil, Gas or Water Remarks
Shale-Lime Sand-Lime Coal Slate-Lime Lime-Sand Sand	Soft Soft Soft Hard	730 760 81.5 820 850 881	760 790 820 850 881	coal
Shale	Soft	910	910 940	
Coal Sand-Shale	Soft	940	946	coal
Shale	Soft	946 970	970 1,025	total depth
		• • •	_,,	total depth Conemaugh?
	:	-		
	į			
	-			
				•
				w w
			,	•
			·	
ř			·	
			. ,	
		,		

APPROVED Yost & Yost, Thc. Owner

By President





OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division OIL AND GAS WELL PERMIT APPLICATION

Charleston, W. Va.	DATE Augus	t 31, 1976	
Surface Owner Eva Williams & Mabel Wils	Bo, LP.	ost & Yost, Inc	
Address Route 2 Fairview W 26570		2. Fairview. W	
Mineral Owner 73 roy Yost Heirs	Farm 12roy		
Address Route / 2 Fairview WV 26570	<u> </u>	Day's Run	
Coal Owner astern Associated Soal Cor	, ,		. 1337 01
Address Pittsburgh PA 15219		Coun	
Coal Operator Same		Blacisville	.y
PERMIT MUST BE POSTED AT THE WELL SITE	Quadrangie		
rovisions being in accordance with Chapter 22, e W. Ya. Code, the location is hereby approved drilling			\$
nions indive mot commenced by		William Bl	osser
eputy Director - Oil-a Gas Division	NSPECTOR TO BE NOTE:	Colfax. W.	
GENTLEMEN:	H:ADI	RESS	:
The undersigned well operator is entitled to drill upon			
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to Yost Most, I	e dated <u>March 13</u> nc. and recorded o	19 <u>76</u> by He	irs of
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or least roy rost made to rost rost, I made to County, Book 772	e dated <u>March 13</u> nc. and recorded o	1976 by He. 29th. day	irs of March
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or least roy rost made to rost rost, I made to County, Book 772	e dated flarch 13, nc and recorded o Page	1976 by He. 29th. day	irs of March
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to rost made to rost Nost, I made to rost in Monongalia County, Book 772	e dated March 13 nc. and recorded o Page 464 REDRILL LED BEFORE JUNE 5, 1	1976 by He. n the 29th. day FRACTURE OR 969.	irs of of Varch stimulate
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to roy rost made to rost. I county, Book 772 NEW WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILL The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereby	e dated flarch 13, nc and recorded of Page REDRILL LED BEFORE JUNE 5, 1 or or licensed land surveyor py notified that any object	1976 by He. 1976 by He. 1976 day 1976 day 1976 and all coal owners are all coal owners and all coal owners and all coal owners are all coal owners and all coal owners are all coal ow	of Varch STIMULATE d/or operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to the total tot	e dated and recorded of and recorded of A64	1976 by He. 1976 by He. 29th day FRACTURE OR 969. or and all coal owners an tion they wish to make, on the of Mines within ten (1) wered to the above named y before	of Varch STIMULATE d/or operators or are required 0) days. *
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to roy rost made to rost. I gray for made to rounty, Book rost. I county, Book rost. I new WELL DRILL DEEPER OIL AND GAS WELL ORIGINALLY DRILL The enclosed plat was prepared by a registered engineer have been notified as of the above date. The above named coal owners and/or operator are hereto make by Section 3 of the Code, must be received by, or Copies of this notice and the enclosed plat were mailed	e dated and recorded of and recorded of A64	1976 by He. 1976 by He. 29th day FRACTURE OR 969. or and all coal owners an tion they wish to make, on the of Mines within ten (1) wered to the above named y before	of Varch STIMULATE d/or operators or are required 0) days. * coal operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to the total tot	e dated	1976 by He. 1976 by He. 29th day FRACTURE OR 969. or and all coal owners and of Mines within ten (1) wered to the above named of Mines within ten (1) wered to the above named of Mines within ten (1) wered to the above named of Mines within ten (1) wered to the above named of Mines within ten (1)	of Varch STIMULATE d/or operators or are required 0) days. * coal operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to the total tot	and recorded of Page A64 REDRILL REDRILL S, 1 To or licensed land surveyor or licensed land surveyor riled with the Department by registered mail, or delicensed land surveyor or licensed land surveyor riled with the Department of Mines at Control of Mines at Contr	1976 by He. 1976 by He. 1976 day 1976 day FRACTURE OR 969. or and all coal owners and the coal owners are coal owners and the coal owners and the coal owners are coal owners and the coal owners are coal owners and the coal owners are coal owners.	of Varch STIMULATE d/or operators or are required 0) days. * coal operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to the total tot	and recorded of Page REDRILL REDRILL To ror licensed land surveyor of licensed land surveyor riled with the Department by registered mail, or delimination of Mines at Control of Control of Mines at Contr	1976 by He. 1976 by He. 29th day FRACTURE OR 969. or and all coal owners and of Mines within ten (1) wered to the above named of harleston, West Virginia. Well Operator 2 Street	of Varch STIMULATE d/or operators or are required 0) days. * coal operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease	and recorded of Page REDRILL REDRILL To or licensed land surveyor or licensed land surveyor filed with the Department of Mines at Control of Mi	praction they wish to make, on the distribution they wish to make, on the of Mines within ten (1) wered to the above named of the distribution, West Virginia. Well Operator Street View	of Varch STIMULATE d/or operators or are required 0) days. * coal operators
The undersigned well operator is entitled to drill upon title thereto, (or as the case may be) under grant or lease to the total tot	and recorded of Page REDRILL REDRILL To or licensed land surveyor of licensed land surveyor of filed with the Department of Mines at Control of	1976 by He. 1976 by He. 29th day FRACTURE OR 969. or and all coal owners and of Mines within ten (1) wered to the above named of harleston, West Virginia. Well Operator 2 Street	of Varch STIMULATE d/or operators or are required 0) days. * coal operators c, or on the

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

MON-351 PERMIT NUMBER

47-061

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

DRILLING CONTRACTOR: (If K			FRACTURE-STIMULATE			
NAME	nown)	RESPONSIBLE AGENT:				
NAME						
ADDRESS						
TELEPHONE		TELEPHONE	3 04-798-31 <i>6</i> 1			
ESTIMATED DEPTH OF COMPLE	TED WELL:	ROTARY X	_ CABLE TOOLS			
PROPOSED GEOLOGICAL FORMA	ATION:					
TYPE OF WELL: OIL	GAS CO	OMB. X STORAC	E DISPOSAL			
		NG WATER FLOOD OTHER				
TENTATIVE CASING PROGRAM:						
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.			
20 - 16		1 222	OR SACKS - COBIC 11.			
13 - 10	20 ft.	20 ft.	4 sacks			
9 - 5/8						
8 - 5/8	800 ft.	800 ft.	C75 100 service			
7	2000 ft.	2000 ft.	100 sacks			
5 ½						
4 ½						
2			Perf. Top			
Liners			Perf. Bottom Perf. Top			
			Perf. Bottom			
WELLS DRILLED PRIOR TO MUST ALSO BE SUBMITTED TO FRACTURE - STIMULATE: OIL AND/OR GAS WELL ORI BOND, PERMANENT PLAT A OIL AND/OR GAS WELL ORI	F OG - 1, \$100.00 PERMIT OG - 1, SHOWING ORIGIN 1929, A PERMANENT CO GINALLY DRILLED BEFOR ND ORIGINAL WELL RECO	FEE, PERFORMANCE NAL PERMIT NUMBER A PY OF THE PLAT AND E JUNE 5, 1929, FIVE (5 ORD. D/OR AFTER JUNE 5, 19	BOND AND PERMANENT COPY ON THE ORIGINAL WELL RECORD OCOPIES OG - 1, PERFORMANCE O29, FIVE COPIES OG - 1, SHOW-			
			. Inspector to be notified twenty-			

FORM IV-2 STA	TE OF WEST VIRGINIA Date: November 20 , 19
	TITALD, OTH AND GAS DIVISION.
[08-78] OIL AND G	Operator's Well No. 6
WELL TYPE: Oil/ Gas _X /	API Well No. 47 - 06/- 35/ State County Peri
(If "Gas", Production/	Underground storage/ Deep/ Shallow_X /)
LOCATION: Elevation: 1337-97 W	atershed:
District: Western (Clay) c	ounty: Monongalia Quadrangle: Blacksville
	DESIGNATED AGENT Joe D. Yost, Pres.
Fairview, WV 26570	Address Same
OTI ! CAS	
OIL & GAS ROYALTY OWNER Eva Williams-Mabel Wi	_
Address Route # 2	The state of the s
Fairview, WV 26570	Address <u>Koppers Building</u> Pittsburgh, PA 15219
Acreage 312	COAL OWNER(S) WITH DECLARATION ON RECORD:
SURFACE OWNER Eva Williams-Mabel Wi	
Address Route # 2	THE TOTAL TOTAL OUT OF THE TOTAL OUT
Fairview, WV 26570	
Acreage 312	Name
FIELD SALE (IF MADE) TO:	Address
Name Carnegie Natural Gas Co	
Address Munhall, PA 15120	COAL LESSEE WITH DECLARATION ON RECORD!
	Name
OIL & GAS INSPECTOR TO BE NOTIFIED	Address
Name Bill Blosser	
Address Colfax, WV 26566	OIL & GAS DIVISION
-	DEPT. of MINES
The undersigned well operator is	entitled to operate for oil or gas purposes at the above
	other contract/ dated March 13, 19 76 , to the
undersigned well operator from (Elrov)	Cost Heirs) Eva Williams - Mabel Wilson
[If said deed, lease, or other contract has	
	ne office of the Clerk of the County Commission of Monongal
	ok 772 at page 464 . A permit is requested as follows:
	er_X / Redrill _ / Fracture or stimulate _ /
	Perforate new formation /
	in well (specify)
· · · · · · · · · · · · · · · · · · ·	
planned as shown on	the work order on the reverse side hereof.
	al owner(s), and coal lessee are hereby notified that any
	to make by Code § 22-4-3 must be filed with the Department
	receipt of this Application by the Department.
	and the enclosed plat and reclamation plan have been mailed
	the above named coal operator, coal owner(s), and coal lesses
	very of this Permit Application to the Department of Mines at
Charleston, West Virginia.	The state of the population of Military
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	
WEST VIRGINIA OIL AND GAS	YOST & YOST, INC. Well, Operator
CONSERVATION COMMISSION 1615 WASHINGTON STREET EAST	1 History
CHARLESTON, WV 25311	By My Sy Market
TELEPHONE: (304) 348-3092 BLANKET	BOND Its President
	-

[08-78]

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING COM	VTRACTO	R (IF	KNOWN)		Ch	isler Brot	hers		
				Addre	ss	P.O. Box 1	01		
	•					Pentress,	WV 26544		
GEOLOGICAL T	CARGET	FORMAT	TON.						
									Cable tools/
								,2040 feet.	Cable tools/
									? Yes/ No_X
••					· , · ,	1.5	endt netue w	ued to the stas	? Yes/ NoA_
CASING AND T	UBÍNG	PROGRA	M						
CASING OR TUBING TYPE		1	Weight	1	1	1	INTERVALS	OD CAGEC	PACKERS
Conductor	Size	Grade	per It	New	Used	For drilling	Left in well	(Cubic feet)	
Fresh water		,	270 07	4 370					Kinds
Coal	 	ļ	NO CH	ANG.	FR	OM ORIGINA	L PERMIT		
	7			· · · · · · · · · · · · · · · · · · ·	 	4.0 (2)		2000 A	Sizes
Intermediate						2000		200 Cont	
Production									Depths set
Tubing		<u></u>							
Liners		<u> </u>							Perforations:
									Top Bottor
				· · · · · · · · · · · · · · · · · · ·					
	<u> </u>	<u> </u>			اا				<u> </u>
THIS here is not all provise of the W. for	AMTAMANA ANTAMANA ANTAMANANA ANTAMANANANA ANTAMANANANA ANTAMANANANANANANANANANANANANANANANANANA	separa separa such o ng in a de, the g	te Form n the F ccordance location This penced by paiver n who has	well. IV-2 Article with is here ermit: 8- ust h	shall eshall esh	l not be requite part of the part of the part of the part of the conne proved expire if	ined for fractine work for ction therewise coal operat	water well or a cturing or stimur which a permit ith.	lating a well is sought and
						WAIVE	<u>3</u>		
well location the work prop	examir n, the posed t	well l o be d	is propo Location None at	sed v has this	vell.] been locat	location. If added to the tion, provided	a mine map e mine map. T d. the well o	xists which cove	coal under this well ers the area of the mas no objection to plied with all
Date: 4/ - 2	-		10/0						-
		·	+ /! <u>- 6 -</u>				6 1	11	1
						Ву	129	XX YVX	表