Card CSDW ONGITUDE 80 J. B. Williams N85'47'30"W Well # / Eleu. 1038.51 Yost Heirs 3.25 Re. Serry Shriver Minimum Error of Closure Less then 1 in 2000 Source of Elevation From Yost Hairs Wall #1 about 200 vds by the stream Elau stream 1054.30 i, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by paragraph 6 of the rules and regulations of the oil and gas section of the mining laws of West Virginia. Fracture..... New Location..... Drill Deeper..... William Signed:___ Map No. Abandonment..... Squares: STATE OF WEST VIRGINIA Company Yost & Yast DEPARTMENT OF MINES Fairview OIL AND GAS DIVISION CHARLESTON Form Yest Heirs WELL LOCATION MAP Well (Farm) No. Yast Heirs // Serial No. FILE NO.MON -373 Elevation (Spirit Level)_ 1038.52 Quadrangle Blacks ville - Denotes location of well on United States County Megangaliz _ District_ Topographic Maps, scale 1 to 62,500, latitude Engineer William P. Foley and longitude lines being represented by border lines as shown. 4449 Engineer's Registration No.-Denotes one inch spaces on border line of File No. Drawing No. original tracing. 47-061 APR 2 1 1978 4-8-78 Scale lin # 100 ff.

3200' Buyard

6-6 FAIRVIEW-STATLER

4-18



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL & GAS CIVISION DEPT. OF MINES

SEP

Oil and Gas Division

WELL RECORD 10

Quadrangle Blacksville

Rotary X Oil D

Cable Gas Comb.

Recycling Comb.

Water Flood Storage

Disposal —

8 1978

| Permit No. Mon-373 | 47-061 | | | | Water Floo Disposal | dStorage |
|--|--------------------|------------|--------------------------|---------------------|------------------------|----------------------------------|
| Company Yost & Y Address Rt. 2, Fair Farm Larry Yost | <u>view, WV 26</u> | | Casing and Tubing | Used in Drilling | Left in Well | Cement fill up Cu. ft. (Sks.) |
| Location (waters) Day Well No. 11 District Clay | E | | Size 20-16 | | | |
| The surface of tract is ov | | | Cond. 13-10" 9 5/8 | | | |
| Address Rt.2. Fai | rview, WV 2 | 6570 | 8 5/8 | 694 | 694 | to surface |
| Mineral rights are owned | by Heirs of | Perry | 7 6 5/8 | 2131 | 2131 | 80 sacks |
| Yost Address Rt | .2, Fairvie | w, WV | 5 1/2 | | | |
| Drilling Commenced | | | 4 1/2 | | | |
| Drilling Completed | | | 3 | | | |
| Initial open flow <u>30,0</u> | | | 2 | | | |
| Final production 20,000 | O_cu.ft.per day_ | bbls. | Liners Used | | | |
| Well open6 Well treatment details: | nrs. before test_ | RP. | | | | |
| Coal was encountered at _ | ~ . ~ | -595- Feet | | | | 1439-1480 |
| Fresh water 50 - 2 | · | eet | Salt | 77 a t C i | 090 | Feet |
| Producing Sand II | njun - <u>Fift</u> | 2 | Dept | h 2090 |) - <u>3100</u> |) |
| Formation Color | Hard or Soft | Top Feet | Bottom Feet | Oil, Gas o | т Water | * Remarks |
| | | 0 % | 70 | | | |
| Lime-Slate | Hard | 70 | 98 | | | |
| Coal | Soft | 98 | 100 | | | |
| Lime-Slate | Hard | 100 | 133 | | | |
| Slate-Lime | Hard | 133 | 158 | | | |
| Sand | Hard | 158 | 195 | · | | |
| Shale-Lime | Soft | 195 | 201 | | | |
| Lime-Sand | Hard | 201 | 222 | | | |
| 0 1 6 3 | | | | | | |

(over)

246

265

304

333

362

391

420

Hard

Soft

Soft

Hard

Hard

Soft

Soft

222

260

265

304

333

362

391

Sand-Shale

Shale-Sand

Sand-Lime

Lime-Shale

Shale-Lime

Redrock-Lime

Coal

^{*} Indicates Electric Log tops in the remarks section.

| Formation Color Ha | rd or Soft | Top Feet 13 | Bottom Feet | Oil, Gas or Water | * Remarks | 4 |
|---------------------------------|------------|-------------|-------------|---------------------------------------|--|---|
| Lime-Sand | Hard | 420 | 449 | | | |
| Shale-Lime | Soft | 449 | 479 | | | |
| Lime-Shale | Hard | 479 | 509 | | | |
| Shale-Lime | Soft | 509 | 538 | | | |
| Coal Sall | Soft | 538 | 543 | | | |
| Sand | Hard | 543 | 568 | | | |
| Coal Most | Soft | 595 | 598 | | | |
| Slate-Shale | Hard | 598 | 628 | | | |
| Pittsburgh Coal | Soft | 630 | 638 | | | |
| Shale-Lime | Hard | 638 | 659 | | | |
| Lime-Sand | Hard | 659 | 689 | | | |
| Sand-Lime | Hard | 689 | 719 | · | | |
| Redrock | Soft | 725 | 740 | | | |
| Lime | Hard | 740 | 749 | | | |
| Redrock-Sand Streaks of Lime | Soft | 749 | 8 10 | · | | |
| Sand-Lime | Hard | 810 | 840 | | | |
| Shale | Soft | 840 | 871 | | | |
| Redrock-Shale | Soft | 871 | 901 | • | | |
| Shale | Soft | 901 | 931 | | | |
| Shale-Lime | Soft | 931 | 1021 | | | |
| Coal | Soft | 1026 | 1029 | | | |
| Shale | Soft | 1029 | 1120 | | | |
| Coal | Soft | 1120 | 1123 | | | |
| Shale | Soft | 1123 | 1171 | | | |
| Coal | Soft | 1190 | 1192 | | | |
| Sand-Shale-Lime | Hard | 1192 | 1200 | | | |
| Shale-Lime | Soft | 1200 | 1231 | S | | |
| Shale-Sand | Soft | 1231 | 1261 | | | |
| Shale | Soft | 1261 | 1320 | | | |
| Shale-Sand | Soft | 1320 | 1411 | | | |
| Coal | Soft | 1439 | 1443 | | | |
| Shale | Soft | 1443 | 1473 | | • | |
| Coal | Soft | 1480 | 1482 | | | |
| Sand | Hard | 1482 | 1502 | · · · · · · · · · · · · · · · · · · · | | |
| Shale-Sand | Soft | 1502 | 1532 | | | |
| Sand | Hard | 1532 | 1680 | 4 | | |
| Shale | Soft | 1680 | 1801 | | | |
| Shale-Redrock | Soft | 1801 | 1831 | | | |
| Lime & (M.e. | Hard | 1831 | 1891 | | | |
| Sand | Hard | 1891 | 1895 | | | |
| Brown Sand | Hard | 1895 | 1921 | | | |
| | | | | | ************************************** | |

| Date September 6, | . , | 19_78 |
|-------------------|-----|-------|
|-------------------|-----|-------|

APPROVED Yost & Yost, Inc

_.Owner President - MON-373

Page 3

| , , , , , , , , , , , , , , , , , , , | | | Loge | 3 | |
|---------------------------------------|-----------------|--|--|--|-----------|
| Formation Colo | or Hard or Soft | Top Feet 10 A | Bottom Feet | Oil, Gas or Water | * Remarks |
| Sand | Hard | 1921 | 2164 | | |
| Sand-Shale | Hard | 2164 | 2194 | | |
| Sand | Hard | 2194 | 2263 | | |
| Sand-Shale | Hard | 2263 | 2547 | | |
| Sand | Hard | 2547 | 2635 | | |
| Redrock | Soft | 2635 | 2642 | | |
| Sand | Hard | 2642 | 2698 | | |
| Redrock | Soft | 2698 | 2702 | | |
| Sand-Shale | Hard | 2702 | 2705 | and the state of t | |
| Redrock | Soft | 2705 | 2720 | | |
| Sand | Har d | 2720 | 2734 | ** | |
| Sand-Shale | Hard | 2734 | 2765 | 15 - 15 - 15 - 15 - 15 - 15 - 15 - 15 - | |
| Sand | Hard | 2765 | 2825 | - Parker and American | |
| Sand-Shale | Hard | 2825 | 2856 | | |
| Sand | Hard | 2856 | 2888 | | |
| Redrock | Soft | 2888 | 2918 | | |
| Sand | Hard | 2918 | 3015 | | |
| Sand-Shale | Hard | 3015 | 3046 | | |
| Sand | Hard | 3046 | 3078 | | |
| Lime | Hard | 3078 | 3110 | | |
| Lime-Shale | Hard | 3110 | 3141 | | |
| Shale-Sand | Soft | 3141 | 3173 | | |
| Shale-Lime | Soft | 3173 | 3204 | | |
| Sand (Broke | n) Hard | 3204 | 3285 | Total Depth | |
| | | · | | | |
| | | | | | |
| | | | | | |
| | | and the state of t | | | |
| | | | | | |
| | | free contracts to the contract of the contract | | | |
| • | | HOLE THE PARTY AND ADMINISTRATION OF THE PARTY AND ADMINISTRAT | | | |
| | | | | | • |
| | | a.c | Service and the service and th | | ŧ |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | and the second | | | |

| Date Se | ptember 6, | . 19.78 |
|---------------|-------------|------------------------|
| APPROVED Yost | & Yost, Inc | , Owner |
| Ву | (Vitye) | Pre sident |





OIL & GAS DIVISION DEFT. OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

| TO THE DEPARTMENT OF MINES, | | | | |
|--|---------------------------------|---|---|--|
| Charleston, W. Va. | | DATE April 11, 1978 | | |
| Surface Owner Larry Yost | | Company Yost & Yost, Inc. | | |
| Address Rt. 2, Fairview, WV 265 | | dress Rt. 2, Fairv | | |
| Mineral Owner Heirs of Perry You | | 77 | 160 | |
| Address Rt, 2, Fairview, WV 265 | 70 | | s Run | |
| Coal Owner Eastern Assoc. Coal Co | 0770 | ll No. 11 | Elevation 1038.5 | |
| Address Pittsburgh, PA 15219 | | trict Clay | County Mon. | |
| Coal Operator Eastern Assoc. Coal | | adrangle Blacksville | | |
| Address Pittsburgh, PA 15219 | | aurangic | | |
| THIS PERMIT MUST BE POSTED AT TH | IE WELL SITE | | | |
| All provisions being in accordance with of the W. Va. Code, the location is here for <u>drilling</u> . This permit operations baye not sommenced by | eby approved shall expire if | | | |
| operations have not sommerical by | 3-1/-/8_ | | | |
| Deputy Director - Oil & Gas Division GENTLEMEN: The undersigned well operator is entitled to entitle thereto, (or as the case may be) under grant Parmy Vocate & Voc | nt or lease dated _ | ADDRESS Colfar e named farm or tract of la March 25 | 9.75 by Heirs of | |
| Perry Yost made to Yost & Yost 1975, in Monongalia County, Book X NEW WELL DRILL D | 760 Pa | | | |
| OIL AND GAS WELL ORIGINALI | LY DRILLED BEFO | ORE JUNE 5, 1969. | | |
| The enclosed plat was prepared by a registered have been notified as of the above date. | ed engineer or licen | sed land surveyor and all | coal owners and/or operators | |
| The above named coal owners and/or operator to make by Section 3 of the Code, must be rece | are hereby notified with | d that any objection they that the Department of Mine | wish to make, or are required s within ten (10) days. * | |
| Copies of this notice and the enclosed plat we or coal owners at their above shown respective same day with the mailing or delivery of this cop | address | dav | hefore or on the | |
| PTEASE SUBMIT COPIES OF ALL | Very t | ruly yours, Yost & | Yost, Inc. | |
| GEOPHYSICAL LOGS DIRECTLY TO: | (Sign N | vame Roddie & | Most | |
| West Virginia Geological and Economi | | Well Ope | rator | |
| P. O. Box 879 | | Route # 2 | | |
| Morgantown, W. Va. 26505 | $f Address \\ f of$ | Street | | |
| | Well Operator | <u>Fairview</u> | | |
| | | City or Tow | | |
| | | <u>West Virgi</u> | nia | |
| | | State | | |
| | | | | |

*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLANKET BOND

MON-373

PERMIT NUMBER

THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

| PROPOSED WORK ORDER | TO X DRILL | DEEDEN DO | A CIPLIDE CONTACT A CO | | | |
|--|---|--|---|--|--|--|
| DRILLING CONTRACTOR: | | RESPONSIBLE AGENT: NAME Yost & Yost, Inc. | | | | |
| NAME Yost & Yos | • | | | | | |
| | rview, WV 26570 | | ADDRESS Rt. 2, Fairview, WV 26570 | | | |
| TELEPHONE 304-798 | | | | | | |
| | | TELEPHONE | | | | |
| ESTIMATED DEPTH OF COM | | ROTARY X CABLE TOOLS | | | | |
| PROPOSED GEOLOGICAL FO | | | | | | |
| TYPE OF WELL: OI | L GAS (| COMB. X STORAGE | DISPOSAL | | | |
| | RECYCL | ING WATER FLOO | ODOTHER | | | |
| | | | | | | |
| TENTATIVE CASING PROGR | AM: | | | | | |
| | | | | | | |
| CASING AND TUBING SIZE | USED FOR | LEFT IN | CEMENT FILL UP | | | |
| 20 - 16 | DRILLING | WELL | OR SACKS - CUBIC FT. | | | |
| 13 - 10 | 25 | | | | | |
| 9 - 5/8 | ~ ~ ~ | | | | | |
| 8 - 5/8 | 650 | 650 | Surjace | | | |
| 7 | | 650 | 80 sacks | | | |
| 5 ½ | 2200 | 2200 | 80 sacks | | | |
| 4 ½ | | | | | | |
| 3 | | | | | | |
| 2 | | | Perf. Top Perf. Bottom | | | |
| Liners | | | Perf. Top | | | |
| | | | Perf. Bottom | | | |
| | | | Terr. Bottom | | | |
| APPROVIMATE EDECK WATER | ER DEPTHS 100 FEET | | 1 000 | | | |
| | - | | L,88U FEET_ | | | |
| APPROXIMATE COAL DEPTH | | | | | | |
| IS COAL BEING MINED IN T | 'HE AREA? NO | BY WHOM? | 6.5 | | | |
| TO DRILL: | | | | | | |
| SUBMIT FIVE (5) COPIE OF PLAT. | CS OF OG - 1, \$100.00 PERM | IT FEE, PERFORMANCE BO | ND AND PERMANENT COPY | | | |
| TO DRILL DECREE OF STREET | | | | | | |
| TO DRILL DEEPER OR REDR | | | | | | |
| WELLS DRILLED PRIOR MUST ALSO BE SUBMIT | S OF OG - 1, SHOWING ORIGI TO 1929, A PERMANENT CO TED. | INAL PERMIT NUMBER AND OPY OF THE PLAT AND TH | PERFORMANCE BOND. ON IE ORIGINAL WELL RECORD | | | |
| TO FRACTURE - STIMULATE: | : | | | | | |
| OIL AND/OR GAS WELL BOND, PERMANENT PLA | ORIGINALLY DRILLED BEFO | RE JUNE 5, 1929, FIVE (5) CC | OPIES OG - 1, PERFORMANCE | | | |
| OIL AND/OR GAS WELL | ORIGINALLY DRILLED ON AI IUMBER,AND PERFORMANCE | ND/OR AFTER JUNE 5 1929 | FIVE COPIES OG - 1, SHOW- | | | |
| | led within ninety (90) days of o | | nspector to be notified twenty- | | | |
| | | | | | | |
| mi. en | | | | | | |
| The following waiver must hereof. | be completed by the coal ope | erator if the permit is to be iss | ued within ten days of receipt | | | |

WAIVER: I the undersigned, Agent for _____ Eastern Assoc. ___ Coal Company, Owner or Operator of the coal under this lease have examined and place on our mine maps this proposed well location.

We the **Eastern Assoc.** Coal Company have no objections to said well being drilled at this location, providing operator has complied with all rules and regulations in Articles 4, 5, and 7, Chapter 22 of the West Virginia Code.