

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Jim Justice , Governor Austin Caperton , Cabinet Secretary www.dep.wv.gov

Wednesday, October 25, 2017 WELL WORK PERMIT Vertical / Plugging

CONSOL GAS COMPANY 1000 CONSOL ENERGY DRIVE

CANNONSBURG, PA 163176506

Re: Permit approval for 12578 47-061-00570-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number: 12578

Farm Name: DONLEY, ELEANOR T. U.S. WELL NUMBER: 47-061-00570-00-00

Vertical / Plugging

Date Issued: 10/25/2017

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. <u>Failure to adhere to the specified permit conditions may result in enforcement action.</u>

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01

1) Date	, 20	17
2) Operator's		
Well No.7150		
3) API Well No.	47-061 - 005	70

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

5)	Location: Elevation 634.289 METERS	Watershed Headwaters Three Fork Creek
	District Clinton	County Monongalia Quadrangle Morgantown South
6)	Well Operator Consol Gas Company	7) Designated Agent Christopher Turner
	Address 1000 Consol Energy Driv	
	Canonsburg, PA 15317	Jane Lew, WV 26378
8)	Oil and Gas Inspector to be notification Name Gayne J Knitowski	led 9) Plugging Contractor Name Coastal Drilling East LLC
	Address P.O. Box 108	Address 70 Gums Springs Road
	Gormania WV 26720	Morgantown, WV 26508
	Work Order: The work order for the See attached.	ne manner of plugging this well is as follows:
		RECEIVED Office of Oil and Gas
10)		RECEIVED Office of Oil and Gas

Donley, Eleanor #7126

Clinton, Monongalia County WV Original Completion: 12/31/1978 API# 47-061-00372 Elevation = 2077'

Procedure:

- 1. Load Hole/Kill Well, Pump 6% gel if necessary
- 2. RIH with Bond Tool to verify TD, log out to verify 4 ½" TOC (4 1/2" Casing Float @ 8087')
- 3. TIH with 2 3/8" Workstring and load the well with 6% Gel
- 4. Pump Class A Cement Plug from TD to 4 1/2" TOC (4 1/2" TOC est. @ 6800')
- 5. Verify TOC
- 6. RIH Jet Cut/Collar Bust 4 1/2" Casing above Bottom Hole Plug
- 7. Attempt to pull 4 1/2" Casing at a min. 1/2x string weight
 - a. If unable to pull run bond long/free point and cut where free
- 8. TIH with 2 3/8" Workstring to 2200' and set Class A Cement Plug from 2200' to surface
- a. This plug will cover Elevation @ 2077'9. Install monument with Well Name, API#, & Company Name. Monument must extend
- 30" min. above ground level and be 6" in diameter.

 10. Cellaim SITE ASAP

 NOTE: All Cement plugs will be Class A Cement, All Spacers between wells will be 6% Gel, Any

casing unable to be recovered will be perforated every 100' with A'shots and 100' cement plugs will be set to cover all cut points.

If it becomes necessary to deviate from this method, approval from the WV DEP Oil & Gas Division will be obtained before proceeding.

Work Order approved by Inspector

Date:


RECEIVED
Office of Oil and Gas

OCT 1 2 2017

WV Department of Environmental Protection

Donley, Eleanor #7150

Clinton, Monongalia County WV Original Completion: 12/31/1978 API # 47-061-00372 Elevation = 2077'






STATE OF WEST VIRGINIA DEPARTMENT OF MINES

Oil and Gas Division

WELL RECORD

	WELL	RECORD		Rotary X	Oil	<u>_</u> :
Quadrangle Morgantown South					GasX_	_
Permit NoMON-570				Recycling_ Water Floor		
47-061*			•	Disposal.	d Storage	
			•	1	(Kind)	
Company Consolidated Gas Supply	Corp	Casing and	Used in	Left	Cement fill pp	
Address lik W. Main St., Clarkab	mer W	Tubing	Drilling	in Well	Cu. ft. (Sa)	3
Fam Fleanor T. Donley	ares_hO			<u> </u>	Cu it (SEL)	N.
Location (waters) <u>Cobun Creek</u> Well No. <u>12578</u> E	. 00771	Size		1 -		
District Clinton County Money	lev. 2077*	20-16				i
The surface of tract is owned in fee by Mo		Cond. V4/V9" 13 3/9"			•	
rea Council. Boy Scouts of Amer	m <u>raireec</u> rica	9 5/8		201	To Surface	
Address Fairmont, WV		8 5/8	1290'	1290	To surface	
	ral Bank of					
dineral rights are owned by First Natur organtown. Trustee U/W.of Rober Address et al. Morganto	TwyDonle	y 5 1/2		<u> </u>		
Drilling Commenced December 2, 1971		4 1/2	80871	8087	500 Sks.	
Prilling Completed December 31, 197		3		1 30:0	JOU GRA.	
nitial open flowcu. ft		2			•	
inal production 671M cu. ft. ger day _	bbls.	Liners Used				
vell openhrs. before test	<u> </u>					
'ell treatment details:		Attach copy of c	ementing reco	rđ.		
Well fractured in Chert with	9l, 000# san				3 004 11 3	
and 7000 cal raw acid. Perf	orations.	7870 70701	O: water	<u>. 2000 P</u> a	11. 20% HCI	<u></u>
The state of the s	or Historia:	2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	VI * D _ 30 _ PO	105		_
						
roducing Sand Chert		Salt W	See perfe	orations		-
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas or	Water	Remarks	_
lan Fad?		 				-
op Soil Sand & Shale	0 12	12	15-4	(0)	_	
coal	154	154	Water	601	Damp	
Sand & Shale	160	236				
ed Rock	236	320				
and ime	320	500				
hale & Red Rock	500 595	595				
and & Shale	650	650 1140				
ed Rock & Shale	1140	1150				RECEIVED
and & Shale	1150	7805				Office of Oil and G
nondaga	7805	7825				
hert riskany	7825 8000	8088	a n			OCT 1 2 2017
	0000	0000	T.D.			140.0
Gamma Ray Tops		}			Fn	WV Department over vironmental Protect
rully	7360	1	Consolid	ated Cas	Supply Corp.	····oimiental F70(e(
Onondaga	7813]	445 West	Main St	reet	•• •
Chert Oriskany	7 ⁹ 28 802 ៤		Clarksbu	rg, West	Virginia 📜	<u>(</u>
	0021]	-		• મેં	₹ 8.•
					Manager of Pro	od.
·		1				 &:
				رتاء ر		y
•	(0	ver)		··	13.50	1.0



WW-4A Revised 6-07

's Well Number	

3) API Well No.: 47 -

31 - 00570

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served:	5) (a) Coal Operator	
(a) Name	Supporters of Mountaineer Scouting Inc	Name	N/A
Address	1831 SPEEDWAY AVE √	Address	
	FAIRMONT, WV 26554		
(b) Name		(b) Coal Own	ner(s) with Declaration
Address		Name	See attached.
	-	Address	
(c) Name		Name	
Address		Address	
6) Inspector	Gayne J Knitowski	(c) Coal Less	see with Declaration
Address	P.O. Box 108	Name	N/A
	Gormania WV 26720	Address	
Telephone	304-546-8171		<u> </u>

TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Ţ	Well Operator	Consol Gas Company	
COMMONWEALTH OF PENNSYLVANIA		Sarah Weigand Davou We o Carel	
NOTARIAL SEAL I	ts:	Permitting Manager	
Lori L. Walker, Notary Public	Address	1000 Consol Energy Drive	ECEIVED Gas
Richhill Twp., Greene County My Commission Expires Feb. 23, 2019		Canonsburg, PA 15370	RECEIVED Gas
MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES	Telephone	724-485-3244	135011
Common wealth of Per	unsylva	inia County of Grane	OCI 12 W Department of Environmental Protection
Subscribed and sworn before me this	Lem da	y of Notary Public	Environmental
My Commission Expires February	my 23	2019	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

4706100570

WW-4A Attachment

Donley 7150 API# 47-061-00570

Coal Owner(s):

- Carolyn Jacobs Hampson 224 Lebanon Avenue Morgantown, WV 26505
- Michael Steven Mills
 3949 Crosby Drive
 Lexington, KY 40515
- Thomas Andrew Mills 3415 Thistleton Drive Lexington, KY 40502
- √ Demain D. Whitesides Trust
 c/o William P. Whitesides, Trustee
 900 North Taylor Street #1124
 Arlington, VA 22203-1871

RECEIVED Office of Oil and Gas

OCT 1 2 2017

WV Department of Environmental Protection


API Number	47 -	061	47.07.6	1	0	0	5	7	00
Operator's W									7


STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS


FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN


Operator Name_Consol Gas Company OP Code 494495754	
Watershed (HUC 10) Headwaters Three Fork Creek Quadrangle Morgantown South	
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No	<u></u>
Will a pit be used? Yes No V	
If so, please describe anticipated pit waste:	
Will a synthetic liner be used in the pit? Yes No If so, what ml.?	
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide a completed form WW-9-GPP)	
Underground Injection (UIC Permit Number	
Reuse (at API Number Off Site Disposal (Supply form WW-9 for disposal location))
Other (Explain Waste Management or Ryan Environmental will use vacuum trucks, and properly dispose of any fluid or wa	uste returns
Will closed loop systembe used? If so, describe: no	
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. na	
-If oil based, what type? Synthetic, petroleum, etc	
Additives to be used in drilling medium? na	
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. na	Office of Oil and Gas
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)	OCT 1 2 2017
-Landfill or offsite name/permit number?	WV Department of Environmental Protection
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rej West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall al where it was properly disposed.	iected at any
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I under provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information su application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsite the information, I believe that the information is true, accurate, and complete. I am aware that there are significant submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Permitting Manager Company Official Title Permitting Manager	derstand that the er applicable law ubmitted on this ble for o btaining
My commission expires Followary 23, 2019 Notary Public Lori L Richh My Commi	ALTH OF PENNSYLVANIA NOTARIAL SEAL Walker, Notary Public iill Twp., Greene County ission Expires Feb. 23, 2019— (LVANIA ASSOCIATION OF NOTARIES

Lime 2-3	Tons/acre or to correct	ct to pH	
	0-20-20 or equivalent		
Fertilizer amount		lbs/acre	
Mulch hay or s		Tons/acre	
Withen 2	2.637.38	_ 10hs/acre	
		Seed Mixtures	
	Геmporary	Perma	nent
Seed Type	lbs/acre	Seed Type	lbs/acre
Tall Fescue	40	Tall Fescue	40
Landino Clover	5	Landino Clover	5
Maps(s) of road, location, provided). If water from th (L, W), and area in acres, or		d application (unless engineered plans inclu ovide water volume, include dimensions (L,	
provided). If water from th (L, W), and area in acres, o	e pit will be land applied, pro of the land application area.	ovide water volume, include dimensions (L,	
Maps(s) of road, location, provided). If water from th (L, W), and area in acres, or Photocopied section of inv	e pit will be land applied, pro of the land application area.	ovide water volume, include dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, provided). If water from th (L, W), and area in acres, or Photocopied section of inv	e pit will be land applied, proof the land application area. olved 7.5' topographic sheet.	ovide water volume, include dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, provided). If water from th (L, W), and area in acres, or Photocopied section of inverse Plan Approved by: Comments:	e pit will be land applied, proof the land application area. olved 7.5' topographic sheet. Carped Karl	ovide water volume, include dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, provided). If water from the (L, W), and area in acres, of the Photocopied section of inverse Plan Approved by: Comments: To Stall So:	e pit will be land applied, proof the land application area. olved 7.5' topographic sheet. Carped Karl	ovide water volume, include dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, provided). If water from the (L, W), and area in acres, of the Photocopied section of inverse Plan Approved by: Comments: To Stall So:	e pit will be land applied, proof the land application area. olved 7.5' topographic sheet. Carped ASAP Existence Mea	ovide water volume, include dimensions (L,	W, D) of the pit, and di
Maps(s) of road, location, provided). If water from the (L, W), and area in acres, of the Photocopied section of inverse Plan Approved by: Comments: To Stall So:	e pit will be land applied, proof the land application area. olved 7.5' topographic sheet. Carped ASAP Existence Mea	ovide water volume, include dimensions (L,	W, D) of the pit, and di









LOCATION MAP
MORGANTOWN SOUTH, WV 7.5M USGS QUADRANGLE
SCALE: I"=1000'



Blue Mountain Inc.

Engineers and Land Surveyors Woman Owned Small Business

11023 Mason Dixon Hwy, Burton, WV 26562-9656 (304) 662-6486

LOCATION MAP

GAS WELL PLUGGING DONLEY 7150 GAS WELL

CLINTON DISTRICT MONONGALIA COUNTY, WV

> CONSOL GAS COMPANY 200 HALLAM ROAD WASHINGTON, PA 15301

DRAWN BY: LLF	
CHECKED BY: WPF	
DATE: 07/06/2017	
SCALE: I"=1000'	
WATERSHED:	
HEADWATERS THREE FORK CREEK	
PAGE 4 OF 4	



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS

	WELL NO.: 71	50
FARM NAME: Donley		
RESPONSIBLE PARTY NAME:	Sarah Weigand	
COUNTY: Monongalia	DISTRICT: Clin	ton
QUADRANGLE: Morganto	wn South	
SURFACE OWNER: Suppor		couting Inc
ROYALTY OWNER:		
UTM GPS NORTHING: 4,375,9 UTM GPS EASTING: 595,345.0	229.183 METERS	(2080')
UTM GPS EASTING: 595,345.0	01 METERS GPS ELEVATION	ON:
preparing a new well location plat for above well. The Office of Oil and Gothe following requirements: 1. Datum: NAD 1983, Zono height above mean sea letter above mean sea letter 2. Accuracy to Datum – 3.0. 3. Data Collection Method: Survey grade GPS ×: Post Proceedings of the property of the process of the proces	e: 17 North, Coordinate Units: meter evel (MSL) – meters.	that do not meet
	ime Differential	OCT 1 2 2017
Mapping Grade GPS: Pos	t Processed Differential	WV Department of Environmental Protectio
4. Letter size copy of the t I the undersigned, hereby certify this belief and shows all the information prescribed by the Office of Oil and O	required by law and the regulation	nowledge and
Sainelvergonel	Permitting Manager	9/28/17
Signature	Title	Date