









FORM IV-35 (Obverse) [08-78]

	Well No.	M	. 0.	Bard #1	
WELL OPERATOR'S REPORT 3 € OF	API Wel				-0589
DRILLING, FRACTURING AND/ON STIMULATING, RELEASED AND	CHANGE		State	e County	Permit

							Zon110w/)
						Alcangle: Ri	•
OPERATOR	R Petroleum 1	Developm	ent Corp	oration	Liter I have an An	Petroleum	Development Corpora
Address	103 East Ma	<u>ain Stre</u>	et, PO B	lox 26	21411000	103 East Mai	n Street, PO Box 26
	Bridgeport			and the state of t			N. Va. 26330
ITTED WOR	RK: Drill	X / Conv	rert .	/ Dri ll daep	ners – K. Herdi	0) [5]	SELVINGUI -
	Plug off	old form	nation	/ Perton	we new forcat	10n	
						W	
	-		adas tinda cada (gilla caran agad tinda da halada () a caran	n jalan liha pelantikan kilopat kendilah lan 1839-tahu dan dan 1878-tahun	erent i si kana si si si kalabana si sensi te kula si Saler kan salek salek te esik		
HT ISSUE	D ON N	ovember	1 . 19	79	ore a dar inc	OIL Pector inventa	& GAS DIVISION F. MINES
	BLE: PLUGGING					gara. Car	
	IOUS PROGRESSI ING. VERBAL F			UN.		70 Box 1028	
***************************************		, 19				Colfax, W. V	a. 26566
				11800	and the second continues of the continues of the second of	Depth	51.00 Feet
						Table Tools	
Water s	trata depth:	Presh, 1	"040 fee	et; salt,	Proces		
Coal se	am depths:	ragen errogging a primi i vi i i vinnskalten kokungginde (ir sin riilligiihan jalmas (s. sinas dayan ay may ili r iiddi idd ja riiga (ma	is coal b	elog sitted he	ene breat no	
Work was	s commenced	Januar	y 12		and completed	January 27	, 13, 80
				• .			
	'UBING PROGRAM						
NG OR	SPEC	IFICATION [Weight]	S cannot be a control of the control	FOOTAGE	FITERVALS	GEMEUT PALL-T GR SACKS	PACKERS
	Size Grade	per ft N	lew Used	For drillin:	gilefo la well	(Cubic Peet)	
	11 3/4"		A	\$ 2.1	4 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	surface	Minds
h water		C. CORRECTION OF STREET		3 Ду померации мендафизиканульный полькой мендам, г с не г	er 🍰 (13) 2) de minimizações estas proprios (12) grapas por para astropar en maneros.		
	0 5/01 71 /0	00"		Billion (Anthon Market) was adapted in the Anthon Common to Anthon Common	The state of the s		03765
	8 5/8' H-40		*	Service and the service of the servi	1585	To a confidencia contrata que manera que el manera personales apriles personales de la contrata del contrata de la contrata del contrata de la contrata del la contrata de la contrata del la contrata de	
uction	4½" K-55	9.5#	X		Territoria de la constitución de	500 Skg.	Dest to set
20			And registratively the formattier of the contract of the contr	g entaile the resistance was an interesting on a sold as the resistance of the resistance of the sold as the resistance of the	The state of the s	gal all catalon casa complete accomplete for control of the second secon	
rs			Aller and Aller Al	a part a service of the section of t	Market Commission of Commission of the Commissio	Manufact (MA) coloredge controlled of the particular of the partic	Performanting:
				en e	THE RESIDENCE OF A SECURITION OF THE PROPERTY	g filosopinado, midadesida i laiga k.a., timpidoja par jano uning mbasaga janoa b. Anti	Solton Bolton
			managam saligagina sangi salama ngantasa ang	\$ 500 Miles consider the European American Service Control of Control of Service Control of Control of Service Control of	er Naghara e de ann an	Bernalin territ selatus di selaturan denderar di kangangan para para salah sejaran basa sebah selatus di selatus di selatus dan selatus di sela	E CONTROL OF THE CONT
		American management of the second	inguistre es is on a succession of the successio	and the state of t	en de seu en de de con con en proposition de la que de section en algune.	ing terminal state of the second seco	And the second control of the second control
FLOW DAT	TA						
Product	ng formation		Benson_	The state of the s	ret trademary to Manager at the control of the cont	They share dept.	n 4901 (ver
Gas	s: Initial o	open flow	y	Me f/d	Ogl: Intelat	open flow;	1:171
e.	Final ope	en flow,	C496	Me 170	#1601 ·	jer flow,	Commence State / 1
						S, India	
St	atic rock pre	essure, _	<u> 900 -</u> F	sig (amerae)	numa a composition (actor <u>48</u> ho	arts shot in
Cif app	licable due t	to multip	ir comple	ettomes j			
Second 1	producing for	rmation _	Rile	y	and the second second second second second	Par some inpu	. 4541 feet
						open flow,	
		en Plan		M. 47 3	The fall of	ger. *low.	85171
•	Final ope	en riow,	An in such a second of the second only	a the state of the			an regist through the security of 1 th between 12
•						**	

TAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

enson	345 bb1	10,000# 80/100	45,000# 20/40	500 gal. 15% acid	4901-5016
lley	345 bb1	10,000# 80/100	40,000# 20/40	500 gal. 15% acid	4541-4688
alltown	345 bb1	10,000# 80/100	40,000# 20/40	500 gal. 15% acid	3762-3953
peechley	370 bb1	10,000# 80/100	40,000# 20/40	500 gal. 15% acid	35 66-35 75

LL LOG

FORMATION	Color	Hard or Soft	1702 3006	Bettom	Including indication of all fres and salt water, coal, oil and ga
sand	and the colonial rest grant Extended representatives the state of the	rafarancia de la financia de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición de la composición dela composición d	jednika je		and salt water, coal, oil and ca
sand, shale		the state of the s		35	fresh H ₂ O 1" @ 40"
R.R.		and the second	15	70	1 6 40
sand, sahle		Lot Common ty	7.0	310	
shale	.4	e de la composition della comp	310	455	
coal		S. market	433	460	
sand, shale		A ROUCE OF	460	933	ŭ ; çès -
sand		1	933	1.161	Vogetel Control
sand, shale	THE PARTY OF THE P		l 1161 j	1386	
sand		Zine Tay	l 1360	1712	
oig lime		SIA express	1722	1775	
big injun		the second secon	1775	1844	
sand, shale		COMPRESSION CO.	1844	1912	
ocono	·	N C C C C C C C C C C C C C C C C C C C	1912		gas check @ 2200' no show
sand, shale			1972 (2292	and the show
0' sand			2252	2325	4 4 5
and, shale	-		2328	2734	
ayard	· ·		to the second	2/5/04	
and, shale	and the second s	and the second s	2804	1	gas check @ 3540' no show
peechley		Taken of	3555	3577	See Check & 3340 No Show
and, shale		in section	957)	3759	
alltown	İ	e de la companya de l	2759	3964	
and, shale	1	and described the second	3964	4525	
iley	, , , , , , , , , , , , , , , , , , ,	CIMPLEY.	4525	4505	
and, shale	#30-partie		4695	4073	
enson	CONCT.	1. Sec. A. vel.	4879	3026	
and, shale	:	, and the state of	5026	. 4	S. 4 C. CONTROL P. L. A. C. CONTROL
	· ·	Si Carria		3030 241	ges check @ TD 84 MCF
,	or and	7	- 11	71.0% 0 g	
		50a4		990	
	25 24 24	8 10 (00)	***	l and the second	
	neprorpa	200	ē.	. History	
	- Topic	A. (44)		\$13m0	5058
	- Table 1	ACCIDENT		in Albertal	2 7 2 1 7
	noncore:	**************************************		State-186	27257 2333EXPL FT.
,		Sparie - c	Bon the t	Share of	2333 EXPI = +

(Assach coparasa charge to complete as necessary)

Paradicus Development Corporation

NOTE: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic, detailed geologial record of all formations, including coal, encountered in the drilling of a well."

FORM IV-2 (Obverse)

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date:	October	29	,	19_7
0				

***************************************			 , ·
perator'	s		
		^	

[08-78]	OIL AND GAS WELL PERMIT APPLICATION	Well No.	One
€ °		API Well No	o. <u>47 -</u> State Coi

API Well No. 47 _ 061 _058
WELL TYPE: Oil/ Gas X /
(If "Gas", Production X / Underground storage / Deep / Shallow /)
LOCATION: Elevation: 1110' Watershed: Stewarts Run
District: Grant County: Monongalia Quadrangle: Rivesville
WELL OPERATOR Petroleum Development Corporation DESIGNATED AGENT Petroleum Development Corp.
Address P.O. Box 26 Address P.O. Box 26
Bridgeport, WV 26330 Bridgeport, WV 26330
OIL & GAS ROYALTY OWNER W.O. Barb and Jessie Barb, his wife COAL OPERATOR
Address Rt. 2, Box 286 Address
Morgantown, WV 26505
. 100
Acreage 100 (SAME Name W.O. Barb & Jessie Barb (SAME NAME NAME NAME NAME NAME NAME NAME N
Address 2. Marlin D. Harris)ADDRESS Address Rt. 2, Box 286
Rt. 2 Box 286
Morgantown, WV 26505
Acreage 26.88 Name
Name
Address COAL LESSEE WITH DECLARATION ON RECORD:
Name
OIL-& GAS INSPECTOR TO BE NOTIFIED Address To Telling
Name William Blosser
Address P.O. Box 1028
Colfax, WV 26566 NOV-1 1979
••
The undersigned well operator is entitled to operate for oil operate for oil operator above
location under a deed/ lease X / other contract/ date becomber 1 MINE 5, to the
undersigned well operator from W.O. Barb and Jessie Barb, his wife
[If said deed, lease, or other contract has been recorded:]
Recorded on February 14, 19 75, in the office of the Clerk of the County Commission of Monongal
County, West Virginia, in <u>Deed</u> Book <u>758</u> at page <u>101</u> . A permit is requested as follows
PROPOSED WORK: Drill X / Drill deeper / Redrill / Fracture or stimulate /
Plug off old formation / Perforate new formation /
Other physical change in well (specify)
planned as shown on the work order on the reverse side hereof.
The above named coal operator, coal owner(s), and coal lessee are hereby notified that any
objection they wish to make or are required to make by Code § 22-4-3 must be filed with the Department
of Mines within fifteen (15) days ofter the receipt of this Application by the Department.
Copies of this Permit Application and the enclosed plat and reclamation plan have been mailed
by registered mail or delivered by hand to the above named coal operator, coal owner(s), and coal lesse
on or before the day of the mailing or delivery of this Permit Application to the Department of Mines a
Charleston, West Virginia.
FLEASE SUBMIT COPIES OF ALL BEOPHYSICAL LOGS DIRECTLY TO:

BLANKET BOKE/I,

WEST VIRGINIA OIL AND GAS. . CONSERVATION COMMISSION 1618 WASHINGTON STREET EAST CHARLESTON, WV 25311

TELEPHONE: (304) 348-3092

PETROLEUM DEVELOPMENT CORPORATION
Well Operator

lling Superintendent

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY:
ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CONTRACT	OR (I	F KNOWN)	Unk		SO ON FORM (V=3	DUPON COMPLET	TON
•							
GEOLOGICAL TARGET							
Approximated de	pth of	complet	ted well,	5100'	feet	Rotary X /	Cable tools/
			acpuils. I	rresn. ou	foot:		
748 1110	- Cu 1	cam dept	ns:4	ou I	s coal being mi	ned in the are	nn? Yes/ No
CASING AND TUBING							
TUBING TYPE	1	CIFICATI Weight	1 1	8	INTERVALS	CEMENT FILL-U	P PACKERS
Conductor 133/		e per ft	New Use	d For drillin	g Left in well	OR SACKS (Cubic feet)	Ħ
resh water	1				20	20	Kinds
<u>on I</u>							
ntermediate 8 5/8	Н	25#	x	1400	1).00		Sizes
rejuction 4½	К	10.5	Х	1400	1400	Circulate	
abing						250	Depths set
iners							Dange
							Perforations: Top Botton
* Section 1							Top Bottom
No.							
applicable, to previously on the consent of the con	other of the said on he proper a increase in the said on the said	security a reclamant the same of the same	pond in or y allowed tion require well, well, we de \$ 22-4 well. IV-2 shal Dtoda IFF rm IV-2 f	ne of the for by Code § 22 ired by Code § 22 ired by Code the fee requi-8a from the Wapt SIFE requito be part of ited in Conne Chapter 22,	ms prescribed F	or a plat in the programmer of	he form prescribed 12, or in lieu umation Plan", (iv) unless (v) if applicable, velling within
All provinces of the W. Vc. for <u>drilling</u>	-Cada.	the local	CON 12 HOLDS	1 - 1 - 1			
for <u>alliling</u> operations hav	e not c	ommenced	$1 \text{ by} \frac{7-5-80}{}$	· · · · · · · · · · · · · · · · · · ·			
operations that	1	2					
Deputy Dir	ector -	Oil & 5	Division				* · · · · · · · · · · · · · · · · · · ·
The unders	ing wassee ussued	coal oper propose	fifteen (erator ed well lo	WAIVER owner cation. If		of the ects which dover	e permit Dal under this well
		19					
		***************************************		wage-mark same			
				Ву			•
				Its			•

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVSION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVITE SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: HARRIS, ELEANOR Operator Well No.:W.O. BARB 1 Elevation: 1110.00 Quadranale: RIVESVILLE LOCATION: District: GRANT County: MONONGALIA Latitude: 8235 Feet South of 39 Des. 37 Min. 30 Sec. Longitude 6430 Feet West of 80 Des. 5 Min. 0 Sec. PETROLEUM DEVELOPMENT CORPORATION
P.O. BOX 26, 103 EAST MAIN ST.
BRIDGEPORT, WV 26330 Coal Operator CONSOLIDATION COAL CO. or Owner P.O. BOX 1314 MORGANTOWN, WV 26505 Asent: STEVEN R. WILLIAMS Coal Operator. Inspector: DONALD ELLIS or Owner Permit Issued: 06/09/88 AFFIDAVIT JUL 26 1988 STATE OF WEST VIRGINIA, Counts of 551 DIVISION OF OIL & GAS DEPARTMENT OF ENERGY GERALD ERAMBERT 2nd JEFF STEVENS first duly sworn according to law depose and say that they are experienced in the work of plussins and fillins oil and sas wells and were employed by PETROLEUM DEVELOPMENT CORPORATION , well operator, and participated in the work of plussing and filling the above well, that said work was commenced on the -12 th day of -July , 1988, and that the well was plussed and filled in the following manner: FROM TO TYPE 8. 5/8" casing 1 1685 1 7/27/88/ Description of monument: 30" above ground , 8 5/8" csg with 2" vent so as not (API# on monument) to allow solids or liquids from entering the well. and that the work of plussins and filling said well was completed on the __12th_ day of __July_____, 19_88. And furthur desonents saith not. Steven R. Williams, President Sworn and subscribe before me this 20th day of 2 July , 19 10 My commission expires: November 12,1996 Notary Publi AUG 0 1 1988