

J. W. Haught well No. 1 - Battelle District, Monongalia County

SOUTH PENN OIL COMPANY Company

P. O. Drawer 1255 Address

Pittsburgh, Pa.

COMPLETION DATA SHEE NO. 2. FORMATION RECORD

Name	Color	Character	Oil, Gas or Water	Тор	Bottom	Thickness	Total Depti	Remail
Conductor			agendada yar agamadanin dan sangan dan dan sangan sangan sangan sangan sangan sangan sangan sangan sangan sang	16			_ !	
Bluff Sand				625	665	40		
Fairview Co	al			665	670	5		
Mapletown				955	960	. 5	and a great of the state of the	
Pittsburgh				1057	1064	7	e de equation de la companya de la c	
Big Dunkar				1552	1620	68	-	• . ,
Gas Sand				1850	1870	20		
Salt Sand			,	1925	2067	142		
			Water	1960	1970	10		
Pencil Cav	↓ e			2255	2265	10	Made and the second	
Big Lime				2265	2320	55	-	
Big Injun	i .			2320	2540	220		
			Water	2415			*	
Gantz Sand				2900	•	-		military and the second
•			Gas	2930				
Fifty Foot	Send			2960	50 60	100		
Stray Sand				3224	3255	31	linger open and a second or second o	
Gordon San	a			3268	3280	18		
Liner	•	1 1		3268				
Fourth Sar	ı.a			3303				· Andrews Andrews
•			011	3312		-		
Total De	pth		•		, ,		5344	P .

		1 1				-		The state of the s	An activity of the second second second	A THE PROPERTY OF THE PERSON
Well	was n	ot shot at	1		et; well wa	s shot a	ít	:	· · · · · · · · · · · · · · · · · · ·	en e
		. at 1960-		fee t;				*	\$ (\$ 0 05) A \$ 5 0 0 5 .	eur see vheuvis snoo
Well	7	roducing hole.						COMPANY	•	

Date NOTE: All bottom formations must be noted as indicated above and all key-rocks and oil and gas sands must be recorded their proper geological names in the district as well as any local names commonly used in the district for such strate

January 22, 1932

Battelle Dietrict, Nomongalia County, W. Va.

By South Penn Oil Co., P. O. Drawer 1255, Pittsburgh, Pa.
On 65 acres, surface ewaed by J. W. Haught, Route 1, Fairview,
W. Va., and mineral right by J. W. & Alice Haught, Route 1,
Pairview, W. Va.
Elevation, 1352' L.
16' conductor: 10" casing, 420' (pulled): \$h*, 1560': 6-5/8*,
2083': 5-3/16*, 2693'.
Coal was encountered at 665-670, 955-960, 1057-1064,
Liner at 3268'.
Abandonment reported to Dept. of Nines Jan. 22, 1932.
Well was not shot.
Salt water at 1960-1970 and 2015'.
Oil well.

Conductor			Thickness,
Bluff Sand		- 16 - 665	16 40
Pairview (Waymesburg) Coal		- 670	A Company of the Comp
Mapletown (Sewickley) Coal		- 960	5
Pittsburgh Coal		- 1064	2
Big Durkard Send		- 1620	68
- Gas Sand		- 1970	20
Salt Sand (water, 1960-1970*)		- 2067	142
Fencil Cave	The second secon	- 2265	10
Big Line		- 2320	
Big Injun Sand (water, 2015')		- 25k0	55 220
Gants Sand (gas, 2930')	2900		
50-71. Sand		- 3 060	100
Stray Sand	192h	- 3255	
Gordon Sand (liner, 3268')	7-56	- 3280	31
Pourth Sand (oil, 33124)		- 500	15
Total depth	3303	3344	

Battelle District, Monongalia County, W. Va.
On 65 acres; surface owned by J. W. Haught, R. 1, Wairview, W. Va.,
and Mineral rights, by J. W. 2 Alice Haught, same address.
South Penn Oil Co.
Elevation, 1352' L.
16' conductor; 10" casing, 420' (pulled); 8½", 1960'9 6-5/8", 2083';
5-3/16", 2493'. Liner at 3268'.
Abandonment reported to Dept. of Mines, Jan. 22, 1932.

MON -40-A

	Top. Bettom.
	roh: posson.
Bluff Sand	625 - 665
Fairview Coal	6 6 5 - 6 70
Hapletown Coal	955 - 960
Pitteburgh Coel	1057 - 1064
Big Dunkard Sand	1552 - 1620
Gas Sand	1850 - 1870
Salt Sand (water, 1960-70')	1925 - 2057
Pencil Cave	2255 - 2265
Big Line	2265 - 2320
Big Injun Sand (water, 2415)	2320 - 2540
Gants Sand (gas. 2930')	2900
Fifty-foot Sand	2960 - ,3060
Stray Sand	3224 - 3255
Gordon Sand	3268 - 3280
4th Sand (oil, 3312')	3305
Total depth	33 ¹⁴ 4

Monyor to the same of the same of the same of the the State and a distribute of WENTER AN AM , 0.2-3-30-5-0-1, 1.1. Section 1

Rev. -- 71



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

Oil and Gas Division

OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES,	
Charleston, W. Va.	DATE May, 1980
Surface Owner Wheeling Dollar Savings & Trus	t Co Company Eastern Associated Coal Corn
	Address Koppers Bldg. Pittsburgh. Pa. 15219
	Farm J. W. Haught Acres 65
Address 1315 Market St. Wheeling, WV 26003	
	Co. Well No. 1 (FACC 353) Blevation 1357'
	District Battelle County Monongal
Coal Operator Fastern Associated Coal Corn. Koppers Building.	
PERMIT MUST BE POSTED AT THE WELL SITE	
provivens being in accordance with Chapter 22, no V. Va. Code, the location is hereby approved	INSPECTOR TO BE NOTIFIED <u>William Blosser</u>
redrilling . This permit shall expire if	ADDRESS Colfax, WV
rations have not commenced by 3-7-81	ADDRESS COITEX, WV
Deputy Director - Oil & Gas Division	PHONE 363-9105
GENTLEMEN:	
OIL AND GAS WELL ORIGINALLY DRILL The enclosed plat was prepared by a registered enginee have been notified as of the above date.	LED BEFORE JUNE 5, 1969. r or licensed land surveyor and all coal owners and/or operators
The above named coal owners and/or operator are herel to make by Section 3 of the Code, must be received by, o	by notified that any objection they wish to make, or are required r filed with the Department of Mines within ten (10) days. *
Copies of this notice and the enclosed plat were mailed or coal owners at their above shown respective addresssame day with the mailing or delivery of this copy to the	by registered mail, or delivered to the above named coal operators day before, or on the Department of Mines at Charleston, West Virginia.
PLEASE SUBMIT COPIES OF ALL GEOPHYSICAL LOGS DIRECTLY TO:	Very truly yours, Eastern Associated Coal Corp. (Sign Name) Well Operator
ECONOMIC BURYLI	Koppers Building dress Street
P 0 R0Y 879	perator Pittsburgh City or Town
	Pennsylvania 15219 State
notice and plat by the department of mines, to said proposed locati	the Department of mines, within said period of ten days from the receipt of the department shall forthwith issue to the well operator a permit recitional operators or found thereto by the department and that the same is approved
	47-061-0602-RED . PERMIT NUMBER

"I have read and understand the reclamation requirements as 351 forth in Chapter 22. Article 4. Section 12-b and will carry out the specified equirements."

Signed by _