



LATITUDE 39°40'00"

105108

LONGITUDE

75  
+ 70225

7'5 OGIS topo location

7.5' 10C	<u>1.985</u>	15' 10C	<u>1.985</u>
	<u>1.96W</u>	(calc.)	<u>1.96W</u>

# 118 in 1912 CoRpt

Company South Penn

Farm Corba Anderson #3

Quad Wadestown (Mangin 2C)

County Monongalia

District Battelle

WELL LOCATION MAP

File No. 0601-70225

new 621

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS WELLS DIVISION

*JEM*

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE. ONE COPY MAILED TO THE DEPARTMENT, ONE COPY TO BE RETAINED BY THE WELL OPERATOR AND THE THIRD COPY (AND EXTRA COPIES IF REQUIRED) SHOULD BE MAILED TO EACH COAL OPERATOR AT THEIR RESPECTIVE ADDRESSES.

<u>Consolidation Coal Company</u> <small>COAL OPERATOR OR OWNER</small> <u>P. O. Box 1314, Morgantown, WV 26505</u> <small>ADDRESS</small> <u>Same</u> <small>COAL OPERATOR OR OWNER</small> <u>W. E. Swisher</u> <small>LEASE OR PROPERTY OWNER</small> <u>Rt. 1, Fairview, WV</u> <small>ADDRESS</small>	<u>Consolidation Coal Company</u> <small>NAME OF WELL OPERATOR</small> <u>P. O. Box 1314, Morgantown, WV 26505</u> <small>COMPLETE ADDRESS</small> <u>May 18</u> <u>19 81</u> <small>WELL AND LOCATION</small> <u>Battelle</u> <u>District</u> <u>Monongalia</u> <u>County</u> <u>Well No. *C.A. Anderson #3</u> <u>W. E. Swisher</u> <u>Farm</u>
---	--

STATE INSPECTOR SUPERVISING PLUGGING.....  
 \*Consol No. 4099

AFFIDAVIT

STATE OF WEST VIRGINIA, }  
 County of Monongalia } ss:  
Larry Yost and David Yost

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Co., well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27 day of March, 19 81, and that the well was plugged and filled in the following manner:

SAND OR ZONE RECORD	FILLING MATERIAL	PLUGS USED	CASING	
			CSG PULLED	CSG LEFT IN
FORMATION	Cleaned out wellbore to 1874'.	SIZE & KIND		
Found 10" casing	from 600' - 1328' and 7" casing			
from 1482' - ?	Could not pull. Perforated			
10" casing across	coal at 1 SPF from 1294' - 1304'.			
Perforated 7" casing	at 1 SPF from 1566' - 1576'.			
Ran coal protection string of casing as follows:				
4 1/2" casing from 0	- 1398, latch down plug at 1398,			
4 1/2" casing from 1398	- 1414, 4 1/2" float collar at			
1414, 4 1/2" casing	from 1414 - 1438, 4 1/2" x 2 7/8"			
swadge at 1438, 2	7/8" tubing from 1438 - 1836.			
Pumped 950 sacks	Pozmix cement followed by 252			
sacks expanding cement.	Displaced 4 1/2" casing			
with water to 1398.	Bailed hole dry to 1398'			
and set monument.				
COAL SEAMS		DESCRIPTION OF MONUMENT		
(NAME) Pittsburgh	1296' - 1304'	5' of 4 1/2" casing above surface		
(NAME)		with plaque stating: Consol		
(NAME)		Well No. 4099 - 047-061-0621-P		
(NAME)				

and that the work of plugging and filling said well was completed on the 12 day of May, 19 81

And further deponents saith not.

Sworn to and subscribed before me this 27<sup>th</sup> day of November, 19 81

My commission expires:  
March 11, 1989

*Larry Yost*  
*David Yost*  
James L. Wilson  
 Notary Public.

Permit No. \_\_\_\_\_  
47-061-0621-P