



DRILLING CONTRACTOR:

Chisler Brothera

STATE OF WEST VIRGINIA DE

EPARIMENT	OF	MINES,	OIL	AND	GAS	DIVISI	UN

	Pentress,	WV	_ 0	IL AND GAS		IT APPLICATION	astern Assoc.	Coal Corn
4)	WELL TYPE:	A Oil						
5)	LOCATION:	B (If "Gas", I Elevation:	Production		Underground Watershed: _	Miracle	Run Deep	_/ Shallow/)
		District:	in Assoc.		County:	mongalia	Quadrangle: _	L. Bennett
6)	WELL OPERA	TOR		OPGA GOA	40	11) DESIGNATE		, Box 144
	Address			6570		Address		riew, WV. 26570
7)	OIL & GAS ROYALTY OW	NIED / Per	mzoil Co.			(2) COAL OBER	ATOR Eastern	Assoc. Coal Corp.
	Address	Pet	D. BOX 150			12) COAL OPER Address	Rt. 1, 1	lox 144
			rkersburg,	WV 261	02		Fairvier	7, WV 26370
400	Acreage	William	cown astern Roy	alty Co.			ER(S) WITH DECLA	RATION ON RECORD:
8)	SURFACE OW Address	NEK	ppers Bui			Name	Rt. 1, Box	144
	riduicss		ettsburgh,	PA 152	19	Address	Fairview,	WV 26570
	Acreage	4,	179.80			Name		
9)	FIELD SALE (Address	IF MADE) TO:	/A			Address	1,00	
	Address					4) COAL LESSI	EE WITH DECLARA	TION ON RECORD:
10)	OIL & GAS IN	SPECTOR TO E				Name	None	Charles and the same of the sa
	Name	Row 1028	LOSSET		_	Address		
	Address	Colfax, V	IV 26506					
15)	PROPOSED W		/ Dri	ll deeper	/ Redri	II X / Fr	acture or stimulate	,
-,	1		off old formation				/	
		Other	physical change	in well (specif	fy) Plug	and Abando	na .	
16)	GEOLOGICAL			3161				
	17) Estimated d	te water strata do	ed well,		feet;	salt,	feet.	
	18) Approxima 19) Approxima	te coal seam dept	hs:	'-872'		al being mined in th	T.	/ No_
20)	CASING AND		79-5			f plugging		110
20)				- 1			"	
	CASING OR TUBING TYPE	Size Grade	SPECIFICATIONS Weight per ft.	New Used	FOOTAGE For drilling	GE INTERVALS Left in well	OR SACKS (Cubic feet)	PACKERS
-	Conductor							Kinds
-	Fresh water						,	
-	Coal Intermediate							Sizes
-	Production							Depths set
	Tubing							
2	Liners							Perforations:
								Top Bottom
-								
22)	Included The requi ROYALTY PRO Is the right to exisimilar provision produced or mai	ide one of the forms the lease or lease	ases or other cor 22-4-1-(c) (1) the market the oil of on to the owner	ntinuing contr rough (4). (So r gas based up of the oil or	act or contracts ee reverse side f on a lease or oth gas in place w	by which I hold the or specifics.)	he right to extract oil of ract or contracts provide the related to the volume.	or gas. ling for flat well royalty or any me of oil or gas so extracted
	Required Copies Copies of this P named coal open	(See reverse side ermit Application	e.) n and the encloser(s), and coal les	sed plat and re	eclamation plan	have been mailed he mailing or deliv	by registered mail or deery of this Permit App	lelivered by hand to the abov olication to the Department o
1	Notary:		Marine	+			Sand N. L	
1	My Commission E	expires	1911	E 1575)	Its:	sil war	CD ALE WT
			- 4	OF	FICE USE	ONLY		
	4 85	47-082-	-1727-650	DR	ILLING PE	RMIT	Am	NET 0
Peri	mit number					100	Da	te
Quii Re	rements subject to	the conditions or to the construc	contained herein tion of roads, lo	and on the recations and pi	everse hereof. Notes for any permi	otification must be tted work. In addit	ted to drill in accordance given to the District	oil and Gas Inspector. r his contractor shall notify the
-	mit expires	TA	Tple+	I Co.		rilling is commence	ed prior to that date and	prosecuted with due diligence
	Bond:	Agent:	Plat:	Casing	Fee		- 5 11	
	1-1-		14	Ht.		A	Administrator, Office o	f Oil and Gas

NOTE: Keep one copy of this permit posted at the drilling location.

EACC-F2-352

3) API Well No. 47 County Perm Permit

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
 - 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4)A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).

., 19_

- 23) Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
- The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

The undersigned coal operator ______ / owner _____ / lessee _____ / of the coal under this well location has examined this proposed well location. If a mine map exists which covers the area of the well location, the well location has been added to the mine map. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Bv

Its

FORM OG-8

STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



DIVISION OF OIL & GAS
DEPARTMENT OF ENERGY

AFFIDAVIT OF PLUGGING AND FILLING WELL

Eastern Assoc.	Coal Corp.	Eastern A	ssoc. Coal Co	orp.	<u> </u>
i i	ERATOR OR OWNER	R+ 1 Fa	irview, WV 2		
Rt. 1, Fairview	ADDRESS		COMPLETE ADDRE		
		October 1			83
COAL OF	ERATOR OR OWNER	D 11	WELL AND LOCA		
	ADDRESS	<u>Battelle</u>		Di	strict
Eastern Assoc.	Coal Corp.	Monongali	.a	C	ounty
LEASE OR	PROPERTY OWNER		D. CC BO 050		
Rt. 1, Fairvier	w, WV 26570	Well No	EACC-F2-352		<u> </u>
. • • • • • • • • • • • • • • • • • • •	ADDRAGO	Marti	n L. Anderson	n	
STATE INSPECTOR S	UPERVISING PLUGGINGW	illiam blosse	er		
	AFFI	TIVAC			
STATE OF WEST V	/IRGINIA,				
County of Monong	alia ss:				P-You Associate
Ray Sm		and Melvir	R. Eddy		14 PERMANENTO
	orn according to law depose			ced in the wo	rk of
plugging and filling	oil and gas wells and were en	ployed byCh	isler Brothe	rs	,
well operator, and p	articipated in the work of plu	igging and fillir	ng the above w	ell, that said	work
was commenced on t	the 15th day of August	, 1983	$\frac{3}{2}$ and that th	e well was plu	gged
and filled in the foll	owing manner:				
AND OR ZONE RECORD	FILLING MATERIAL		PLUGS USED	CABIN	G
FORMATION			SIZE & KIND	CSG PULLED	CSG LEFT IN
Cleaned out well	to a depth of 1400'.			Set a tota	1 of
Left old 6 5/8"	casing in hole from 119	6' to		Set a tota 982'-1" of	l of 4½" cas
Left old 6 5/8" bottom (couldn't	casing in hole from 119 get out).			Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t	casing in hole from 119 get out). o 1400'. Pumped 6 bags	of gel		Set a tota 982'-1" of	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati	of gel		Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6"	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho	of gel on. le during	,	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6" cleaning because	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20	of gel on. le during bags of gel	, circulation.	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6" cleaning because 1 bag of gel fla	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu	of gel on. le during bags of gel lch and got	circulation.	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6" cleaning because 1 bag of gel fla	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20	of gel on. le during bags of gel lch and got	circulation.	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1".	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and	of gel on. le during bags of gel lch and sot pulled 42	circulation. casing	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement.	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and	of gel on. le during bags of gel lch and sot pulled 42	circulation. casing	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947'	of gel on. le during bags of gel lch and got pulled 42" 200 bags of	casing Chem-Comp	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385	of gel on. le during bags of gel lch and got pulled 42" 200 bags of	casing Chem-Comp	Set a tota 982'-1" of starting a	l of 4½" cas
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce cement and got	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385	of gel on. le during bags of gel lch and got pulled 42" 200 bags of	circulation. casing Chem-Comp	Set a tota 982'-1" of starting a surface	1 of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce cement and got COAL SEAMS	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385 irculation.	of gel on. le during bags of gel lch and sot pulled 42" 200 bags of 8". bags of Por	circulation. casing Chem-Comp tland DESCRIPTION	Set a tota 982'-1" of starting a surface.	1 of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down t Tagged top of ce cement and got coal seams MED Pittsburgh	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385	of gel on. le during bags of gel lch and sot pulled 4½" 200 bags of 8". bags of Por 4½"	Chem-Comp tland DESCRIPTION X 2" Swedge	Set a tota 982'-1" of starting a surface NOF MONUMENT With a 2" s	1 of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of par Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce cement and got coal seams Pittsburgh ME:	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385 irculation.	of gel on. le during bags of gel lch and got pulled 2" 200 bags of 8". bags of Por 4½" at	Chem-Comp tland DESCRIPTION X 2" Swedge the surface,	Set a tota 982'-1" of starting a surface OF MONUMENT WITH A 2" S 2" pipe with	l of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down t Tagged top of ce cement and got coal seams MED Pittsburgh	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385 irculation.	of gel on. le during bags of gel lch and sot pulled 4½" 200 bags of 8". bags of Por 4½"	Chem-Comp tland DESCRIPTION X 2" Swedge	Set a tota 982'-1" of starting a surface NOF MONUMENT With a 2" s	1 of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down t Tagged top of ce cement and got coal seams ME) Pittsburgh ME) ME) ME) and that the work September	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulation of 8" casing (Put in homeof caving). Pumped 20 kes, 3 bags of paper mulch of Chem-Comp cement and of Portland cement and slug at a depth of 947' ment at 290' pumped 385 circulation. 860-868 Ft. of plugging and filling said, 1983	of gel on. le during bags of gel lch and sot pulled 4½" 200 bags of 8". bags of Por 4½" at met the	Chem-Comp tland DESCRIPTION X 2" Swedge the surface, al plate monu 2" pipe.	Set a tota 982'-1" of starting a surface or MONUMENT with a 2" s 2" pipe with ument welded	l of 4½" cas t the
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down t Tagged top of ce cement and got coal seams ME) Pittsburgh ME) ME) ME) and that the work September	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulati of 8" casing (Put in ho of caving). Pumped 20 kes, 3 bags of paper mu of Chem-Comp cement and of Portland cement and lug at a depth of 947' ment at 290' pumped 385 irculation. 860-868 Ft.	of gel on. le during bags of gel lch and sot pulled 4½" 200 bags of 8". bags of Por 4½" at met the	Chem-Comp tland DESCRIPTION X 2" Swedge the surface, al plate monu 2" pipe.	Set a tota 982'-1" of starting a surface or MONUMENT with a 2" s 2" pipe with ument welded	1 of 4½" cas t the /// stop th a t to
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce cement and got coal seams ME) ME) ME) ME) And further dep	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulation of 8" casing (Put in homeof caving). Pumped 20 kes, 3 bags of paper mulch of Chem-Comp cement and of Portland cement and sugar a depth of 947' ment at 290' pumped 385 irculation. 860-868 Ft. of plugging and filling said, 1983 conents saith not.	of gel on. le during bags of gel lch and sot pulled 2" 200 bags of 8". bags of Por 4½" at met the well was comp	Chem-Comp tland DESCRIPTION X 2" Swedge the surface, al plate monu 2" pipe.	Set a tota 982'-1" of starting a surface or MONUMENT with a 2" s 2" pipe with ument welded	1 of 4½" cas t the /// stop th a t to
Left old 6 5/8" bottom (couldn't Run 4½" casing t and 1 bag of pap Pulled 1176'-6" cleaning because 1 bag of gel fla Pumped 200 bags to 982'-1". Pumped 700 bags cement. Set latch down r Tagged top of ce cement and got coal seams ME) ME) ME) ME) And further dep	casing in hole from 119 get out). o 1400'. Pumped 6 bags er mulch. Got circulation of 8" casing (Put in homeof caving). Pumped 20 kes, 3 bags of paper mulch of Chem-Comp cement and of Portland cement and slug at a depth of 947' ment at 290' pumped 385 circulation. 860-868 Ft. of plugging and filling said, 1983	of gel on. le during bags of gel lch and sot pulled 2" 200 bags of 8". bags of Por 4½" at met the well was comp	Chem-Comp tland DESCRIPTION X 2" Swedge the surface, al plate monu 2" pipe.	Set a tota 982'-1" of starting a surface or MONUMENT with a 2" s 2" pipe with ument welded	1 of 4½" cas t the /// stop th a t to