

MORGANTOWN, WV 26505 MORGANTOWN, WV 26505 DRILLING CONTRACTOR:

Not available



)	Date:	une 22,	. 19 83
2)	Operator's	Atalula ma	

Well No. 47
State County P

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

louis or to	114.11			OIL A	ND GA	S WELL PERMIT	APPLICATI	ON			
						handanad	many year	E 14 1			
4) WELL TYPE		Gas", Pro			_/ ^	/ Underground st		,	Dann	/ Ch-11	ow/)
5) LOCATION:			1114.6	2"		Watershed:	Jakes	Run	Deep	/ Silan	ow/)
	Distric	et:	deston	Cno	Co	County:	nongalia		_Quadrangle:		
6) WELL OPER	AIUK	. 0. B	4 114	4	000	11) DESIGNA		ENT	1314	0.631
Address		organt		V 26	507-1	314	Address		gantown,	WV 265	77-1314
OIL & GAS	Ut	aknown							Consoli	darion (Con Co.
ROYALTYO	WNER _		111111111111111111111111111111111111111	1700		12	COAL OPI			VO.	
Address	_						Address	III (THE	1000 (000)	P TO LO Y	H = T
Acreage		narlos	-	toron		13) COAL OW	NER(S)	WITH DECLA	ARATION O	N RECORD:
B) SURFACE O	WNER	IIBA AUD	10.0	T) man		banta	Name	CHAI	and a second		-
Address						_	Address				1 0
Acreage	37	2.83					Name				
9) FIELD SALE	(IF MADE	E) TO:					Address	_			
Address	-	P. C. C.									
O) OIL & GAS I	NSPECTO	R TO BE	NOTIFIE	D		14	Name	SSEE WI	TH DECLARA	ATION ON I	RECORD:
Name	W11111	am Bio	SSOT			220	Address				
Address	4.043	mx* a	V								
DDODOGED I	WORK	Delli	4	Dadii 1		/ 7-1-11	X	Enach		19150	
) PROPOSED	WORK:		old form		eper	/ Redrill/ Perforate n			or stimulate_		
			ysical char		ell (spec		Politication_				
GEOLOGICA						*					
17) Estimated	depth of co	ompleted v	well,			feet	-14		Cont		
18) Approxim	nate water s	am depths:	is: Fresh	598.0	120		salt, being mined in		_feet.	/ N	0
) CASING ANI									. 200		
CASING OR	ı		CIFICATION	NC.	if	FOOTAG	E INTERVALS	ıı i	COMENT PILL III	Ш в	ACVEDO
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well		OR SACKS (Cubic feet)		ACKERS
Conductor	Size	Grade	per rt.	146.4	Used	Por drining	Lett in wei	1	(Cubic feet)	Kinds	
Fresh water											
Coal							II.			Sizes	
Intermediate Production	51	E EXIL	BIT F							Depths set	
Tubing										Depuis set	
Liners										Perforation	ns:
										Тор	Bottom
1											2 21
) EXTRACTION	N RIGHTS					-1/2/					
Check and pro											
						tract or contracts l See reverse side fo		d the righ	it to extract oil	or gas.	
) ROYALTY PI	ROVISION	S	and the same								
						pon a lease or other or gas in place whi					
produced or m	arketed?	Yes 🗆	No 🗆								Bas do extracto
the answer above Required Copi			tional is n	eeded. I	f the an	swer is Yes, you n	nay use Affida	vit Form	IV-60.		
) Copies of this	Permit App	plication a				reclamation plan h					
named coal op Mines at Charl				lessee c	on or be	fore the day of the	mailing or del	livery of	this Permit Ap	plication to t	he Department of
Notary:	, , , , ,						Signed:	right	1 Am	SHUTUAT !	work.
My Commission	Expires						Its:	Pro	joet Eng	inger	
						DELCE LICE A				10 % 10	
	1.0	061-17	200-000			FFICE USE O			Au(gr))s	B 04	100.00
ermit number	1	14.112	The state of		Di	MILLING FER	TANT T		BUILDING		19
										Date	
uirements subject	to the cond	ditions con	tained her	rein and	on the	elow is evidence o reverse hereof. No	tification must	be given	to the District	Oil and Gas	Inspector.
efer to No. 10) Pr	ior to the co	onstruction	of roads,	locatio	ns and p	its for any permitted ted work has com	ed work. In add	dition, th	e well operator	or his contra	ctor shall notify t
		Dector 24 I			. permit			nced price	r to that data as	nd prosperted	with due diligen
Bond:	Agent	: I	Plat:		Casing	Fee The	innig is comme	need prio	to that date at	ia prosecuted	with due dingent
	100000	-			The state of the s						

NOTE: Keep one copy of this permit posted at the drilling location.

Administrator, Office of Oil and Gas

Line Item Explanation

- 1) Date of Application
- 2) Your well name and number
- 3) To be filled out by office of oil & gas
- 4A) "Oil" means natural crude oil or petroleum and other hydrocarbons, regardless of gravity, which are produced at the well in liquid form by ordinary production methods and which are not the result of condensation of gas after it leaves underground reservoirs: "Gas" means all natural gas and all other fluid hydrocarbons not defined as oil.
- 4B) "Shallow well" means any well drilled and completed in a formation above the top of the uppermost member of the "Onondaga Group" or a depth less than six thousand feet, whichever is shallower.
 - "Deep well" means any well drilled and completed in a formation at or below the top of the uppermost member of the "Onondaga Group" or at a depth less then six thousand feet, whatever is shallower.
 - 5) Where well is located
 - 6) Before a permit can be issued in a corporation, company partnership, or fictitious name, the name must be registered with the Secretary of State Office
 - 7) Use separate sheet if necessary
 - 8) Present surface owner at time application is filed.
 - 9) Optional
- 11) See Reg. 7.01 relating to code §22-4-1k
- 12) "Coal Operator" means any persons, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine. See Note 24
- 13 & 14) As per §22-4-20; See Note 24
 - 15) Work that will be attempted—A separate Form IV-2 shall not be required for fracturing or stimulating a well where fracturing or stimulating is to be part of the work for which a permit is sought and is noted as such on the Form IV-2 filed in connection therewith.
 - 16) Anticipated formation for which well will be completed
 - 17) Self explanatory
 - 18) Depth to deepest freshwater, and shallowest salt water, taken from nearby wells corrected for differences in elevation
 - 19) All coal seam depths
 - 20) Proposed casing program and cementing refer to Code 22-4-5, 22-4-6, 22-4-7, 22-4-8, 22-4-8a Reg 9.01, 15.01, 15.02, 15.03, 15.04, 25.01, 25.02, 25.03, 25.04
 - 21) Code 22-4-11(c) In lieu of filing the lease or leases or other continuing contract or contracts, the applicant for a permit described herein may file the following:
 - (1)A brief description of the tract of land including the district and county wherein the tract is located;
 - (2) The identification of all parties to all leases or other continuing contractual agreements by which the right to extract, produce or market the oil or gas is claimed;
 - (3) The book and page number wherein each such lease or contract by which the right to extract, produce or market the oil or gas is recorded;
 - (4)A brief description of the royalty provisions of each such lease or contract.
 - 22) Code 22-4-11(d) and 22-4-11(e).

., 19_

- 23) Regulation 7.02 of the Department of Mines provides that the original and four copies of Form IV-2 must be filed with the Department, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code §22-4-2, (iii) Form IV-9, "Reclamation Plan", applicable to the reclamation required by Code §22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fee required by Code §22-4-12a, and (v) if applicable, the consent required by Code §22-4-8a from the owner of any water well or dwelling within 200 feet of the proposed well.
- The above named coal operator, coal owner(s), and coal lessee are hereby notified that any objection they wish to make or are required to make by Code §22-4-3 must be filed with the Department of Mines within fifteen (15) days after the receipt of this Application by the Department.

The following waiver must be completed by the coal operator and by any coal owner or coal lessee who has recorded a declaration under Code 22-4-20, if the permit is to be issued within fifteen (15) days of receipt thereof.

The undersigned coal operator ______ / owner _____ / lessee _____ / of the coal under this well location has examined this proposed well location. If a mine map exists which covers the area of the well location, the well location has been added to the mine map. The undersigned has no objection to the work proposed to be done at this location, provided, the well operator has complied with all applicable requirements of the West Virginia Code and the governing regulations.

Bv

Its

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION .

AFFIDAVIT OF PLUGGING AND FILLING WELL

Same as above Oct Charles E. Bolyard Mon LEASE OF PROPERTY OWNER Well. Bol TATE INSPECTOR SUPERVISING PLUGGING Will TATE OF WEST VIRGINIA, County of Monongalia Larry Yost and eing first duly sworn according to law depose and say lugging and filling oil and gas wells and were employed it well operator, and participated in the work of plugging and religions are considered.	No. Alcinda Tennyard liam Blosser David Yost that they are expended.	OCT 18 19 OIL & GAS DIVERTING THE COAL CO. Well, that is the well was	District County 83 Pision INES work of plugged
Charles E. Bolyard Mon LEASE OF PROPERTY SWIES Charles E. Bolyard Well. APPROPERTY SWIES Bol TATE INSPECTOR SUPERVISING PLUGGING Wil TATE OF WEST VIRGINIA, County of Monongalia Larry Yost eing first duly sworn according to law depose and say lugging and filling oil and gas wells and were employed be rell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: De OR ZONE RECORD FILLING MATERIAL POSSATIONE Pulled 8' of 2" tubing and two 8" collars. Cleaned well bole to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost that they are experienced filling the above 1 3/8" tubing	OCT 1 8 19 OIL & GAS DIVERT. OF Notice of in the coal Co. well, that so the well was	District County 83 VISION VINES work of the plugged
Charles E. Bolyard Mon LEASE OF PROPERTY SWEET Well. APPROVED Well. APPROVED Will APPROVED	David Yost that they are expensed filling the above 19 83, and that PLUCE USED 2 3/8" tubing	OCT 1 8 19 OIL & GAS DIVERT. OF Notice Coal Co. Well, that so	County 83 ISION INES work of plugged
Charles E. Bolyard Well. ACCOUNTS Bol TATE INSPECTOR SUPERVISING PLUGGING Will AFFIDAVIT TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say sugging and filling oil and gas wells and were employed bell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: Decreases Pulled 8' of 2" tubing and two 8" collars, Cleaned well bole to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost that they are experienced filling the above 19 83, and that PLUCE USED 2 3/8" tubing	OCT 18 19 OIL & GAS DIVERT. OF Notice Coal Co. well, that see the well was	County 83 VISION VINES Work of sid work plugged
Well. AFFIDAVIT TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say anging and filling oil and gas wells and were employed hell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: DOWN MATERIAL Pulled 8' of 2" tubing and two 8" collars, Cleaned well bole to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost David Yost Consolidation filling the above 19 83, and that	OCT 18 19 OIL & GAS DIVERT. OF Notice Coal Co. well, that see the well was	83 VISION VINES Work of
TATE INSPECTOR SUPERVISING PLUGGING AFFIDAVIT TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say sugging and filling oil and gas wells and were employed bell operator, and participated in the work of plugging and filled in the following manner: D OR ZONE RECORD Pulled 8' of 2" tubing and two 8" collars. Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost That they are expensed that they are expensed filling the above 19 83, and that PLUCE USED 2 3/8" tubing	OCT 18 19 OIL & GAS DIVERT. OF Notice Coal Co. well, that see the well was	VISION VINES Work of Rid work plugged
AFFIDAVIT TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say lugging and filling oil and gas wells and were employed bell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: Deposite the company of the pulled in the following manner: Pulled 8' of 2" tubing and two 8" collars, Cleaned well bote to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost That they are expensed filling the above 19 83, and that PLUCE USED 2 3/8" tubing	OIL & GAS DIVERT. OF Notice of the coal Co. well, that so the well was	VISION VINES Work of Rid work plugged
AFFIDAVIT TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say sugging and filling oil and gas wells and were employed bell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: B CR ZONE RECORD Pulled 8' of 2" tubing and two 8" collars, Cleaned well bote to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	David Yost that they are expense Consolidation filling the above 19 83, and that PLUCE USED 2 3/8" tubing	OIL & GAS DIVERT. OF Notice of the coal Co. well, that so the well was	VISION VINES Work of Rid work plugged
TATE OF WEST VIRGINIA, ounty of Monongalia Larry Yost sing first duly sworn according to law depose and say bugging and filling oil and gas wells and were employed bell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: Dear zone record Pulled 8' of 2" tubing and two 8" collars, Cleaned well bote to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	Consolidation of filling the above 19 83, and that	OIL & GAS DIVERT. OF Notice of the coal Co. well, that so the well was	VISION VINES Work of Rid work plugged
Larry Yost Larry Larry Larry Yost Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Larry Lar	Consolidation of filling the above 19 83, and that	OIL & GAS DIVERT. OF Notice of the coal Co. well, that so the well was	VISION VINES Work of Rid work plugged
Larry Yost sing first duly sworn according to law depose and say sugging and filling oil and gas wells and were employed tell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: Deposition Pulled 8' of 2" tubing and two 8" collars, Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	Consolidation of filling the above 19 83, and that	FT. OF Notice of the coal Co. well, that so the well was	work of aid work plugged
resing first duly sworn according to law depose and say sugging and filling oil and gas wells and were employed to ell operator, and participated in the work of plugging are as commenced on the 29th day of August and filled in the following manner: Pulled 8' of 2" tubing and two 8" collars. Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	Consolidation of filling the above 19 83, and that	menced in the coal Co. well, that so the well was	work of aid work plugged
remarks Pulled 8' of 2" tubing and two 8" collars. Cleaned well bole to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	Consolidation of filling the above 19 83, and that	well, that s	aid work
Pulled 8' of 2" tubing and two 8" collars. Cleaned well bole to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	19 83 and that	well, that so	plugged
Pulled 8' of 2" tubing and two 8" collars. Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	PLUGE USED 2 3/8" tubing	the well was	plugged
Pulled 8' of 2" tubing and two 8" collars. Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	PLUGE USED SIZE & ENSO 2 3/8" tubing	e.	
Pulled 8' of 2" tubing and two 8" collars. Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	2 3/8" tubing		_
Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:	2 3/8" tubing		SING
Cleaned well bore to 1388'. Pulled 39' of 8" casing. Ran coll protection string as follows:		PULLED	Cad-
casing. Ran co.1 protection string as follows: 2 3/8" tubing from 750' to 1388'. 41" casing	₩ 4½ casing	1338' to	urface
2 3/8" tubing from 750' to 1388', 4½" casing			dridee
from 750' to surface. Latch down at 722'. Circulated cement to surface as follows: Pumped	8½" casing	640 plus	±1388'
650 sacks of Po Mix followed by 300 sacks of			
expanding type ement. Displaced cement to 722'			
with water			
Let set and bai ed dry.			
COAL SEAMS			
Pittsburgh 606' - 614'	Five feet of 4	ON OF MONUME	
	stating: Conso	l Alcinda Te	ınant