Latitude

.375 1,22w

Longitu

Topo Location

7.5' Loc.\_\_\_\_\_\_ 15' Loc.\_\_\_\_\_ (calc.)

Company Consolidation Coal Co

Farm Patricia A Simpson 7 4268


15' Quad \_\_\_\_\_\_

7.5' Quad Mannington

District Battollo

WELL LOCATION PLAT

County No! Permit 765p



FORM IV-38 (Affidavit of Plugging)

## STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

## AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

mailed to cath done of				
onsolidation Coal Company	Consolida	Consolidation Coal Company Name of Well Operator		
Coal Operator or Owner				
.O. Box 1314, Morgantown, WV 2	6507-1314 P.O.Box 1	314 Morgantown, WV Complete Address	26507-1314	
Address		•		
onsolidation Coal Company		September 06, WELL AND LOCATION	17_85	
Coal Operator or Owner			District	
O. Box 1314, Morgantown, WV	26507-1314	Battelle	_ District	
Address		•		
tricia A. Simpson	Mon	ongalia	_ County	
Lease or Property Owne	r			
•	WELL NO.	4268		
Address				
		Patricia A. Simpson	Farm	
	Den Ellie Feirm	ont UN 26554		
TATE INSPECTOR SUPERVISING PI	UGGING Don Ellis, Fairm	IOIIL, WV 20334		
•	AFFIDAVIT	•		
	ALL IDAVII			
TATE OF WEST VIRGINIA,				
ounty of Monongalia	ss:		_	
Coloda C Tofton	and Mar	k Wright		
		that they are experi	enced in the	
eing first duly sworn accord ork of plugging and filling	oil and gas wells and were	employed by Consc	lidation	
ork of plugging and filling Coal Company, well o	perator, and participated	in the work of plugg	ging and fill.	
ng the above well, that said	work was commenced on the	3rd day of At	<u>igust</u>	
ng the above well, that said $9 \frac{85}{}$ , and that the well w	as plugged and filled in t	he following manner		
Sand or Zone Record	Filling Material	Plugs Used	Casing	
		Size & Kind	CSG CSG PULLED LEFT IN	
Formation			POLLED	
Cleaned out wellbore to	,700 feet. Pulled 1,080	eet		
of 6 5/8 inch casing. Ran co follows: 231.04 feet of 2 3/	inch tubing followed by			
1,312.84 feet of 4½ inch casi				
1,292.44 feet. Float valve a	1.312.84 feet. Circulate	ed ·	_	
cement to surface as follows:	Pumped 470 sacks of poz			
mix followed by 445 sacks of	expanding cement. Displace	ed		
cement to 1,292.44 feet with	water. Let set, bailed dry	7.		
Total plug 1,543.88 feet.	<u> </u>			
Possible junk in front o	coal.			
			1. 1 - 1 - 21-	
		111/2	11/13/80	
Coal Seams		Description	of Monument	
	1 10/ 5	5 feet of 4's in	ch casing	
(iiiiii)	feet - 1,194 feet	with plaque sta		
(Name)		Consol 4268		
(Name)		47-061-0765-P		
		111	the 20thda	
and that the work of pl	ugging and filling said we	Mas completed on	-116	
of August , 19	85	2 (0)		
And further deponents	saith not.	un fill	<u></u>	
•	$\mathcal{M}_{a}$	rt Winaht		
			<b>, 19</b> 85	
Sworn to and subscribed before	ore me chis oth day or _	1 16 -1	-	
		g. K. Gunt	h	
		Notary Public		
My commission expires:			,,	
September 08, 1988		Permit No.	47-061-0765-	