



1)	Date: Fe	bruary 14,	, <sub>19</sub> _85
2)	Operator's Well No.	Seaman #2	( <b>(b)</b> 7 ( <b>(b)</b>
3)	API Well No.	47 - 061 -	0766

09/29/2023

## OIL & GAS DIV. DEPT. OF MINES

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT


A) WEILTY	PE. A C	iii W cii	120/4/6	s X	11 07	ONS HE ANY	THOMAS THAT	DIRECTIONS	ON TIMES
4) WELL II									_/ Shallow X_/)
5) LOCATIO							Long Drain		
									Blacksville 7½
6) WELL OF	ERATOR	Hydroc	arbon	Expl	orati	on, Inc.	7) DESIGNATE	DAGENT ALS	Sorcan
Addres	s P.0	O. Dra	wer 97	6		100	Address	P.O. Drawer	976
	Buc	ckhann	on, WV	26	201	23625		Buckhannon	WV 26201
8) OIL & GA	S INSPEC	TOR TO	BE NOTI	FIED		~	9) DRILLING C	ONTRACTOR:	
Name	Don E						Name		
Addres	The second secon	04 Cra					Address		
	_Fa	irmont	, WV	2655	4				
10) PROPOSI	ED WELL	WORK:	Drill	X	_/ Dril	l deeper	/ Redrill	/ Stimulate	<u>X</u> _/
			Plug of	ff old	formatio	n/ Perfo	rate new formation		
			Other p	hysical	change	in well (specify)			
11) GEOLOG	ICAL TAR	GET FOR	MATION	,				K III	
12) Estim									
13) Appro	oximate trai	a depths:	Fresh, _		110		t <u>, 690</u>		
14) Appro	oximate coa	l seam dep	ths:	320	, 410	Is co	oal being mined in th	e area? Yes	/ NoX/
15) CASING	AND TUBI	NG PRO	GRAM						
CASING OR		SPEC	IFICATION	S		FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	/ For drilling	/ Left in well	OR SACKS (Cubic feet)	
Conductor	11 3/	4			X	440 40	440	Pulled C	Kinds by rule
Fresh water									1 15:05
Coal	8 5/	8	23	X		1200	1200	350 sks	Sizes
Intermediate	8 5/	District States and States	23	X		1200	1200	350 sks	
Production	4 1/	I	101/2	X			5600	600 sks	Obepenson require
Tubing						A IMO AST S	01346		
Liners									Perforations:
		2001/36	transfer out	gollo	rine b	nachtremoesism	digner to be the ball	diff bidser of 21 6	Top Bottom
2.6	elerecti.						Onte de		
				(a) = (ii	i jerizeli	40 w5[[67]			boviera mortistigo.
7900	San Berline					OFFICE USE			
						DRILLING PI	ERMIT		Well work started
Permit number		47-06	1-0766					Feb	ruary 28, 19 85
1 crime number _	J. 19		200					Da	
This permit cov	ering the w	ell operate	or and wel	l locati	on show	n below is evidence	of permission grant	ed to drill in accorda	nce with the pertinent legal re-
									il and Gas Inspector, (Refer to
						work has commence		vell operator or his coi	ntractor shall notify the proper
								11.0	
The permitted v reverse hereof.	vork is as d	escribed in	the Notic	e and A	Applicati	on, plat, and reclan	nation plan, subject	to any modifications a	and conditions specified on the
Permit expires	Feb	ruary	28, 19	87		unless wei	ll work is commenced	d prior to that date and	prosecuted with due diligence.
Termit expires						amess we		a prior to that date and	OTHER INSPECTIONS
			. 1		162.1				
Bond:	Agen	ıt:	Plat:	Casi	ng	Fee	1		a languag
1/8	m	UI	nll	m	U	1045	Nh	2011	1/1/
7	, ,	- 1		,,,	1		// pur	yare -	Lasse
						1	Adm	nnistrator, Office of (	Oil and Gas
NOTE: Keep	one copy of	this perm	it posted	at the c	Irilling lo	ocation.	//		
									File

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.

<b>FORM</b>	IV-2(B)
Davarce	

FILE COPY





	MUN	CORTANDANTAL FROM	DUCKWIG TO	NEW LEVE LANGE	.VIV.	I GAO S II	0
	- 7	OFFICE U	JSE ONLY	AHINRA -	OIM	11 1U 195	IQ
PERMIT MO	DDIFICATIONS A	AND CONDITION	S (IF ANY)	TO THE P	ROPOSEI	WELL WO	RKTJJEW (4
(\_X\'\_\) Shallow (\X\'\_\_\)	Deep	and storage					
at attitudent	Quadrangle:					f: Elevation: District: _	S) LOCATION
near		DESIGNATE				RATORINGE	6 WELLOPE
976	LAVER L.O. A	Additions .				9.0. 9	
. NV. 2620E.	. A GLECTONE		MA FIR	10303	VI., KU		
	ONTRACTOR:	9) DRHLING C			HITON HE C	INSPECTOR TO	8) OR & GAS
						2003	
					A VIII d		
		. Redrill .				WELL WORK:	0) PROPOSEC
		erforate new formation					
						AUTARGET PO	
		Ceet a series of the				ed depth of comp	
			1001			imaio trata depins	
					epths:	imate coal seam d	14). Арргох
					DGRAM	AD LUBING EK	5) CANING A
PACKERS	OR SACES	AGE INTERVALS			EXTRICATIONS Veight		CASING OR
God his mile	(Luple Feet)	Part in nell	goldinb ac A	(bac) nam	.H riiq	Size Grade	
12 12 10 1	V-2		- 0 0 T.T.			The state	
Size					beek.		
			ORGI		233	1,4278	
Bonda Wall	18-18 (10a - 14th	OFFICE II	ICE ONI V		1301		noticubal
Periora logs		OFFICE U	SE UNLI				ubine mers
This part of Form IV-2(	b) is to record the	dates of certain occ	currences an	nd any follow	v-up inspec	ctions.	
	<u>_</u>	Date				Date	e(s)
A			Fallow ww	inamantian(a			
Application received		SE ONLY	Follow-up	inspection(s	)		
Well work started		PERMIT	DRIGUNG	,,			
							ermit mumber
Completion of the drilling							
orocess menune perturent sessor	ed to drill in accordan	nce of permission grant ( Nothicana must us ;	below if evide	location shown	uor and well		his permit cover
			arthur,, com	an mu t,, en			
Reclamation completed	to say modifications at	clamation plan, subject	m, plat, and to	and, onlicatio	in the Notice	ik is as discribed	

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.

OTHER INSPECTIONS

Reason:

Reason:

9/29/	2023	[	[8-8]
	Э	S	Opner
(	A) S-V.	I	FORM

Seaman #2 Well No. 2) Operator's I) Date: February 14

.ou Ilew IdA (8

State County

9920-198-LT

Permit

STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES, OFFICE OF OIL & CAS

### NOTICE OF APPLICATION FOR A WELL WORK PERMIT

Address			
SmsN			
COAL LESSEE WITH DECLARATION ON RECORD	(iii)		_
Address			Address
Name			- SmsN (iii)
Pittsburg, PA 15241			
Address Consol Plaza			Address
Name Consolidation Coal Co.			- SmsN (ii)
COAL OWNER(S) WITH DECLARATION ON RECO	(TT) S		_
Pittsburg, PA 15241		Core, WV 26529	Address
Address Consol Plaza		S.B. Seaman	emsN (i)
COAL OPERATOR Consolidation Coal Co.	(Ţ)S	MEK(S) OF RECORD TO BE SERVED	4) SURFACE OW

TO THE PERSON(S) NAMED ABOVE: You should have received this Form and the following documents:

cementing program; to be plugged, which sets out the parties involved in the drilling or other work, and describes the well and its location and, if applicable, the proposed casing and (1) The Application for a Well Work Permit on Form IV-2(B) (or Form IV-4 if the well is

(3) The Construction and Reclamation Plan on Form IV-9 )unless the well work is only to (2) The plat (surveyor's map) showing the well location on Form IV-6; and

plug a well), which sets out the plan for erosion and sediment control and for reclamation for the site and access road.

ACTION AT ALL. (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU, HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY WHICH MEE SUMMARIZED IN THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS RECARDING THE APPLICATION

before the day of mailing or delivery to the Administrator. by hand to the person(s) named above (or by publication in certain circumstances) on or Department of Mines, with respect to a well at the location described on attached Application and depicted on attached Form IV-6. Copies of this Notice, the Application, the plat, and the Construction and Reclamation Plan have been mailed by registered or certified mail or delivered by hard to the research maned above for by mailed by registering circumstances) on or Take notice that under Chapter 22 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a Well Work Permit with the Administrator of the Office of Oil and Gas, West Virginia Densitues of Misses with present the Misses with a series of the Office of Oil and Gas, when the Misses with the Administrator of the Office of Oil and Gas, west Virginia

6) EXTRACTION RIGHTS

I hold the right to extract oil or gas. The requirement of Code 22-4-1-(c) (1) through (4). (See reverse side for specifics.) Included is the lease or leases or other continuing contract or contracts by which heck and provide one of the following:

or other contract or contracts providing for flat well royalty or any similar provision for the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes No Is the right to extract, produce or market the oil or gas based upon a lease or leases ROYALTY PROVISIONS

you may use Affidavit Form IV-60. If the answer above is No, nothing additional is needed. If the answer is Yes,

Reclamation Plan. the required copies of the Motice and Application, plat, and Construction and See the reverse side for line item instructions, and for instructions concerning

My Commission Expires Nov 21 1990

		0096	<u>472-c</u>	NOSIAS	A GAR Lby Run F on, W v	STETE MARCELL 42 Tru Buckhann
50	26201	VW ,	louueu	BUCK	My PLL	ATON
		9L6 28	MEIG	D.d.	GSSS.	TDDA 770
			Jue	bisə	d	STI
9.	~,	Lore		Lun	0	BY
. Inc.	loration	dxa uoc	rocarl	DVH	RO	OPERAT
						MEIT

this 14 day of in my County and State by signed on behalf of the Well Operator and sworn to and the Notice is Notice and Application is verified The truth of the information on the

State of County Notary Public **6**1 WY commission expires

#### INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- Your well name and number.
- To be filled out by the Office of Oil & Gas.
- Use separate sheet if necessary.
- see also Code § 22-4-lb(b) if "more than three tenants in common or other Surface owner(s) of record to be served with Notice and Application. However,
- in such lands". co-conners of interest described in subsection (a) of this section hold interests
- "Coal Operator" means any person, firm, partnership, partnership association or
- corporation that proposes to or does operate a coal mine.
- See Code & 22-4-20. (זזז 'זזז) כ
- provided below. tinuing contract(s), the Applicant may fill out the information in the space See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other con-
- See Code § § 22-4-11 (d, e).

#### CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

owner of any water well on dwelling within 200 feet of the proposed well. and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-1k(d) and the reclamation required by Code § 22-4-12b and Regulation panied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accom-

with an interest in the coal. See Code § § 22-4-1m, 22-4-2, 22-4-2a, and 22-4-2b. Service. In addition, service must be made on the surface owner(s) and the person(s)

### INFORMATION SUPPLIED UNDER CODE § 22-4-11 (d)

Under the oath required to make the verification on the obverse side of this Notice, IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

(1) the fract of land is the same fract described in the Application to which this Notice I depose and say that I am the person who signed the Notice for the Applicant, and that--

Construction and Reclamation Plan; applies, partly or wholly depicted in the accompanying plat, and described in the

the oil or gas are as follows: contract(s) by which the Applicant claims the right to extract, produce or market (2) the parties and recordation data (if recorded) for lease(s) or other continuing

by Farmout Agreement	. Dul	Hydrocarbon Energies,	Kepco
12-158	8/1	Kepco Inc.	1 & 1 Enterprises
905−८₹8	8/1	1 & J Enterprises	M.D. Wright (et ux)
BOOK Page	ROYALLY	Grantee, lessee, etc.	Grantor, lessor, etc.



# OIL & GAS DIVISION DEPT. OF MINES



DATE 2-12-85 WELL NO. 5EAMAR # 2

# State of Mest Mirginia

API NO. 47-061-0766

Department of Mines Gil und Gas Division

CONSTRUCTION	ON AND RE	CLAMATION PLAN
COMPANY NAME HYDROCARBON EXPLORATION I	G.	DESIGNATED AGENT Alvin SORCAN
Address Buckhange W.Ja.		Address PO Rox 976 Buckhannon WUA.
Telephone 472-9600		Telephone 472 - 960 3
LANDOWNER S. B. SEAMAN		SOIL CONS. DISTRICT MONGO GAHELA
		ORCAN (Agent)
		SCD. All corrections
and additions become a part of this pla	air. PED	(Date)
	Elle	(SCD Agent)
ACCESS ROAD		LOCATION
Structure OPER DITCH	(A)	Structure Diversion Direct (1)
Spacing LEASTH OF ROAD		Material Earth
Page Ref. Manual 2-/2		Page Ref. Manual 2-12
Structure BREAKER DITCH	(B)	Structure DRILLING PIT (2
Spacing 75' - 100' APART		Material EARTH
Page Ref. Manual 2-4		Page Ref. Manual
Structure Culvert (min. 16")	(C)	Structure Segiment BAKRIER (
Spacing As neenen		Material Hay OR STRAW
Page Ref. Manual /-7		Page Ref. Manual /- 15
All structures should be inspected commercial timber is to be cut and cut and removed from the site befor	stacked o	rly and repaired if necessary. All and all brush and small timber to be ork begins.
LOW WATER BRIDGE (D)		
	REVEGETAI	TION
Treatment Area I		Treatment Area II
Lime 3 Tons/ac or correct to pH 6.5	re	Lime As ARGA T 3 Tons/acre or correct to pH 6 7
Fertilizer 600 lbs/acr (10-20-20 or equivalent)	е	Fertilizer 600 lbs/acre (10-20-20 or equivalent)
Mulch Hay or STRAW 2 Tons/ac		Mulch Hay on Steams 2 Tons/acre
Seed* k, 31 35 lbs/acr		Seed* k 31 35 lbs/acre
LARIND Closer 5 lbs/acr		LARING Closer 5 lbs/acre
. Annual Rys 10 lbs/acr		Annual Rge 10 lbs/acre
		il and clovers with the propped propertium.
The state of the s	PLAN I	PREPARED BY HYDROCARBON EXPLORATION TAL
womag plant and a large and a		
NOTES: Please request landowners' cooperation to protect new seedling for one growing season.		Buckhannen WSA
Attach separate sheets as		
necessary for comments.		PHONE NO. 472-9600


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.


QUADRANGLE Blacksuice 7.5

Well Site Access Road —



Sketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





#### COAL OWNER'S COPY





1)	Date:	bruary	14,	_, 19_85
2)	Operator's Well No.		40	
3)	API Well No.	47	37 466	
		State	County	Donnit

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

								2 2 2 2 2		
4)	WELL TY									
										/ Shallow/)
5)	LOCATIO							Long Drain		
	WELLOD			Clay			_ County:			Blacksville 74
6)		EKATOK	MYCHO	<del>Jarrom</del>	LOPOL	<del>OTRE 1</del>	an, Inc.			Sorgan
	Address		A STATE OF THE PARTY OF THE PAR	awer 9'		003		Address	P.O. Draw	
8)	OIL & GA				A CONTRACTOR OF THE PARTY OF TH	ZU1		9) DRILLING CO	A STATE OF THE PERSON OF THE P	NV 26201
U)	Name								SNIKACIOK.	
	Address		Control of the Control	ab Arxol				Address		A STATE OF THE STA
				- WV	AND DESCRIPTION OF THE PERSON					101
10)	PROPOSE	D WELL	WORK:	Drill	¥	/ Drill	deeper	/ Redrill	/ Stimulate	y /
										7771
11)	GEOLOGI	CAL TAR	GET FOR						1 1	
	12) Estima	ted depth	of complet	ted well,		5600	feet	。		AV.
								t, 690		
	14) Approx	ximate coa	ıl seam der	oths:	320	, 410	Is co	oal being mined in the	e area? Yes	/ No/
15)	CASING A	ND TUBI	ING PRO	GRAM						
	SING OR BING TYPE		SPEC	Weight		- 1	FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS
		Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	
Cond	luctor	11 3/	14			X	40	Carlo L	100	Kinds
Fresh	water								7 7	- 000
Coal		8 5/	8	23	X		1200	1200	320 sket	Sizes
	mediate	8 5/	8	23	X		1200	1200	D 350 skee	
	uction	4 1/	2	103	X			5600	T Ska	Depth set
Tubir	de la company								73 6	( a pre)
Liner	S									Perforations:
									<u> </u>	Bottom
									03	Commenced
						"			, UJ	
				INS	TRUCT	IONS TO	COAL OPERAT	TOR, OWNER, OR	LESSEE	
		The r	named coa	l operator,	coal ov	vner(s), a	nd coal lessee are l	hereby notified that a	any objection they wi	sh to make or
				by the Der			led with the Depar	rtment of Mines with	in fifteen (15) days af	ter the receipt
		or tills Ap	phication	by the Dep	artinen					
			The follo	wing waive	r must	be comple	eted by the coal of	perator and by any c	oal owner or coal les	see
								f the permit is to be i	ssued within fifteen (	15)
			days of th	ne filing of	the Ap	plication.				
							WAIVER	<b>&gt;</b>		
Th	ne undersigne	ed coal one	rator			/ owner		/ lessee	/of the	
				If a mine			covers the area of	the well location, the	e well location has be	coal under this well location has en added to the mine map. The
unde	ersigned has i	no objection	on to the v	vork propo	sed to b	e done at	this location, prov	vided, the well opera	tor has complied with	all applicable requirements of
the V	West Virginia	Code and	d the gove	rning regul	ations.					
								(Dan	li elati	ColC
								71		1
Date	:			, 19			17	By tay M	Herders	
								00	0 1	A STATE OF
							1	Its Legion	al News	Eng
								0	0	09/29/2023
								9		Coal Owner

#### SURFACE OWNER'S COPY



1)	Date:	bruary	14,	_, 19_85
2)	Operator's Well No	Common	40	
3)	API Well No.	47	112	
		State	County	Permit

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

			API	PLICATIO	N FUR A WEI	LL WURK PERMII		
4) WELL TY	PE: A Oil _	/ Ga	is					
					Underground	storage	_/ Deep	_/ Shallow/)
5) LOCATIO		n:1050				Toma Denin 1		· ·
	District:	Clay			County:	monophlia	Quadrangle:	Blackeville 74
6) WELL OP						7) DESIGNATED		
Address	2.0.	Drower 97	6			Address	D.O. Dreaters	
	-Buckh	armon, W	262	01			Backhamnan	WV 26201
8) OIL & GA	S INSPECTOR					9) DRILLING CO		
Name	Don Elli	9				Name		
Address	2604	Crab Appl	a Lan	-		Address		
	Fairm	ont, WV	26554					
10) PROPOSE	D WELL WOR	K: Drill	7	Drill	deeper	/ Redrill	/ Stimulate	y /
		Plug of	f old fo			rate new formation_		
11) GEOLOGI	CAL TARGET	FORMATION		DETE				
12) Estima	ited depth of cor	mpleted well,		5600	feet			
						, 690	feet.	
14) Appro	ximate coal sean	n depths:	320	410	Is co	oal being mined in the	area? Yes	/ No
15) CASING A	ND TUBING	PROGRAM					0	Company
CASING OR		SPECIFICATIONS		11	FOOTAGE	INTERVALS	CEMENT FILLUP	MACKERS O
TUBING TYPE	Size Gr	weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	- 1777
Conductor	31 2/4			v	40		Diallos Po	Kinds
Fresh water	77 J/ =			A	190		0 8	00 05
Coal	9 5/6	23	v		1200	1200	350 7 5	Sizes
Intermediate	9 5/8	33	2		1200	1200	350 8410	
Production	4 1 /0	201	7		1200	5600	600 25-55	Depths set
Tubing	4 1/6	10-2	26			3000	Zo	07
Liners							MZ	Perforations
TABLE OF THE PARTY							LO CO	Top Bottom
						10-1-1		
	No.							

The law requires a comment period for surface owners. However, the permit can be issued in less than 15 days from the filing of the Application if the surface owner(s) of record sign(s) the following "Voluntary Statement of No Objection" on a facsimile of this surface owner's copy of the Application.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by corporation, partnership, etc.)	(For execution by natural persons)	
NAME:		Date: 2/18/85
Ву	(Signature)	Dy i
ItsDat	e (Signature)	* Sate anon

# INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by nore than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Andele 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any integer in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the naterials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for O and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil e osion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

# P 754 105 395

## RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

2	Sent to Consolidation	an ()
U.S.G.P.O. 1983.403 547	Street and No.	1211
0.0	P.O., State and ZIP Code	14/3150
S.G.	Postage ) Postage	\$ 27
*	Certified Fee	75
	Special Delivery Fee	"
	Restricted Delivery Fee	
	Return Receipt Showing to whom and Date Delivered	(00
1982	Return receipt showing to whom, Date, and Address of Delivery	,00
PS Form 3800, Feb. 1982	TOTAL Postage and February	SENE
800,	Postmany or Date	EED.1 4.8
orm 3	ASTRONIA OF THE STAGE	200
PS F		AHA
	*CEDTIFIED	
	CERTIFIED	
	P 754 105 395	
	MAIL	

P 754 105 396

#### RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

Sent to 5 13. 500	aman
Street and No.	
Street and No.  Street and No.  P.O., State and ZIP Code Postage  Certified Fee	26529
Postage	\$,37
Certified Fee	<i>3</i> 75
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to whom and Date Delivered	.60
Return receipt showing to whom, Date, and Address of Delivery	
TOTAL Postage and Fees	CN NA
Return receipt showing to whom, Date, and Address of Delivery  TOTAL Postage and Rees SCOL  Postmatk of Date  Postmatk of Date	WARAS
CERTIFIE	
P 754 105 3	96
MAL	



FEB 1 5 1985

OIL & GAS DIV. DEPT. OF MINES



Date 4	-11-85	
Operator		
Well No.	Seaman #	2
Farm	S. B. Seama	an
API No.	47 - 061 -	0766

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 1050 Watershed I	Long Dra:	in Run		
District: Clay County Nonor	ngalia	Quadrangl	e Black	sville
792 31 70000 . 17				76.1
COMPANY Harden control Front Control To				
COMPANY Hydrocarbon Exploration, Inc.  ADDRESS P.O. Drawer 976, Buckhannon, WV26201	Casing	Used in	Left	Cement
DESIGNATED AGENT Alvin Sorcan	Tubing	Drilling		fill up Cu. ft.
ADDRESS Rt. 4, Box 444, Buckhannon, WV26201	Size	T T T T T T T T T T T T T T T T T T T	III WEIT	- Cu. 20.
SURFACE OWNER S. B. Seaman	20-16			
ADDRESS Core, WV 26529	Cond.			
MINERAL RIGHTS OWNER M. D. Wright	13-10"		San	
ADDRESS 378 Cobun Ave., Morgantown, WV	9 5/8	1001/	1001	To Surfac
OIL AND GAS INSPECTOR FOR THIS WORK Don	8 5/8	1221	1221	300sks
Ellis ADDRESS Fairmont, WV 26554	7			
PERMIT ISSUED 2-28-85	5 1/2		5568	600sks
DRILLING COMMENCED 3-21-85	4 1/2		3300	(3300-556
DRILLING COMPLETED 4-3-85	2			
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners			
GEOLOGICAL TARGET FORMATION Elk		Dep	th 5450	feet
Depth of completed well 5656 feet R	Rotary X	_/ Cable	e Tools_	
Water strata depth: Fresh 845 feet;	Salt 158	g feet		
Coal seam depths: 308,392	Is coal	being min	ed in the	area? Yes
OPEN FLOW DATA				
Producing formation Elk, Benson	Pay	zone dep	th 4943-	5461 feet
Gas: Initial open flow 231 Mcf/d	V			
Gas: Initial open flow 231 Mcf/d Final open flow 290 Mcf/d				Bbl/d
Final open flow 290 Mcf/d	Fin	al open f	low	
Final open flow 290 Mcf/d  Time of open flow between initi	Fin al and fi	al open f	low	purs
Final open flow 290 Mcf/d  Time of open flow between initi  Static rock pressure 1450 psig(surface	Fir al and fi measurem	al open f	low  4 hour 72 hour	ours ars shut in
Final open flow 290 Mcf/d  Time of open flow between initi  Static rock pressure 1450 psig(surface)  (If applicable due to multiple completion-	Firmal and	al open final tests	10w 4 hour 72 hour 09/	ours ars shut in 29/2023
Final open flow 290 Mcf/d  Time of open flow between initi  Static rock pressure 1450 psig(surface  (If applicable due to multiple completion- Second producing formation Bradford, Ball	Firmal and	al open final tests ent) after zone dep	10w 4 hour 72 hour 09/ th 4189-	ours ars shut in 29/2023 4266 feet
Final open flow 290 Mcf/d  Time of open flow between initi  Static rock pressure 1450 psig(surface  (If applicable due to multiple completion- Second producing formation Bradford, Ball  Gas: Initial open flow 231 Mcf/d	Firmal and	al open final tests ent) after zone dep	10w 4 hour 72 hour 09/ th 4189- flow	29/2023 4266 feet
Final open flow 290 Mcf/d  Time of open flow between initi  Static rock pressure 1450 psig(surface  (If applicable due to multiple completion- Second producing formation Bradford, Ball	Firmal and	al open final tests ent) after zone depritial open	10w  4 ho  72 hou  09/  th 4189- flow	29/2023 4266 feet Bbl/d

#### DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

4-18-85	Frac.	3 Stage	H2O W/	CO2 Ass	ist	7 9/	7)47/10
FORM	PERF	HOLES	BKRD	Н20	SAND	ISIP	C02
Elk-Benson	(4943-5461)	24	2950	796	57,500	2990	14 Tons
Bradford	(4189-4266)	14	3100	475	41,200	2100	14 Tons
Ball-Speech.	(3738-3986)	14	3700	394	30,500	1940	12 Tons

#### WELL LOG

FORMATION	COLOR	HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
lay	Br	S	0	10	н20 @ 845, 1585
p & Sh	Br	S	10	80	1120 ( 013) 1303
and	Br	M	80	308	
oal	Bl	S	308	310	Coal @ 308, 392
h	Gr	S	310	392	jesi e e nakara. Q. Jakatana
oal	Bl	S	392	395	
h	Rd & Gr		395	1255	
and	W	Н	1255	1305	
dy Sh	Br	M	1305	1815	
ig Lime	Gr	Н	1815	1852	
sig Injun	W	H	1852	2076	
h	Gr	S	2076	2148	A second of the
d	W	Н	2148	2185	
h	Gr	S	2185	2480	o de leva el dob en el pres vez.
d&Sh	Br	M	2480	3050	
h	Gr	S	3050	3724	
speech.	Br .	M	3724	3804	
Balltown	Br	M	3804	4186	
radford	Br	M	4186	4708	Show Gas 4218
liley	Br	M	4708	4942	Dilow Gub 1220
Benson	Br	M	4942	4998	
h	Gr	S	4998	5420	
lk	Br	M	5420	5440	Show Gas 5433
Sh	Gr	S	5440	5656	
otal Depth			3110	5656	Check Gas @ T.D. 231 MCF
			- office and		
					The second has the digital date.
			la de la composición dela composición de la composición de la composición dela composición dela composición dela composición de la composición dela composición de la composición dela com		List discussor of the List
				e en en	
			- 2		

(Attach separate sheets as necessary)

Well Operator	on Exploration,	
: aluin	Journ 09/29/20	23

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."



# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



#### INSPECTOR'S WELL REPORT

DEPT. OF MINES

Permit No. 061-0766

Oil or Gas Well\_\_\_\_\_

				101	
Company Hagolia Contian EXPL	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACE	ERS
Address Buchhammar uv	Size				
Farm Seaman	16			Kind of Pac	ker
Well No. 2	13			Size of	
District Clay County Money des				Size of	
Drilling commenced 3-20-85	6%		-	Depth set	-
	5 3/16				
Drilling completed Total depth	3			Perf. top	
Date shotDepth of shot	2			Perf. botton	
Initial open flow/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing/10ths Merc. inInch				Perf. botton	
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressurelbshrs.	NAME OF SE	RVICE COMPA	NY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh waterfeetfeet	FEET	INCH	IES	_FEET	INCHES
Salt water feet feet	FEET	INCH	ES	FEET	INCHES
Drillers' Names S.W. Joch # 14	/				
Remarks: Only Dust 6,50 ft					

3-22-85

DISTRICT WALL INSPACTOR

Form 26 2/16/82

#### STATE OF WEST VIRGINIA

#### **DEPARTMENT OF MINES**

#### OIL AND GAS WELLS DIVISION

#### **INSPECTOR'S PLUGGING REPORT**

						13 - 14	10		
				ADDRESS					
FARM	j.		DISTRICT	COUNTY					
							100 N		
Liner	Loca	ition	Amount	Packer	Loc	ation	8		
PLUGS USED AND DEPTH PLACE		D DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING		
CEMENT-THICKN	ESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
				Moneyolia		logs.	5)		
		2 2 2 6			3-20-8				
	di i				0 32 7				
					A SECTION				
					,				
		e v ia ia ia ii							
					1				
					-				
		3							
						Accessive to the later of the l			
Orillers' Names									
		Manager as a second control of the second co							
Remarks:				11/5	20				
					3/				
				Ec ft	welle				
	T 1	nereby certify I visi							

De 1-0766



# DEPARTMENT OF MINES



# OIL & GAS DIVISION DEPT. OF MINES

#### INSPECTOR'S WELL REPORT

Oil or Gas Well\_ CASING AND USED IN LEFT IN PACKERS Company Hydro Corbon Siza Kind of Packer\_\_\_\_ SFAMAN Size of 81/4 Depth set\_\_\_ Drilling commenced 3 5 3/16\_ Drilling completed 4-4-85 Total depth 5656 Perf. top\_\_\_ Date shot Depth of shot Perf. bottom Liners Used Perf. top\_ Initial open flow\_\_\_\_\_/10ths Water in\_\_ Perf. bottom\_ Open flow after tubing\_\_\_\_\_/10ths Merc. in\_\_\_\_ CASING CEMENTED 4 5 SIZE 5578 No. FT. 4-4-8 Date Volume\_ Cu. Ft. NAME OF SERVICE COMPANY Laffely Rock pressure\_ hrs. Oil \_bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT\_ FEET feet FEET INCHES FEET\_ INCHES Salt water\_ FEET INCHES FEET\_ W Jack # 14 Ron 5578 ff 4 3 475 shaller Remarks:

4-4-85

DISTRICT WELL INSPECTOR

Form 26 2/16/82

#### STATE OF WEST VIRGINIA

#### **DEPARTMENT OF MINES**

#### OIL AND GAS WELLS DIVISION

#### **INSPECTOR'S PLUGGING REPORT**

COMPANY			ADDRESS		7-19			
				COUNTY				
*,		18	1 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 -	15) 557	stop,			
Liner Loc	cation	Amoun	t Packer	Loc	ation	56		
PLUGS USED A	AND DEPTH PLACED		BRIDGES	CASING	G AND TU	BING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST		
			Moranglaka		13.30	30		
		-	2	3-2-6-5				
			1525	66-4-	4			
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	45 3	-						
the to	1000							
			•	1.				
Orillers' Names								
					7			
Remarks:			41 14					
	Comment							

#### INSPECTOR'S PERMIT SUMMARY FORM

(2-28-85)API# 47- 2006/ - 0766 WELL TYPE OPERATOR Hydro Carlon ELEVATION 1050 DISTRICT CLAY TELEPHONE FARM Deaman QUADRANGLE WELL # 2 COUNTY MONONGA WA. SURFACE OWNER SEAMAN. COMMENTS\_\_\_\_ TELEPHONE TARGET FORMATION\_\_\_\_ DATE APPLICATION RECEIVED DATE STARTED LOCATION 3-18-85 NOTIFIED NO. DRILLING COMMENCED 3-20-85 WATER DEPTHS 845 JA DAMP, , 1'60 1455 , COAL DEPTHS 308-310, 392-395, \_\_\_\_\_\_, CASING Ran 1221 feet of 850 "pipe on 3-23-85 with 300 Mtfill up Ran 5578 feet of 4/2 "pipe on 4-4-85 with 4757 fill up Ran feet of "pipe on with fill up Ran\_\_\_\_feet of \_\_\_\_\_'pipe on\_\_\_\_with\_\_\_fill up TD 5656 feet on 4-3-85 PLUGGING From To Pipe Removed DEPARTMENT OF ENERGY OIL AND GAS Pit Discharge date: Type\_\_\_\_\_ ph\_\_\_\_ fe Field analysis 7 1986 Well Record received\_\_\_\_ Date Released 1-3-86

09/29/2023

Inspector's signature

### API# 47<u>06/</u> - <u>6766</u>

### LIST ALL VISITS FOR THIS PERMIT

DATE	TIME	PURPOSE	COMMENTS
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
3-22-85		Ch. Big	Dely dest 650'
3-23-85		Surface	ale,
3-25-85		Ch Rig	Quel dust 1280 ft
3-28-85		Ch Rig	Dilg Wet.
4 4- 85		Chris	Of un 4 2
1-2-86		Ch Beelantin	01-1
2- 86		Ch pillandion	Miliady
11/12		7 - 7 C	63,
		3-426 8-10	28
2.2			
			13-3-4

DEPARTMENT OF AND GAS

Notes

ABOT T 1986

