

B. E. STROSNIDER  
 159.80 AC. (CALC.)  
 161.25 AC. DEED


2.035  
 1.80W

Calc 15' loc  
 2.035  
 4.02W

(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS

FILE NO. \_\_\_\_\_  
 DRAWING NO. \_\_\_\_\_  
 SCALE 1" = 600'  
 MINIMUM DEGREE OF ACCURACY 1 IN 5000  
 PROVEN SOURCE OF ELEVATION COMPANY SURVEY  
 TIED INTO U.S.G.S NETWORK

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DEPARTMENT OF ENERGY.  
 (SIGNED) Paul D. Harbert  
 R.P.E. \_\_\_\_\_ L.L.S. 862



PLACE SEAL HERE

STATE OF WEST VIRGINIA  
 DEPARTMENT OF ENERGY  
 OIL AND GAS DIVISION



DATE OCT. 2, 1989  
 OPERATOR'S WELL NO. 4134  
 API WELL NO. \_\_\_\_\_

WELL TYPE: OIL \_\_\_ GAS \_\_\_ LIQUID INJECTION \_\_\_ WASTE DISPOSAL \_\_\_  
 (IF "GAS,") PRODUCTION \_\_\_ STORAGE \_\_\_ DEEP \_\_\_ SHALLOW X ABANDONED X  
 LOCATION: ELEVATION 1567.65 WATERSHED MIRACLE RUN DISTRICT BATTELLE COUNTY MONONGALIA  
 QUADRANGLE WADESTOWN W.V., PA Marrington, etc.  
 SURFACE OWNER B. E. STROSNIDER ACREAGE 161.25  
 OIL & GAS ROYALTY OWNER \_\_\_\_\_ LEASE ACREAGE \_\_\_\_\_

PROPOSED WORK: DRILL \_\_\_ CONVERT \_\_\_ DRILL DEEPER \_\_\_ REDRILL \_\_\_ FRACTURE OR STIMULATE \_\_\_ PLUG OFF OLD FORMATION \_\_\_ PERFORATE NEW FORMATION \_\_\_ OTHER PHYSICAL CHANGE IN WELL (SPECIFY) \_\_\_\_\_  
 LEASE NO. \_\_\_\_\_

PLUG AND ABANDON \_\_\_ CLEAN OUT AND REPLUG X  
 TARGET FORMATION NONE ESTIMATED DEPTH \_\_\_\_\_  
 WELL OPERATOR CONSOLIDATION COAL CO. DESIGNATED AGENT ROGER E. DUCKWORTH  
 ADDRESS P.O. BOX 1314 MORGANTOWN W.V. 26505 ADDRESS P.O. BOX 1314 MORGANTOWN W.V. 26505

COUNTY NAME  
 PERMIT



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

2978

WELL RECORD

Permit No. MON-550-A-979


Oil or Gas Well \_\_\_\_\_ (KIND)

Company A.M. Snider  
Address 437, 1st. Ave. Waynesburg, Pa.  
Farm A.P. Daught Acres 267  
Location (waters) \_\_\_\_\_  
Well No. Two Elev. \_\_\_\_\_  
District Battelle County Monongalia  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced \_\_\_\_\_  
Drilling completed June 1899  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4			
6 1/2		2592	Depth set
5 3/16		2808	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Dat \_\_\_\_\_  
COAL WAS ENCOUNTERED AT 1359 FEET 72 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh. Coal			1359	1365			
Big Dunkard			1870	1900			
Gas Sand			2050	<del>2120</del> 2120.			
Salt Sand.			2370	2490			
Pencil Cave.			2584	2590			
Big Lime			2661	2743			
50ft.			3309	3390			
CampBells Run			3515				
First Pay-Oil			3516				
Second Pay Oil			3534				
Total Depth.				3537			





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. \_\_\_\_\_

Oil or Gas Well \_\_\_\_\_

Company A. E. Snider

Address 437, 1st. Ave., WYDERSBURG, PA.

Farm A. P. Naught Acres 267

Location (nearest)

Well No. Two Elev. \_\_\_\_\_

District Puttala County Monongalia

The surface of tract is owned to the by \_\_\_\_\_

Address \_\_\_\_\_

Mineral rights are owned by \_\_\_\_\_

Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_

Drilling completed June 1899

Date shut. From \_\_\_\_\_ To \_\_\_\_\_

Well \_\_\_\_\_

Open Flow 1/16 Water to \_\_\_\_\_ Inch

1/16 Merc. to \_\_\_\_\_ Inch

Volume \_\_\_\_\_ Cu. Ft.

Each Pressure \_\_\_\_\_ lbs.

Oil \_\_\_\_\_ Mbs. per 24 hrs.

Fresh water \_\_\_\_\_ Gall

Salt water \_\_\_\_\_ Gall

Casing and Tubing	Used in Drilling	Left in Well	Feet
Size			
14			Kind of Packer
12			
10			Size of
8			
6		2592	Depth set.
5 1/2		2608	
4			Perf. top.
3			Perf. bottom.
2			Perf. top.
1			Perf. bottom.

CASING CEMENTED \_\_\_\_\_ SEE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 1350 FEET 22 INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Start of Well	Top	Bottom	Oil, Gas or Water	Depth Point	Remarks
Pgh. Coal			1299	1365			
Big Dickard			1870	1900			
Gas Sand			2090	<del>2090</del> 2120.			
Salt Sand.			2370	2490			
Pencil Cove.			2884	2990			
Big Low			2661	2743			
SUPt.			3309	3390			
CampBelle Run			3515				
First Pay-Oil			3516				
Second Pay Oil			3534				
Total Depth.				3537			



PROPOSED MANNER OF PLUGGING AND FILLING WELL  
(GOVERNED BY RULES AND REGULATIONS)

WEST VIRGINIA DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 WORK ORDER

Well to be plugged and filled as follows:

- Clay 3537 to 3250
- Cement 3250 to 3235. 5' crushed stone on cement
- Clay 3235 to 3000
- Cement 3000 to 2980.
- Bridge at 2638 Stone and cement to 2828.
- Bill with clay 2828 as casing is pulled to 2640. 5/3/16"
- Cement 2640 2625.
- Clay 2625 to 2612 Pull 6-7/8" as filling is done.
- Cont. Clay to 2340
- Cement 2340 to 2325.
- Bridge at 2000 stone and cement to 1980
- Clay 1980 to 1600.
- Cement 1600 to 1585.

CLAY 1585 to 1405. Test for gas. If found put in 2" vent.  
 If casing is not less than 40' below coal.

If parted above coal then dig 24 160 below coal & 60' above ~~depth~~. If no gas is found plug as follows:

Cement 1405 to 1339.

Clay 1339 to 900

Cement 900 to 490

Clay 490 to Surface. erect marker.

"If outer casing is parted above the Pittsburgh coal, a vent is to be placed in top of the casing to the surface."

To the Department of Mines  
 Coal Owner or Operator,  
 Lease or Property Owner.

Approved by

*[Signature]*  
 State Coal Inspector.

Conditions:

This "work order" is submitted for your approval and concurrence and unless notified of your disapproval or non-concurrence, the underground well proposed with the plugging and filling of said well in the above described manner on the date stated in the notice of intention to plug and abandon the said well on opposite side of this sheet.

Very truly yours,

*[Signature]*

Well Operator.

No objections have been filed by the coal owner or coal operator, or any available adjacent lease or property owners or interested by the Department of Mines to the manner herein described for the plugging and filling of the well above mentioned. Therefore, the same is hereby approved this

29th day of September, 1922

DEPARTMENT OF MINES  
 Oil and Gas Division

By: *C. H. Hall*

→ now

061 979P

Wattelle District, Monongalia County, W. Va.  
 By S. M. Snider, 437 First Ave., Weinstburg, Pa.  
 Abandoned under permit No. ....-17  
 On 267 acres.

Elevation, .....<sup>1</sup> L.

Drilling completed June 1899.

6" casing, 2592'; 5" casing, 2808'; all left in.

Coal was encountered at 1359-1365'.

Oil well. Record to Dept. of Mines dated Sept. 23, 1952.

Record to WGT from Mrs. Griffith June 10, 1953. Old file No. 598.

	Top.	Bottom.
Pittsburgh Coal	1359	- 1365
Big Lunkard Sand	1870	- 1900
Sea Sand	2050	- 2120
Salt Sand	2370	- 2490
Pencil Gave	2584	- 2590
Big Lias	2661	- 2743
50-Ft. Sand	3309	- 3390
Campbell Run sand	3515	- ....
(first pay, oil, 3516'; second		
pay oil, 3534')	3515	- ....
Total depth		3537



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

NOTICE OF INTENTION TO PLUG AND ABANDON WELL  
(REQUIRED BY SECTION 8, ARTICLE 4, CHAPTER 22 OF THE CODE)

To THE DEPARTMENT OF MINES,  
Charleston, W. Va.

*See letter from 7-21-1911*

Wheeling Dollar Savings & Trust Co.      A.M. Snider  
Cash Operator or Cash Owner      437 1/2 St. W. Martinsburg, Pa.

Wheeling, W. Va.      Mail Work Order to  
Address      Duane Snider, Garrison Bk.  
Complete Address

\_\_\_\_\_      Sept. 17, 1911  
Cash Operator or Cash Owner      WELL TO BE ABANDONED

\_\_\_\_\_      Nettelle      District  
Address

\_\_\_\_\_      Monongalia      County  
Less or Property Owner      39° 50'

\_\_\_\_\_      Well No. Two      26° 11'  
Address      A.P. Haught      Firm

Gentlemen:— NOTIFY INSPECTOR D. F. SMITH - FAIRMONT - W. VA. OFF.

The undersigned well operator is about to abandon the above described well and will

Will notify Inspector.

the work of plugging and abandoning said well on the \_\_\_\_\_ day of \_\_\_\_\_ 1911  
(which date shall not be less than five days after the day on which this notice or notice is received, or in due course should be received by the Department of Mines.)

This notice is given you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the undersigned will proceed on that date, or shortly thereafter, to plug and fill said well in the manner required by Section 16, Article 4, Chapter 22 of the Code and given a stamp on the reverse side of this notice, in "Work Order."

This notice is being mailed by registered mail to each of you at the above addresses on the above date.

Very truly yours,

*A.M. Snider*  
A.M. Snider  
Well Operator



NOTE: This notice is required for all wells drilled prior to June 1, 1909, a plan prepared by a competent engineer, showing the location of the well, the nature of the land it occupies, the nature and extent of any survey, and the names and distances of each well from two permanent points or landmarks on the tract, shall be submitted with this notice.

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENERGY  
OIL AND GAS WELLS DIVISION

RECEIVED  
of Energy  
DEC 12 90

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Consolidation Coal Company  
Coal Operator or Owner  
P. O. Box 1314, Morgantown, WV 26507-1314  
Address

Consolidation Coal Company  
Name of Well Operator  
P.O. Box 1314, Morgantown, WV 26507-1314  
Complete Address

Coal Operator or Owner  
Address

December 03 1990  
WELL AND LOCATION  
Battelle District

B. E. Strosnider  
Lease or Property Owner  
6250 Sherman Terrace, Mason, Ohio 45040  
Address

Monongalia County  
WELL NO. 4134

B. E. Strosnider Farm

STATE INSPECTOR SUPERVISING PLUGGING Son Ellis, Fairmont, WV 26554

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Harrison

ss:

Calvin C. Lofton and Glen Andrew Lang

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 31st day of October, 19 90, and that the well was plugged and filled in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing	
			CSG PULLED	CSG LEFT IN
Cleaned 9 7/8" hole to 1,460'. Cleaned 9 7/8" through Pittsburgh coal from 1,368' to 1,375'. Cleaned hole with 6 1/2" mill from 1,460' to 1,693'. Ran mine protection string as follows: 180.66' of 2 3/8" tubing followed by 1,512.34' of 4 1/2" casing. Total casing 1,693'. Cemented mine protection string from 1,693' back to surface. Latch down plug at 1,490.95'. Float valve at 1,511.34'. Circulated cement to surface as follows: Pumped 1,030 sacks of poz mix followed by 165 sacks of thixotropic cement. Used 1,000 gallons of mud flush. Displaced cement to 1,490.95' with water. Let set, bailed dry.				
TOTAL DEPTH: 1,693 feet				
Coal Seams			Description of Monument	
(Name) Pittsburgh	1,368 feet to 1,375 feet		5 feet of 4 1/2" casing with plaque stating: Consol WV #4134	
(Name)			Permit #47-061-0979-P	
(Name)				
(Name)				

*[Signature]* 12/17/90

and that the work of plugging and filling said well was completed on the 10th day of November, 19 90.

And further deponents saith not.

Sworn to and subscribed before me this 03rd day of December, 19 90

OFFICIAL SEAL  
NOTARY PUBLIC  
STATE OF WEST VIRGINIA  
Charloffe Hooper  
Rt. 1, Box 104  
Mt. Clara, WV 26403  
My commission expires June 29, 1999

*[Signature]*  
*[Signature]*  
Notary Public

My commission expires:

DEC 21 1990