

313

DEGP 6191

HECEIVED W Division of WR - 35 Environmental Protection

SEP 2 3 1996

State of West Virginia Division of Environmental Protection

Section of Oil and Gas

Permitting Office of Oil & Gas

Well Operator's Report of Well Work

Farm name: LUDWIG, ORA LEE J.

Operator Well No.: 2064

LOCATION:

Elevation: 1,524.00 Quadrangle: MORGANTOWN SOUTH

District:

CLINTON

Latitude:

175 Longitude

CLINTON County: MONONGALIA 11825 Feet South of 39 Deg. 35Min. 0 Sec. 175 Feet West of 79 Deg. 55 Min. 0 Sec

Company:ALAMCO, INC. P. O. BOX 1740

CLARKSBURG, WV 26302-1740

Agent: MARTY L. PERRI

Inspector: RANDAL MICK

Permit Issued: 07/31/96 Well work Commenced: Well work Completed: 08/10/96 09/05/96

Verbal Plugging

Permission granted on:_ Rotary X Cable Total Depth (feet) Total Depth (feet) 7535 Fresh water depths (ft) 23

Salt water depths (ft) 7374

Is coal being mined in area (Y/N)?_N Coal Depths (ft): 13-16, 185-188, 290-298

Casing	Used in	Left	Cement	
& Tubing	Drilling	in Well	Fill Up Cu. Ft.	
Size				
16"	30'	30'	None	
11-3/4"	334'	334'	175 Sx To Surface	
8-5/8"		 2917 '	835 Sx To Surface	
4-1/2"		7507	200 Sx	

OPEN FLOW DATA

Producing formation Huntersville Pay zone dept Gas: Initial open flow 215 MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow Time of open flow between initial and final tests Static rock Pressure 2375 psig (surface pressure) after the static rock Pressure 2375 psig (surface pressure) after the static rock Pressure 2375 psig (surface pressure) after the static rock Pressure 2375 psig (surface pressure) after the static rock Pressure 2375 psig (surface pressure)	0 Bb1/d 0 Bb1/d 4 Hours
Second producing formation Pay zone dept Gas: Initial open flow MCF/d Oil: Initial open flow Final open flow MCF/d Final open flow Time of open flow between initial and final tests Static rock Pressure psig (surface pressure) aft	owBbl/d Bbl/d Hours

NOTE: ON BACK OF THIS FORM PUT THE FOLLOWING: 1). DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC. 2). THE WELL LOG WHICH IS A SYSTEMATIC DETAILED GEOLOGICAL RECORD OF ALL FORMATIONS, INCLUDING COAL ENCOUNTERED BY THE WELLBORE.

> INC For: ALAMCO, Richard R. Hoffman By: MS 9-19-96 Date:

Formations: 0-577' from Drillers Log Book - 577' to TD from Gamma Ray Log

Top	Bottom	Type	Water, Coal	, Gas
0 5	5 13	Fill SD & SH	Water: 1" S Damp @	Stream @ 23' 7374'
13 16	16 185	Coal SD & SH	Coal: 13'	- 16'
185	188	Coal	185' - 18	
188	290	SD & SH	290' - 29	
290	298	Coal		
298	577	SD & SH	Oil: Odor	@ 1846'
577	591	Little Lime		
591	631	SH		
631	699	Big Lime	Gas Checks	<u>:</u>
699	715	Keener		
715	752	SD & SH	1417'	N/S
752	844	Big Injun	1724'	N/S
844	855	SH	1970'	N/S
855	874	Squaw	2772'	15 MCF/D
874 956	956	SH	2803'	21 MCF/D
	1065	Weir	2956'	Odor
1065 1183	1183 1198	SH Gantz	7096' 7318'	N/S N/S
1198	1228	SH	7535'	215 MCF/D
1228	1248	50'	1000	210 MCF / D
1248	1530	SD & SH		
1530	1539	Gantz	Treatment a	and Perforations:
1539	1783	SH & SD	<u> </u>	ila i cirorationis.
1783	1812	4th Sand	7322' - 7410	; (23 holes)
1812	1839	SH		, (,
1839	1847	5th Sand		
1847	1883	SH	Frac:	
1883	1951	Bayard	WF-30 w/15	,000# 80/100
1951	2559	SH & SD	Sand and 60	0,000# 20/40 Sand
2559	2572	Speechley	w/5% HCl th	roughout.
2572	2777	SH		_
2777	2791	Balltown		
2791	4500	SH & SD		
4500	6912	SH		
6912	6994	Tully		
6994	7207	SH		
7207	7306	Marcellus		
7306	7320	Onondaga		
7320	7513	Huntersville Chart		
7513	7535	Chert Oriskany		

RECEIVED W Division of Environmental Protection

JUL 3 1 1996

661/1244

FORM WW-		Permitting				Page 3 of //
77	DEPARTM	ENT OF E	PE OF WE	ST VIRGINIA	A CIT AND	GAS Issued 07/31/96
	EJEE TANAL.	WELL W	ORK PERM	IT APPLICA	TION	GAS OSELLED 0.1/31/96
Well Opera	tor: A		NC. 9	15 (भे	200	Expuris 07/31/98
Operator's	Well Num	ber	2064		3) Eleva	tion: 1,524'
type: (a) OIL/ or GAS <u>XX</u> / (b) If Gas: Production <u>XX</u> / Underground Storage/ Deep <u>XX</u> / Shallow/						
) Proposed T	_	,				
) Proposed T						_ feet
) Approximat						
) Approximat						
) Approximat		-			85 '	
				· · -	ive mine?	Yes/ No <u>XX</u>
1) Proposed W	ell Work:					
2) <u>CASING AND TUBING PROGRAM</u> TYPE SPECIFICATIONS FOOTAGE INTERVALS CEMENT						
	SIZE	GRADE	WEIGHT PER FT	FOR DRILLING	LEFT IN WELL	Fill-Up (Cu. Ft.)
CONDUCTOR	16"	LS	32#	40'	-0-	NONE
FRESH WATER						
COAL						
SURFACE CSG	11-3/4"	J-55	32#	300'	300'	As required by 38 CSR 18-11-3 38 CSR 18-11-2
INTERMEDIATE	8-5/8"	J-55	24#	2,029'	2,029'	As required by 38 CSR 18-11-3 38 CSR 18-11-2
PRODUCTION	4-1/2"	M-75	11.60#	7,690'	7,690'\$	As required by 38 CSR 38-11-1
ACKERS: Kind NONE Sizes						
Depths Set						
For Division of Oil and Gas Use Only						
Fee(s) paid: Well Work Permit Reclamation Fund WPCP						
	A Blanket A					
Plat WW-9 WW-2B Bond Bond Agent						

ATTACHMENT TO: FORM WW-2B

Page _4 of _//

RECEIVED

WW Division of
Environmental Protection

JUL 3 1 1996

Permitting
Office of Oil & Gas

WELL OPERATOR

ALAMCO, INC.

OPERATOR WELL NO:

2064

FILE NUMBER

47-061- 1245

11. Proposed Well Work:

Well 2064 will be drilled to approximately 300' KB. The 11-3/4" casing will be set at approxiamtely 300' KB and then cemented to the surface. The 8-5/8" casing set at approximately 2,029' KB and then cemented to surface. The well will then be drilled to 7,690' KB and the 4-1/2" casing set at approximately 7,690' KB. The 4-1/2" casing will be cemented to 6,975' KB. The well will then be hydraulically fractured in the Huntersville Chert Formation.

061-01246

12. Plan for partial abandonment:

1400' to lease line

300' to 061-01247 proposed 2320' to 061-01218 Exception Loc. 3600' to 061-01237 2204' to 061-01179 Exception 5100' to 061-01174 4600' to 061-01132 4700' to 061-01133

GGB\0210943.0



STATE OF WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION

#10 McJUNKIN ROAD NITRO, WEST VIRGINIA 25143-2506

July 31, 1996

Division of Environmental Protection Office of Oil and Gas Nitro, West Virginia

Re: Application for Permit #47-061-01246 to drill deep well.

COMPANY: ALAMCO, Inc.

FARM: Thomas Johnson, Jr. #2064

COUNTY: Monongalia DISTRICT: Clinton QUAD: Morgantown South

The application of the above company is Approved for Huntersville/Chert
(Approved or Disapproved)

Applicant has complied with the provisions of Chapter twenty-two, eight (22-8), of the Code of West Virginia, nineteen hundred and thirty-one (1931), as amended, Oil and Gas Conservation Commission as follows:

- 1.) Provided a certified copy of duly acknowledged and recorded consent and easement form from all surface owner; yes
- 2.) Provided a tabulation of all deep wells within one mile of the proposed location, including the Api number of the deep well, well name, and the name and address of operator and; *yes
- 3.) Provided a plat showing that the proposed location is a distance of 1400 feet from the nearest unit boundary and showing the following wells drilled to or capable of producing from the objective formation within 3,000 feet of the proposed location.

Sincerely,

Brett Loffin

Engineer

*3,000 feet to 47-061-01247 proposed

2,320 feet to 47-061-01218 exception

3,600 feet to 47-061-01237

2,204 feet to 47-061-01179 exception

5,100 feet to 47-061-01174

4,600 feet to 47-061-01132

4,700 feet to 47-061-01133

		and the same of the same and the same and the same of	the control of the co	
		RECEIVED		
d.	. ^	W Division of	7.1.10.1006	
	1 of 10	WV Division of Environmental Protection	1) Date: July 19, 1996	
	WW2-A	: 1 1 1 100C	2) Operator's well number 2064	
(6/94		JUL 3 1 1996		
rile	Copy			
		Permitting	State County Permit	
		Office of Oil & Gas	IIA - BUREAU OF ENVIRONMENT	
			IRONMENTAL PROTECTION	
			OF OIL AND GAS	
		OFFICE (OF OID AND GAS	
4		NOTICE AND ADDITCATE	ION FOR A WELL WORK PERMIT	
•		NOTICE AND AFFEIGAT	TON TON A WELL WORK PERMIT	
4)	Surface O	wner(s) to be served:	: 5) (a) Coal Operator:	
- 7	(a) Name	and the second s	Name NO DECLARATION OF RECORD	
	Address	P. O. Box 676	Address	
	Address _	Morgantown, WV 26505	ηααι ευσ	
	(b) Name	Thomas P. Johnson	(b) Coal Owner(s) with Declaration	
	Address	P. O. Box 2248		
	Address -	Morgantown, WV 26505	Name <u>SAME AS SURFACE OWNERS</u> Address	
	(c) Name			
	Address	One Valley Bank, N.A. Tearl J. Frazier	Name	
	Address -	Morgantown, WV 26505	Address	
		morganeown, wv 20005	yaar ess	
6)	Inspector	Randal Mick	(c) Coal Lessee with Declaration	
0)	Address	III Blackshere Drive	Name NO DECLARATION OF RECORD	
	Address -	Mannington, WV 26582	Address	
	molono	(304) - 986-3324	Address	
	rerebuoue	(304)—		
		MO MUR DEDCOM/CANAN	MED ABOVE TAKE NOTICE THAT:	
		10 Ine PERSON(S) NAM	ABU ABOVE TAKE NOTICE THAT.	
	Tacludad	ia the least least and	looged on other continuing contract on	
			leases or other continuing contract or	
			t to extract oil and gas OR	
XX			required by Chapter 22, Article 6, Section	
8 (a)		ode of West Virginia		
T 1			nder Chapter 22 of the West Virginia Code	
ı na	ve served	copies of this noti	ce and application, a location plat, and	
acco	mpanying c	ocuments pages 1 thr	ough 10 on the above named parties, by:	
Personal Service (Affidavit attached)				
XX Certified Mail (Postmarked postal receipt attached)				
	Publ	lication (Notice of P	oublication attached)	
		400 CHO		
			hapter 22-6 and 38 CSR 11-18, and I agree	
to t	he terms a	and conditions of any	permit issued under this application.	
	I certify	y under penalty of la	aw that I have personally examined and am	
			omitted on this application form and all	
			inquiry of those individuals immediately	
			formation, I believe that the information	
is t		rate, and complete.		
			ignificant penalties for submitting false	
info	rmation, :		llity of fine and imprisonment.	
		Well Oper		
		Ву:	Nactor Ceri	
CONT.	0.00	Its:	Manager, Land	
	STATE OF W	Y PUBLIC Address	P. O. Box 1740	
	ELSIE	M. COX	Clarksburg, WV 26302-1740	
	200 WEST	Telephone	304 623-6671	
Septe	cr wear and	tostorn before me thi	is 19th day of <u>July</u> , 1996	
		m //		
		Place III CO	Notary Public	
Мус	commission	expires <u>December</u>	9, 2002	