

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 21, 2015

WELL WORK PLUGGING PERMIT

Plugging

This permit, API Well Number: 47-6101721, issued to CHISLER BROTHERS CONTRACTING, LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalities being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

Operator's Well No: F2-577

Farm Name: EVANS, EDWARDS

API Well Number: 47-6101721
Permit Type: Plugging
Data Issued: 08/21/2015

Date Issued: 08/21/2015

PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

FORM WW-4 (B) Observe File Copy (Rev. 2/01)

1)Date	August 4, 2			2015		
2) Operator	B- ?					
Well No.			#	F2-57	7	
3) API Well	No.	47		- 061	-	

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

	APPLICATION FOR A PERMIT TO PLUG AND ABANDON
4)	Well Type: Oil X / Gas / Liquid injection / Waste disposal / (If "Gas, Production or Underground storage) Deep / Shallow _
5)	Location: Elevation 1,166' Watershed King's Run District Clay County Monongalia Quadrangle Blacksville
6)	Well Operator Eastern Associated Coal LLC 7) Designated Agent Matthew L. Bonnell Address 1044 Miracle Run Road Address Fairview, WV 26570 Fairview, WV 26570
8)	Oil and Gas Inspector to be notified Name Gayne J. Knitowski Address P.O. Box 108 Gormania, WV 26720 9) Plugging Contractor Name Chisler Brothers P.O. Box 101 Pentress, WV 26544
.0)	Work Order: Per our 101-C petition, the work order for the manner of plugging this well Petition is as follows:
2	Install Sediment Control as Needed possible. Cut out well to a total depth, if practical, or to a minimum of 200 feet below the Pittsburgh Coal Seam. Run well logs and directional surveys.
4	. Collars of any old remaining casing will be ripped at the coal seam.
	5. A plug made of expanding cement slurry shall be pumped from at least 200 feet below the base of the coal seam to 100 feet above the coal seam. The expanding cement shall be place in the well under a pressure of at least 200 psi.
6	will be filled with porland or lightweight sement mixture, by tubing, to the surface. YOUASS A CEMENT WITH NO MORE THAN 370 CaCl2 AND NO NO.
7	7. A suitable monument installed on the surface with the necessary well identification plate attached.
8	Reclaim site as soon as possible.
	ification must be given to the district oil and gas inspector 24 hours before permitted can commence.
lork	order approved by inspector Hoyn (LA) Date 8/5/2015
	RECEIVED and Gas

Office of

AUG 0 6 2015

WV Department of Environmental Protection

08/21/2015

61017218



Eastern Associated Coal LLC

Federal No. 2 1044 Miracle Run Road Fairview, West Virginia 26570 Phone: (304) 449-1911 Fax: (304) 449-1026

August 5, 2015

WV Department of Environmental Protection Office of Oil and Gas Permitting 601 57^{th.} Street, SE Charleston, WV 25304-2345

Dear Sir/Madam:

A search of the WV DEP OOG microfiche files was performed May 20, 2014 at the WVDEP office in Charleston by an Eastern Associated Coal engineer. We were not successful at finding any information on the well F2-577.

If there are any questions, please don't hesitate to call me at (304) 368-9952.

Sincerely,

Matthew L. Bonnell

Matthe L Bowell

Engineer

RECEIVED
Office of Oil and Gas

AUG 0 6 2015

WV Department of Environmental Protection WW4-A Revised 2/01

1) Date:	August 4, 2015					
2) Operator's Well						
(current-Aaron Fig		EAC .				
3) API Well No.: -	47	-	061	-		

STATE OF WEST VIRGINIA - BUREAU OF ENVIRONMENT DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

Surface Own	ner(s) to be served:	5) (a) Coal Ope	erator
(a) Name	Edward O. Evans	Name	Eastern Associated Coal LLC
Address	Box 650	Address	1044 Miracle Run Road
nduress	Reedsville, WV 26547	_ numcss	Fairview, WV 26570
(b) Name	needsvine, w v 20041	(b) Coal Ou	vner(s) with Declaration
Address	-	Name	Eastern Associated Coal LLC
Address	1	Address	1044 Miracle Run Road
		_ Address	
7.5.			Fairview, WV 26570
(c) Name		Name	
Address		Address	
6) Inspector		(c) Coal Les	ssee with Declaration
Address		Name	
1,010,000,000		Address	
Telephone	A	_ nutress	
relephone	_	-	
The reason However, you Take notice accompanyi Protection, the Applica	its and the plugging work order; and olat (surveyor's map) showing the well location you received these documents is that you have right ou are not required to take any action at all. It that under Chapter 22-6 of the West Virginia Code ing documents for a permit to plug and abandon a with respect to the well at the location described on	on on Form WW-6. this regarding the applie the, the undersigned well well with the Chief of the attached Applicati or certified mail or de	sets out the parties involved in the work and describes the cation which are summarized in the instructions on the reverses side. operator proposes to file or has filed this Notice and Application and the Office of Oil and Gas, West Virginia Division of Environmental on and depicted on the attached Form WW-6. Copies of this Notice, livered by hand to the person(s) named above (or by publication in
	Well Operator	Eastern Associ	ated Coal LLC
	By:	Mathew 1 Bor	
	Its:	Designated Ag	
	Address	1044 Miracle R	
	rider 655	Fairview, WV	
	Telephone		
	relephone	(304) 368-9952	
Subscribed and s	Expires HECEIVED 29, Office of Oil and Gas AUG 0 6 2015	2019	Notary Public OFFICIAL SEAL STATE OF WEST VIRGINIA NOTARY PUBLIC Jo Ann Moore 788 Thomas Run Road Blacksville, WV 26521 My Commission Exp. April 2019 2015
	W/V Department of		Blacksville, WV 26521 My Commission Exp. April 2/2019/2015

WV Department of Environmental Protection

SURFACE OWNER WAIVER

Operator's Well Number

Current-Edward O. Evans Eastern Assoc. Coal LLC F2-577

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief, Office of Oil and Gas Division of Environmental Protection 1356 Hansford Street Charleston, WV 25301 (304) 558-6342

<u>Time Limits and methods for filing comments.</u> The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

<u>Comments must be in writing.</u> Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION	AUG 0 6 203
T1 101 ' 1 1' 1 C 10 11 1T1	

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a wind platfine of

I further state that I have no objection to the planned	work described in these materials, and I have no
objection to a permit being issued on those materials.	
FOR EXECUTION BY A NATURAL PERSON	FOR EXECUTION BY A CORPORATION,
ETC. 1 1 1 /2	

ETC.	FOR EXECUTION BY A CORPORATION,
Signature Date 8/4/15 Nar By	me
Its	Date

FORM	WW-4	(B)
Rever	se	

API No	47-061-017218
Farm Name_E	Edward Evans
Well No. EAC	F2-577

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Division of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

location h work pro	has examined this proposed posed to be done at this I	WAIVER / owner / lessee / of the coal under this well olugging work order. The undersigned has no objection to the ocation, provided, the well operator has complied with all rginia Code and the governing regulations.
Date:	August 4, 2015	Eastern Associated Coal LLC By: Matthe 1 half
		ItsDesignated Agent

RECEIVED
Office of Oil and Gas

AUG 0 6 2015

WV Department of Environmental Protection

08/21/2015

FORM WW-9 Rev. 02/01

Page	1	of1	
API Number 47	061	-	
Operator's Well No		F2-577	

STATE OF WEST VIRGINIA DIVISION OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS CONSTRUCTION AND RECLAMATION PLAN AND SITE REGISTRATION APPLICATION FORM GENERAL PERMIT FOR OIL AND GAS PIT WASTE DISCHARGE

Operator Name	Eastern Ass	ociated (Coal LLC		OP Code		
Watershed_	King's Run			_ Quadrangle .	Blac	eksville	
Elevation	1,166' Con	inty	Monongalia		_ District	Clay	
Description of anticip	oated Pit Waste	e:	Plugging				
Will a synthetic liner	be used in the	pit?	No				
	Land Appli Undergrou Reuse (at)	cation nd Injec API Nur sposal (etion (UIC Permi mber_ Supply form WW-)
	Which Pit Will I Drilling Workover Other (Exp		X	_ Swabbing _ Plugging <u>(no</u>	pit, steel tan	ık used)	
PERMIT issued on D Protection. I under condition of the gener	ecember 31, 19 stand that the ral permit and er penalty of plication form able for obtaining re are signification	e provise for other law that and all ang the in	ions of the permit applicable law or at I have personattachments thereformation, I belief lities for submitting	nd Gas of the Water are enforceal regulation can ally examined at eto and that, be even that the information of false informations.	Vest Virginia ble by law. lead to enforand am fam assed on my introduced in the control of the c	Division of Env Violations of a cement action. iliar with the i nquiry of those ue. accurate. an	vironmental ny term or information individuals d complete ty of fine or
Company Official (T	yped Name)	Matt	hew L. Bonnell			AUG 0 6 2015	
Company Official Tit	le	Desig	gnated Agent			Department nmental Prote	
Subscribed and sworn My commission expire	Moore		Notary	Public Public	STATE	OFFICIAL SEAL OF WEST VIRGINI NOTARY PUBLIC JO Ann Moore Thomas Run Road cksville, WV 26521	200

		610172
	LEGEND	
Property Boundary	Diversion	<u>.</u>
Road ==========	Spring	
Existing Fence —X X X X	WetSpot 💍	
Planned Fence	Drain Pipe with size in inches	·
Stream	Water Way	
Open Ditch	Cross Drain	
Rock SSSS	Artificial Filter Strip	
North N	Pit with Cut Walls	
Buildings	Pit with Compacted Walls	*
Water Walls (W) Area	of Land Application of Pit Waste	
Drill Site		
Proposed Revegotation Treatment: Acres Distur	bed2 Provegetation pH	
Lime 4 Tons	/acre or to correct to pH6.5	
Fertilizer (10-20-20 or equivalent)	1,000 lbs/acre (500 lbs minimum)	
Mulch Hay 150 Bales or 3	Tons/acre	
	Seed Mixtures	
Area I Seed Type lbs/acre	Area I Seed Type	I lbs/acre
Annual Rye Grass 40 pounds	Tall Fescuo	30 pounds
	Orchard Grass	15 pounds
	Ladine Clover	10 pounds

Attach:


Drawing(a) of road, location, pit and proposed area for land application.

Photocopied section of involved 7.5' topographic sheet.

RECEIVED
Office of Oil and Gas Plan Approved by Date:_ _) No

X) Yes Field Reviewed?

AUG 0 6 2015



WW-7 8-30-06



West Virginia Department of Environmental Protection Office of Oil and Gas WELL LOCATION FORM: GPS

API: 47-061-?	WELL NO.: F2-577
FARM NAME: EDWARD EVANS	
RESPONSIBLE PARTY NAME: EAC, LL	C
	DISTRICT: CLAY
QUADRANGLE: BLACKSVILLE	
SURFACE OWNER: EDWARD EVAN	NS .
ROYALTY OWNER: UNKNOWN	
UTM GPS NORTHING: 4,395,333.6	
	GPS ELEVATION: 355.4 (1166')
The Responsible Party named above has chosen to preparing a new well location plat for a plugging perabove well. The Office of Oil and Gas will not accept the following requirements: 1. Datum: NAD 1983, Zone: 17 North, Conheight above mean sea level (MSL) – mean sea level (ermit or assigned API number on the ept GPS coordinates that do not meet ordinate Units: meters, Altitude:
Survey grade GPS X : Post Processed Difference	ALIC A TABLE
Real-Time Differentia Mapping Grade GPS: Post Processed Differentia Real-Time Differentia	ferential WV Department of
 Letter size copy of the topography ma I the undersigned, hereby certify this data is correct belief and shows all the information required by lav prescribed by the Office of Oil and Gas. 	to the best of my knowledge and

MANACER ENGINEERING

