

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Austin Caperton, Cabinet Secretary www.dep.wv.gov

Friday, January 25, 2019 WELL WORK PERMIT Horizontal 6A / New Drill

NORTHEAST NATURAL ENERGY LLC 707 VIRGINIA STREET EAST STE 1200 CHARLESTON, WV 25301

Re: Permit approval for MCCLELLAN 6H

47-061-01816-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

Operator's Well Number: MCCLELLAN 6H

Farm Name: ALYCEMARIE MCCLELLAN

Chief

U.S. WELL NUMBER: 47-061-01816-00-00

Horizontal 6A New Drill Date Issued: 1/25/2019

API Number: 61-01816

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
- 2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled Water Well Regulations, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
- 7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
- 8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
- 9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
- 10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

API Number: 61-01816

PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, cessation of drilling, sending an email to DEPOOGNotify@wv.gov.

API NO.	47-	06	1	-					
OPE	RA	TOR	WE	LL	NO.	Мо	Clella	n 6H	1
We	II Pa	d N	lam	e: 1	VIcCle	llan			
1.	7	0	6	4	0	1	Q	4	6

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

1) Well Operate	or: Northeast	Natural Energ	y LLC	494498281	Monongalia	Battelle	Mannington
				Operator ID	County	District	Quadrangle
2) Operator's V	Vell Number:	McClellan 6	Н	Well Pa	ad Name: McCle	ellan	
3) Farm Name/	Surface Owne	er: McClella	n	Public Ro	oad Access: SR	15/7 (Har	vey Run Road)
4) Elevation, cu	irrent ground:	1,440'	E	levation, proposed	d post-construction	on: 1,408	.6'
5) Well Type	(a) Gas X		Oil N	A Und	derground Storag	ge NA	
	Other N	Α					
	(b)If Gas S	Shallow	X	Deep	NA		
6) Existing Pad			X	_	MOK 71	31/2018	
7) Proposed Ta		n(s), Depth(s), Antic	cipated Thickness	_ 0		
8) Proposed To	tal Vertical De	epth: 8,160	1				
9) Formation at	Total Vertica	1 Depth: M	ARCEL	LUS			
10) Proposed T	otal Measured	Depth: 16	5,174.7	3'			
11) Proposed H	orizontal Leg	Length: 7,	314'				
12) Approxima	te Fresh Wate	r Strata Dept	hs:	50'; 1,122'			
13) Method to I	Determine Fre	sh Water De	pths:	DRILLERS LOG	FROM OFFSE	T WELLS	
14) Approxima	te Saltwater D	epths: 1,82	20'; 2,57	70'			
15) Approxima	te Coal Seam	Depths: 190	0'; 1,10	7'			
16) Approxima	te Depth to Po	ssible Void	(coal m	ine, karst, other):	NA		
17) Does Propo directly overlyi				ms Yes X	No	-	
(a) If Yes, pro	vide Mine Inf	o: Name:	Marie	on County Coal (Company Mine		
		Depth:	1,10	7'			
		Seam:	Pitts	burgh			
		Owner:	Murr	ay Energy Corpo	oration & Conso	lidation C	oal Company

Office of Oil and Gas

AUG 9 2018

WW-6B (04/15) APINO. 44 7610 6 4 0 1 8 1 6

OPERATOR WELL NO. McClellan 6H
Well Pad Name: McClellan

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24"	New	NA	94.71	40'	40'	GTS
Fresh Water	13-3/8"	New	J-55	54.5	1,230'	1,200'	CTS
Coal					NA	NA	
Intermediate	9-5/8"	New	J-55	40	2,680'	2,650'	CTS
Production	5-1/2"	New	P-110	20	16,174.73'	16,144.73'	3729 Cu. Ft.
Tubing	2-3/8"	New	P-110	4.7	NA	8,500'	NA
Liners							

MgK 7/31/2018

ТҮРЕ	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	24"	30"	.375"	415		4,500 psi Grout	NA
Fresh Water	13-3/8"	17 1/2"	.38"	2,760	2,000	Class A	1.23
Coal							
Intermediate	9-5/8"	12 1/4"	.395"	3,950	3,000	Class A	1.3
Production	5-1/2"	8 3/4"	.361"	12,530	9,700	50:50 Poz	1.21
Tubing	2-7/8"	NA	.217"	10,570	3,600	NA	NA
Liners							

PACKERS

Kind:			
Sizes:			
Depths Set:			

Office of Oil and Gas

AUG 9 2018

WV Department of Environmental Protection Page 2 of 3

API NO. 47-				
OP I RAT	OA VA	LINO	McCleRn 6	6
Well Pa	d Name	McCle	ilan	

19) Describe	proposed	well	work.	includi	ng the	drilling	and r	olugging	back o	f any	pilot	hol	e:
~ -	,	P-0P000		,										

Drilling and completion of a horizontal Marcellus well. The well will be drilled on air to an approximate depth of 6,227.55' TVD/MD. The well will then be horizontally drilled on synthetic based mud from the KOP to approximately 8,160' TVD / 16,174.73' MD along a 146 degree azimuth.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

Multi-stage / high-rate slickwater fracture treatment using various size sands as proppant. First stage will be initiated via pressurization against a burst disc ran in the production casing string or perforated with coiled tubing. Subsequent stages will be perforated with pumped down guns ran on wireline. Individual stages will be isolated with composite frac plugs. Maximum pump rate during any stage will be 110 BPM with a maximum allowable surface pressure of 9,500 PSI. Composite bridge plugs will be set at the end of the last stage to isolate the treated formation.

- 21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): N/A
- 22) Area to be disturbed for well pad only, less access road (acres): N/A
- 23) Describe centralizer placement for each casing string:

Surface and intermediate casing strings will have bow spring centralizers placed every third joint (~120') from the shoe joint to surface. Production casing will have rigid body centralizers placed at a minimum of every fourth joint (~160') from TD to surface.

24) Describe all cement additives associated with each cement type:

Surface string cement will be a Class A + Max 3% bwoc Calcium Chloride Fresh Water blend. Intermediate string cement will be a Class A Cement + Max 3% bwoc Calcium Chloride + Fresh Water. Production string cement will be (50:50) Poz (Fly Ash):Type I Cement with a gas migration additive.

25) Proposed borehole conditioning procedures:

Surface string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water spacer prior to cement. Intermediate string will use a 25.0 bbls Gel Pill + LCM + 25 lbs Cello Flake + 20 lbs/bbl Bentonite @ 8.4 ppg & 10 bbls fresh water spacer prior to cement. Production string will use a 50.0 bbls SealBond 25 + 1 gal/bbl US-40 + 275 lbs/bbl Barite + 1 gal/bbl SS-2 Spacer @ 13.5 ppg prior to cement.

RECEIVED
Office of Oil and Gas

*Note: Attach additional sheets as needed.

AUG 9 2018

Page 3 of 3

NORTHEAST NATURAL ENERGY, LLC

Location: Monongalia County, WV Field: Monongalia Facility: McClellan Pad

750

1500

2250

3000

3750

4500

5250

6000

6750

7500

8250

E

Depth

Vertical I


Slot: Slot #06 Well: McClellan 6H Wellbore: McClellan 6H PWB



			Location I	nformation		
	Facility Name		Grid East (US ft)	Grid North (US ft)	Latitude	Longitude
	McClellan Pad		1749185,000	409495,900	39°37'18.021"N	80°16'42.919"W
Slot	Local N (ft)	Local E (ft)	Grid East (US ft)	Grid North (US ft)	Latitude	Longitude
Slot #06	-57.30	9,60	1749194,600	409438.600	39°37'17,456"N	80°16'42,790'W
Ground Leve	el (GL) to Groun	d level (At Slot:	Slot #06)		Off	
Mean Sea L	evel to Ground I	evel (At Slot: SI	lot #06)		-1408tt	
Ground Leve	el (GL) to Mean	Sea Level			1408ft	



Scale 1 inch = 1500




End of Tangent : 0.00° Inc, 6227.55ft MD, 6227.55ft TVD, 0.00ft VS

Туре	Hole Size	Casing Size	Grade		GL Depth (Csg)
Conductor	28"	24"	NA		40'
Surface	17-1/2"	13-3/8"	J-55	54.5	1200'
Intermediate	12-1/4"	9-5/8"	J-55	40	2650'

Formation	Depth (KBTVD)
Geneseo	7886
Tully	7914
Hamilton	7964
Upper Marcellus	8072
Cherry Valley	8115
Lower Marcellus	8120
Onondaga	8175

Vertical Section (ft)

Azimuth 146.37° with reference 0.00 N, 0.00 E



API Number 47 -

4706 * 01816

Operator's Well No. McClellan 6H

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Northeast Natural Energy LLC OP Code 494498281
Watershed (HUC 10) Upper Monongahela Quadrangle Mannington
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes V
Will a pit be used? Yes No 🗸
If so, please describe anticipated pit waste: N/A
Will a synthetic liner be used in the pit? Yes No If so, what ml.? N/A
Proposed Disposal Method For Treated Pit Wastes:
Land Application
Underground Injection (UIC Permit Number)
Reuse (at API Number unknown at this time, TBD
Off Site Disposal (Supply form WW-9 for disposal location)
Other (Explain_
Will closed loop system be used? If so, describe: Yes, Please See Attachment "A"
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Vertical - Air/ Curve & Horizontal - Oil Based
-If oil based, what type? Synthetic, petroleum, etc. Synthetic Oil Based Mud
Additives to be used in drilling medium? Organophilic Clay Viscosifiers, Lime, Unsaturated Fatty Acids, CaCl, Barite, Emulsifiers, Mica LCM, Water Loss Agents
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Removed Offsite - Please See Attachment "A"
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust)
-Landfill or offsite name/permit number? Please See Attachment "A"
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Company Official Signature Company Official Title Regulatory Manager Company Official Title Regulatory Manager
Company Official Signature Holl Med
Company Official (Typed Name) Hollie M. Medley
Company Official Title Regulatory Manager
*10.50k
Subscribed and sworn before me this 3 day of July , 20 18
Notary Fublic WEST OFFICIAL SEAL
STATE OF WEST VIRGINIA
My commission expires 1-25-2020 Michael Eisenhauer
= Morgantown, WV 26505
My Commission Expires Sep. 25, 2020

Lime 2 Tons/acre or to correct to pH 7 Fertilizer type 19-19-19 Fertilizer amount 300 Ibs/acre Mulch 2 Tons/acre Seed Mixtures Temporary Permanent Seed Type Ibs/acre Seed Type Ibs/acre Orchard Grass 46 Orchard Grass 46 Red Clover 8 Red Clover 8 Perennial Rye 16 Perennial Rye 16 Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have be provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Proposed Revegetation Tre	eatment: Acres Distu	rbed 28.9		_ Prevegetat	ion pH TBD 5-7	
Fertilizer amount 300 Ibs/acre Tons/acre Seed Mixtures Seed Mixtures Temporary Permanent Seed Type Ibs/acre Orchard Grass 46 Orchard Grass 46 Orchard Grass 46 Orchard Grass 46 Perennial Rye 16 Perennial Rye 16 Perennial Rye 16 Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Annual Rye 15 Annual Rye 15 Annual Rye 16 Perenciple of the land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Lime 2	Tons/acre or t	to correct to pH	7			
Seed Mixtures Temporary Permanent Seed Type Ibs/acre Sced Type Ibs/acre Orchard Grass 46 Red Clover 8 Red Clover 8 Perennial Rye 16 Perennial Rye 16 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have becorvided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Fertilizer type 19	9-19-19					
Temporary Seed Type Ibs/acre Orchard Grass 46 Red Clover 8 Perennial Rye 16 Timothy 15 Annual Rye 15 Annual Rye 15	Fertilizer amount	300	lbs	s/acre			
Seed Type Ibs/acre Seed Type Ibs/acre Orchard Grass 46 Orchard Grass 46 Red Clover 8 Red Clover 8 Perennial Rye 16 Perennial Rye 16 Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have be provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Mulch_2		Tons/a	cre			
Seed Type Ibs/acre Orchard Grass 46 Orchard Grass 46 Red Clover 8 Red Clover 8 Perennial Rye 16 Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have becorvided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.			Seed	Mixtures			
Orchard Grass 46 Red Clover 8 Perennial Rye 16 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have be provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	1	Гетрогагу			P	ermanent	
Red Clover 8 Perennial Rye 16 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have be provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.							e
Perennial Rye 16 Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have berprovided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.							
Timothy 15 Annual Rye 15 Timothy 15 Annual Rye 15 Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	The state of the state of the state of			Red Clo	ver		
Attach: Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Perennial Rye	16		Perennia	al Rye	16	
Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), acreage, of the land application area. Photocopied section of involved 7.5' topographic sheet.	Timothy 15	Annual Rve	15	Timothy	15	Annual Rye	15
	Attach: Maps(s) of road, location, porovided). If water from the acreage, of the land applications.	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ive be
	Attach: Maps(s) of road, location, provided). If water from the acreage, of the land application of involved by:	pit and proposed area e pit will be land app ation area	for land applica	ation (unless engi	neered plans	including this info ha	ave bee
Title: Thispertor Date: 7/31/2018 Field Reviewed? (X) Yes () No	Attach: Maps(s) of road, location, porovided). If water from the acreage, of the land application of involved the section of i	pit and proposed area e pit will be land app ation area	for land applica	ation (unless enginensions (L x W	neered plans x D) of the pi	including this info ha	ave bee

Attachment A to WW-9

Northeast Natural Energy LLC ("NNE") plans to utilize a closed loop process for its drilling of the McClellan 6H well. Return flow from the well will be separated into its liquid and solid form. Liquids will be held in steel tanks and reused in the drilling and completion process or disposed of at an approved facility listed below. Solids removed from the stream will be diverted to steel half-round tanks where they will be solidified on site and taken to disposal as they are accumulated.


McClellan 6H Drill Cuttings will be taken to disposal at one or more of the following disposal/approved waste facilities, unless listed facilities are no longer approved to accept waste at time of disposal:

- Westmoreland Landfill (Tervita) Belle Vernon, PA (Permit # 100277)
- Meadowfill Landfill (Waste Management) Bridgeport, WV (Permit # SWF 103298)
- Max Environmental Yukon, PA (PAD004835146 and 301071)
- Max Environmental Bulger, PA (PAD059087072 and 301359)
- Chestnut Valley Landfill (Advanced Disposal) Export, PA (Permit # 101421)

NNE plans to reuse and recycle all flowback fluid and/or reach out to other operators in the area who may be able to reuse and recycle such fluid. However, in the event that reuse is not obtainable the fluid will be disposed of at one, or multiple, of the following disposal/approved waste facilities unless listed facilities are no longer approved to accept waste at time of disposal:

- Fairmont Brine Processing (WV NPDES #0116408)
- Green Hunter M. E. Elder 1 Disposal Well (Permit # 47-085-05151)
- Green Hunter Mason 1 Disposal Well (Permit #47-085-09721)
- Green Hunter Warren Disposal Well (Permit #34-121-2-3995)
- Green Hunter Travis Unit Disposal Well (Permit #34-121-2-4086)
- Viking Energy Corporation 20320 Disposal Well (Permit#47-039-02210)
- Ohio Oil Gathering Killbuck Disposal Well (Permit #34-075-24527)
- Ohio Oil Gathering Moran Disposal Well (Permit #34-089-24792)
- Ohio Oil Gathering Bells Run Disposal Well (Permit #34-167-29395)
- Ohio Oil Gathering Long Run Disposal Well (Permit #34-167-29658)
- Ohio Oil Gathering Newell Run Disposal Well (Permit #34-167-29685)
- Appalachian Oil Purchaser Greens Run Disposal Well (Permit #2D0732540)
- Appalachian Oil Purchaser BW#4 Disposal Well (Permit # 2D0732523)





Northeast Natural Energy LLC Mine Contingency Plan



On all wells drilled, Northeast Natural Energy LLC ("NNE") has contingency strategies in place should an unanticipated void or mine be encountered while drilling the surface section of the well. If encountered, any accumulated gases will be diverted a safe distance away from the drilling operations through the blooey line and/or flare.

All casings programs submitted to the state incorporate the use of a 24" conductor over the previously used 20" that has long been the industry standard for a typical Marcellus design. The use of 24" conductor casing allows the use of a 22" bit to ream the surface hole, and drill 50' below the void to run a string of 18-5/8" 87.50#/ft J-55 through the section when needed.

The 18-5/8" would be set 30-50' below the void with cement baskets placed directly above and below. The section of pipe below the void would be cemented using the balance method with 100% excess. The section above the void would be cemented separately by using remedial top fill techniques and 30% excess.


With the use of these string sizes and techniques, the surface and intermediate strings do not need to be altered. After a proper WOC time, the surface section of the well would continue to be drilled with a 17-1/2" bit and the 13-3/8" 54.50#/ft freshwater casing would be set at the originally permitted depth.

*The diagram below visually shows the alternative casing plan should an unanticipated void be encountered.

Casing Schematic w/ Mine String Casing Schematic w/o Mine String 24" Conductor Set 10' Below 24" Conductor Set 10' Below Non-Compacted Soils Non-Compacted Soils 22" Hole Drilled to 50' Below 18-5/8" 87.5#/ft. J-55 BTC Set 30'-50' Below 17-1/2" Hole Drilled, 13-3/8" 54.5#/ ft. J-55 BTC/STC Set at Originally Permitted Depth 17-1/2" Hole Drilled, 13-3/8" 54.5#/ Cement-to-Surface ft. J-55 BTC/STC Set at Originally Permitted Depth Cement-to-Surface 12 1/4" Hole Drilled, 9-5/8" 40#/ft, J-55 8RD LTC Set at Originally Permitted 12 1/4" Hole Drilled, 9-5/8" 40#/ft, J-55 Depth 8RD LTC Set at Originally Permitted Cement-to-Surface Depth Cement-to-Surface 8 3/4" Drilled, 5-1/2" 20#/ft. P-110 BTC 8 3/4" Drilled, 5-1/2" 20#/ft. P-110 BTC Set at Originally Permitted Depth Set at Originally Permitted Depth Cemented Top Minimum 200' Inside of Cemented Top Minimum 200' Inside of Intermediate Casing Intermediate Casing FEC TIVED Office of Lil and Gas

Will Demotrate of Environmental restriction

AUG 9 2018



McClellan 6H Area of Review

API Number	Well Name	Well Number	Operator	Latitude (NAD 27)	Longitude (NAD 27)	TMP	TVD	Comments
061-00809	Shirle Sue Walker	NA	Consolidation Coal Co.	39.615656	-80.266861	1-26-32.1	NA	Plugged 5/15/89


Office of Oil and Gas
AUG 9 2018
Environment of




McClellan 6H SITE SAFETY PLAN

July 25, 2018

Marin Jan 13 11 2018





WW-6A1 (5/13) Operator's Well No. McClellan 6H

INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE Chapter 22, Article 6A, Section 5(a)(5) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

ase Name or	Aller on Proceedings	Carlos and American Control	E	20 0.42
Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page

see attached

Acknowledgement of Possible Permitting/Approval In Addition to the Office of Oil and Gas

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

· WV Division of Water and Waste Management

WV Division of Natural Resources WV Division of Highways

- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

RECEIVED Office of Gil and Gas

AUG 9 2018

WV Department of Environmental Protection

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Northeast Natural Energy

By: Hollie Medley

Its: Regulatory Manager

NE LEASE NUMBER	LESSOR NAME	LESSEE NAME	ROYALTY	BOOK/P
VV-061-004172-001-0	Barbara June Sutton	Northeast Natural Energy LLC	0.125 Or Greater	1560/23
VV-061-004172-002-0	Douglas B Sutton	Northeast Natural Energy LLC	0.125 Or Greater	1560/2
VV-061-004172-002-0	Stephen R Sutton and Barbara H Sutton	Northeast Natural Energy LLC	0.125 Or Greater	1560/2
VV-061-000109-002-LA	XTO Energy Inc.	Northeast Natural Energy LLC	Agreement	1227/8
VV-061-004182-001	Mildred C Greene	Northeast Natural Energy LLC	0.125 Or Greater	1560/2
VV-061-004936-001	Jeffrey A Jolliffe	Northeast Natural Energy LLC	0.125 Or Greater	1614/5
VV-061-003690-001	West Viginia University Foundation, Inc	Northeast Natural Energy LLC	Deed	1531/2
VV-061-004353-001	Gary A Nicholson and Tammy L Nicholson	Northeast Natural Energy LLC	0.125 Or Greater	1575/7
VV-061-004176-001	Stephen K Shuman	Northeast Natural Energy LLC	0.125 Or Greater	1564/6
VV-061-004090-001	Randy Lee Tennant & Trina Rae Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1555/2
VV-061-004090-002	Judi L Mills & Austin Mills	Northeast Natural Energy LLC	0.125 Or Greater	1562/7
VV-061-004090-003	Thomas Rhey Barnard	Northeast Natural Energy LLC	0.125 Or Greater	1566/3
VV-061-004090-004	William J Tennant Jr	Northeast Natural Energy LLC	0.125 Or Greater	1566/:
VV-061-004090-005	Kate Drobeck & Anthony J Drobeck	Northeast Natural Energy LLC	0.125 Or Greater	1566/3
VV-061-004090-006	Mary Ann Dierolf	Northeast Natural Energy LLC	0.125 Or Greater	1566/
VV-061-004090-008	Deborah K Lowther	Northeast Natural Energy LLC	0.125 Or Greater	1565/2
VV-061-004090-009	Cynthia G Lowther	Northeast Natural Energy LLC	0.125 Or Greater	1566/3
VV-061-004090-010	Juanita May Merico & Charles Merico	Northeast Natural Energy LLC	0.125 Or Greater	1570/8
VV-061-004187-001	Barbara Jo Wilkison	Northeast Natural Energy LLC	0.125 Or Greater	1565/
VV-061-004187-002	Gina T Blosser aka Gena Blosser & Jerry A Blosser	Northeast Natural Energy LLC	Deed	1569/5
VV-061-004332-001	Tina Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1575/
VV-061-004332-002	Rebecca Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1575/
VV-061-004332-003	Rosalea T Vacher aka Olive Rosalie Vasher	Northeast Natural Energy LLC	0.125 Or Greater	1597/
VV-061-004604-001	Twyla Wright	Northeast Natural Energy LLC	0.125 Or Greater	1596/
VV-061-004655-001	Sadie Ice Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1600/
VV-049-004091-001	Gary Lynn Tennant & Susan Renae Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1206/
VV-049-004091-002	Kate Drobeck & Anthony J Drobeck	Northeast Natural Energy LLC	0.125 Or Greater	1198/
VV-049-004091-003	Thomas Rhey Barnard	Northeast Natural Energy LLC	0.125 Or Greater	1198/
VV-049-004091-004	Mary Ann Dierolf	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004091-005	William J Tennant Jr	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004091-006	Ronald L Tennant aka Ronald Lee Tennant & Vivian E Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004091-007	Deborah K Lowther	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004091-008	Gina T Blosser aka Gena Blosser & Jerry A Blosser	Northeast Natural Energy LLC	Deed	1199/
VV-049-004091-009	Barbara Jo Wilkison	Northeast Natural Energy LLC	0.125 Or Greater	1198/
VV-049-004091-010	Cynthia G Lowther	Northeast Natural Energy LLC	0.125 Or Greater	1198/
VV-049-004091-011	Juanita May Merico & Charles Merico	Northeast Natural Energy LLC	0.125 Or Greater	1199/
VV-049-004091-012	Tina Tennant	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004091-013	Rebecca Tennant aka Rebecca Butcher	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004091-014	Rosalea T Vacher aka Olive Rosalie Vasher	Northeast Natural Energy LLC	0.125 Or Greater	1213/
VV-049-004170-001	Judi L Mills & Austin Mills	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004541-001	Barbara J Dovico & Vincent Dovico Sr	Northeast Natural Energy LLC	0.125 Or Greater	1210/
VV-049-004541-002	Suzanne Ten Hoeve & Thomas Ten Hoeve	Northeast Natural Energy LLC	0.125 Or Greater	1211/
VV-049-004111-001	Ruth Ann Burns	Northeast Natural Energy LLC	0.125 Or Greater	_
VV-049-004178-001	Nancy B Lawler & Charles W Lawler	Northeast Natural Energy LLC	0.125 Or Greater	1197/
VV-049-004233-001	Sharon Wicks Chaput	Northeast Natural Energy LLC	0.125 Or Greater	1199/
VV-049-004233-002	Jessica P Erke & Mark R Fulton	Northeast Natural Energy LLC	0.125 Or Greater	1199/
VV-049-004233-003	Charles Francis Erke	Northeast Natural Energy LLC	0.125 Or Greater	1199/
VV-049-004233-004	Daniel Percy Tompkins III	Northeast Natural Energy LLC	0.125 Or Greater	1199/
VV-049-004233-005	Craig A Tompkins	Northeast Natural Energy LLC	0.125 Or Greater	1201/
VV-049-004233-006	Nancy K Tompkins	Northeast Natural Energy LLC	0.125 Or Greater	1201/
VV-049-004233-007	John Jeffrey Erke	Northeast Natural Energy LLC	0.125 Or Greater	1201/
VV-049-004233-008	Gary F Wicks	Northeast Natural Energy LLC	0.125 Or Greater	1201/
VV-049-004233-009	Margaret Ruth Obrien	Northeast Natural Energy LLC	0.125 Or Greater	1201/
VV-049-004233-010	Lorraine Baya	Northeast Natural Energy LLC	0.125 Or Greater	1202/
VV-049-004233-011	Jennifer Baya Munro & Alistair Munro	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-012	Tracy T Belyeu & Don O Belyeu	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-013	American Cancer Society aka Harrison Co Cancer Association	Northeast Natural Energy LLC	Deed	1203/
VV-049-004233-014	Adam John Erke aka Adam Erke aka Adam J Erke and Karen N Erke	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-015	Salem International University LLC	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-016	Charles D Sellers	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-017	Melissa L Sellers	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-017	Melinda L Sellers	Northeast Natural Energy LLC	0.125 Or Greater	1203/
VV-049-004233-019	The Burns Family General Partnership aka WV General Partnership	Northeast Natural Energy LLC	0.125 Or Greater	1207/
VV-049-004233-019	Guy Sellers	Northeast Natural Energy LLC	0.125 Or Greater	1208/
VV-049-004233-020	Roxanne C Erke & Shane W Moore	Northeast Natural Energy LLC	0.125 Or Greater	1208/
VV-049-004233-021		Northeast Natural Energy LLC	0.125 Or Greater	1208/
* * "A" CCZŁOO CLO * *	Allohak Council Inc, Boy Scouts of America RECENTED	Liver meast material chergy for	lours of diegrel	1200/

4706 * 01816

WV-049-004233-025	John F Miller & Michele A Miller	Northeast Natural Energy LLC	0.125 Or Greater	1210/607
WV-049-004233-026	Eva Grace Rose O'Neil	Northeast Natural Energy LLC	0.125 Or Greater	1210/609
WV-049-004233-027	Phoebe A Hough	Northeast Natural Energy LLC	0.125 Or Greater	1210/1019
WV-049-004233-028	Franciscan Monastery USA, Inc	Northeast Natural Energy LLC	0.125 Or Greater	1211/157
WV-049-004233-029	Kevin A Miller	Northeast Natural Energy LLC	0.125 Or Greater	1211/824
WV-049-004233-030	Hope M Miller	Northeast Natural Energy LLC	0.125 Or Greater	1211/812
WV-049-004233-031	Scott T Miller	Northeast Natural Energy LLC	0.125 Or Greater	1212/769
WV-049-004233-033	Joseph Gregory Dawson aka Joseph Gregory Jones	Northeast Natural Energy LLC	0.125 Or Greater	1214/853
WV-049-004233-034	Thomas Judson Ashcraft aka Thomas J Ashcraft & Lisa Ashcraft	Northeast Natural Energy LLC	0.125 Or Greater	1214/947
WV-049-004233-035	Nancy Ashcraft	Northeast Natural Energy LLC	0.125 Or Greater	1214/949
WV-049-004233-036	Martha I Sanchez	Northeast Natural Energy LLC	0.125 Or Greater	1214/951
WV-049-004233-037	Joyce A Eife & Mark S Eife	Northeast Natural Energy LLC	0.125 Or Greater	1215/447
WV-049-004233-038	Knights of Columbus	Northeast Natural Energy LLC	0.125 Or Greater	1215/708
WV-049-004233-039	Francis Mark Tompkins	Northeast Natural Energy LLC	0.125 Or Greater	1216/262
WV-049-004233-040	Catholic Daughters of the Americas Court Clarksburg #334	Northeast Natural Energy LLC	0.125 Or Greater	1218/239
WV-049-004233-041	Harrison County Society for Crippled Children & Adults	Northeast Natural Energy LLC	0.125 Or Greater	1221/434
WV-049-004233-042	Dawn Marie Gerth & Charles D Gerth	Northeast Natural Energy LLC	0.125 Or Greater	1220/630
WV-049-004602-001	Young Mens Christian Association	Northeast Natural Energy LLC	0.125 Or Greater	1214/847
WV-049-004602-002	Progressive Woman's Association	Northeast Natural Energy LLC	0.125 Or Greater	1214/849
WV-049-004602-003	Harrison County Emergency Squad aka Harrison Co WV Emergency Squad	Northeast Natural Energy LLC	0.125 Or Greater	1214/851

RECEIVED
Office of Oil and Gas

AUG 9 2018



August 1, 2018

WV Department of Environmental Protection Office of Oil and Gas Management 601 57th Street, SE Charleston, West Virginia 25304

RE: McClellan 6H, 10H and 14H

Dear Permit Reviewer:

Please be advised that Northeast Natural Energy LLC has the right to drill, extract and produce the minerals beneath the roads identified as Frank Haught Road (State Route 15/9), Crossroads-Fairview Road (Route 15) and Brookover Run Road (State Route 15/6) on the enclosed survey plats.

Sincerely.

Christa A. Dotson

Supervisor- Land Operations Development

Enclosure

Office of Oil and Gas

AUG 9 2018

Date of Notice Certification: 08/06/2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE CERTIFICATION

API No. 47-

Operator's Well No. 6H

			Well Pad Nam	ie: McClellan	
Notice has b		9.00 (4. 1) (2. 1. 1			
below for the	e provisions in West Virginia Code tract of land as follows:	§ 22-6A, the Operator has pro	vided the require	ed parties wit	th the Notice Forms listed
State:	West Virginia	TYPE CALL DO OO	Easting: 56	1921.5	
County:	Monongalia	UTM NAD 83		85999.1	1
District:	Battelle	Public Road Acc		R 15/7 (Harvey R	un Road)
Quadrangle:	Mannington	Generally used f	arm name: Mc	Clellan	·
Watershed:	Upper Monongahela				
prescribed by it has provide information re of giving the requirements Virginia Code	West Virginia Code § 22-6A-7(b), the secretary, shall be verified and set the owners of the surface describequired by subsections (b) and (c), so surface owner notice of entry to surface owner notice of entry to surface of subsection (b), section sixteen of \$22-6A-11(b), the applicant shall thave been completed by the applicant	shall contain the following infolded in subdivisions (1), (2) a section sixteen of this article; (in the pursuant to subsection of this article were waived in tender proof of and certify to the	ormation: (14) A and (4), subsection i) that the require (a), section ten writing by the	A certification ion (b), secti- rement was do of this article surface own	a from the operator that (i) on ten of this article, the eemed satisfied as a result e six-a; or (iii) the notice er; and Pursuant to West
that the Ope	West Virginia Code § 22-6A, the Operator has properly served the require ECK ALL THAT APPLY	perator has attached proof to to ded parties with the following:	his Notice Certi	fication	OOG OFFICE USE ONLY
☐ 1. NO	TICE OF SEISMIC ACTIVITY or	NOTICE NOT REQUIRED SEISMIC ACTIVITY WAS			RECEIVED/ NOT REQUIRED
☑ 2. NO	FICE OF ENTRY FOR PLAT SURV	VEY or \square NO PLAT SURV	EY WAS CONI	OUCTED [□ RECEIVED
☑ 3. NO	TICE OF INTENT TO DRILL or	☐ NOTICE NOT REQUID NOTICE OF ENTRY FOR WAS CONDUCTED or		101.5	RECEIVED/ NOT/REQUIRED
		☐ WRITTEN WAIVER (PLEASE ATTACH)		OWNER	
☑ 4. NO	TICE OF PLANNED OPERATION				RECEIVED
☑ 5. PUE	BLIC NOTICE				□ received = -
☐ 6. NO	TICE OF APPLICATION				□ RECEIVED

Required Attachments:

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.

RECEIVED Office of Oil and Gas

AUG 9 2018

Certification of Notice is hereby given:

THEREFORE, I Holle. Medley, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete, I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:Northeast Natural Energy LLCAddress:707 Virginia St. E, Suite 1200By:Hollie MedleyCharleston, WV 26501Its:Regulatory ManagerFacsimile:304-241-5972Telephone:304-212-0422Email:hmedley@nne-llc.com

NOTACFFECIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Michael Eisenhauer
156 Meadowridge Townhomes
Morgantown, WV 26505
My Commission Expires Sep. 25, 2020

Subscribed and sworn before me this 8 day of August, 2018

_ Notary Public

My Commission Expires 9-25-203

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

Office of Oil and Gas

API NO. 47- (61	-01814
OPERATOR WELL	
Well Pad Name: Mc	Ciellan

Notice Time	: Kequirement; i	notice shall be provid	ed no later tha	n the illing date of permit applicat	ion.
Date of Noti Notice of:	ice: <u>7/26/18</u> Da	ate Permit Applicati	ion Filed: 8/6/1	8	
	T FOR ANY WORK			ROVAL FOR THE AN IMPOUNDMENT OR PIT	
Delivery me	thod pursuant t	o West Virginia Cod	de § 22-6A-10	(b)	
PERSO SERVI		REGISTERED MAIL		OD OF DELIVERY THAT REQUI	
sediment con the surface of oil and gas le described in toperator or le more coal sea well work, if impoundmen have a water provide wate proposed well subsection (brecords of the provision of the Code R. § 35 water purvey	trol plan required f the tract on which asehold being developed the erosion and secures, in the event arms; (4) The owner the surface tract is tor pit as described well, spring or war for consumptionall work activity is to of this section has a sheriff required the constant of the cons	by section seven of the the well is or is proposed iment control plan suggested the tract of land on where of record of the sures to be used for the placed in section nine of the stater supply source located by humans or domest to take place. (c)(1) If old interests in the land to be maintained pursue contrary, notice to a lied in part, that the operator is proposed to the contract of the contra	is article, and the cosed to be located well work, if abmitted pursual hich the well preface tract or tracement, constrains article; (5) Atted within one ic animals; and more than three ds, the applicant to section each holder is not tor shall also pid water testing and to see the content of the content o	ar signature confirmation, copies of the ne well plat to each of the following puted; (2) The owners of record of the signature tract is to be used for road into subsection (c), section seven of toposed to be drilled is located [sic] is cts overlying the oil and gas leasehold uction, enlargement, alteration, repair, any surface owner or water purveyor withousand five hundred feet of the cent (6) The operator of any natural gas stee tenants in common or other co-owner at may serve the documents required using the provide the Well Site Safety Plan ("WS as provided in section 15 of this rule."	dersons: (1) The owners of record of surface tract or tracts overlying the distributed of the surface as this article; (3) The coal owner, known to be underlain by one or distributed by the proposed of the surface abandonment of any who is known to the applicant to the ter of the well pad which is used to orage field within which the ers of interests described in the supposed in the surface owner. W. Va. SSP") to the surface owner and any
	E OWNER(s)			COAL OWNER OR LESSEE	
Name: see att Address:				Name: see attached Address:	
Name:			-	☐ COAL OPERATOR	
Address:				Name: see attached	
			-	Address:	
☑ SURFACI Name: see att	E OWNER(s) (Ro	oad and/or Other Dist	turbance)		
				SURFACE OWNER OF WATE	
				AND/OR WATER PURVEYOR(s Name: see attached	•
				Address:	
Address:					
			-	OPERATOR OF ANY NATURA	
		npoundments or Pits)		Name:	
Name:				Address:	
Address:		- ·		*Please attach additional forms if r	necessary
		<u>.</u>	-	rease attach additional forms if r	,
					RECEIVED Office of Oil and Gas

AUG 9 2018

WW-6A (8-13)

RECEIVED Office of Oil and Gas

9 2018

WV Danartment of

API NO. 47- 47-06 701816 OPERATOR WELL NO. 6H

Well Pad Name: McClellan

Environmental Protection

Notice is hereby given:

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

This Notice Shall Include:

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments: (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15,2.c. this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57th Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting www.dep.wv.gov/oiland-gas/pages/default.aspx.

Well Location Restrictions

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items AUG 9 2018

WW-6A (8-13)

WV Department of Environmental Protection

API NO. 47	
OPERATOR WELL NO.	6H
Well Pad Name: McClellan	

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic companies relating drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

Water Well Testing:

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

Water Testing Laboratories:

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

Written Comment:

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:


Chief, Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.

RECEIVED Office of Oil and Gas

WW-6A (8-13) AUG 9 2018

WV Department of Environmental Protection



Time Limits and Methods for Filing Comments.

The law requires these materials to be served on or before the date the operator files its Application. You have THIRTY (30) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

Comment Requirements

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

Permit Denial or Condition

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

API NO. 47OPERATOR WELL NO. 6H
Well Pad Name: McClellan

Notice is hereby given by:

Well Operator: Northeast Natural Energy LLC

Telephone: 304-212-0422

Email: hmedley@nne-llc.com

Address: 707 Virginia Street E, Suite 1200

Charleston, WV 25301

Facsimile: 304-241-5972

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Michael Eisenhauer
156 Meadowridge Townhomes
Morgantown, WV 26505
My Commission Expires Sep. 25, 2020

Subscribed and sworn before me this 6 day of August, 2015

Notary Public

My Commission Expires 9-25-2020

RECEIVED Office of Oil and Gas

AUG 9 2018

Surface Owner(s):

Michelle D. Moore 113 Poplar Street Dickson, TN 37055

Alycemarie McClellan 4631 W. Bay Villa Ave. Tampa, FL 33611

Surface Owner(s) - Road and/or Other Disturbance:

Michelle D. Moore 113 Poplar Street Dickson, TN 37055

Alycemarie McClellan 4631 W. Bay Villa Ave. Tampa, FL 33611

Coal Owner(s) or Lessee(s):

Murray Energy Corporation & Consolidation Coal Company Attn: Mason Smith, Coal, Oil & Gas Relations Manager 46226 National Road St. Clairsville, OH 43950

PT Power LLC Attn: Michael Hoeft PO Box 605 Milton, WV 25541

Coal Operator(s)


Murray Energy Corporation & Consolidation Coal Company Attn: Mason Smith, Coal, Oil & Gas Relations Manager 46226 National Road St. Clairsville, OH 43950

Surface Owner of Water Well and/or Water Purveyor(s)

Mary C. Walls 26 Log Cabin Lane Bridgeport, WV 26330

Mildred T. Greene 3161 Crossroads Road Fairview, WV 26570 RECEIVED Office of Oil and Gas

AUG 9 2018



WV Department of

4706 01816

McClellan Water Well Location

Wicolchail Water	, Well Education	
Surface Owner/Water Purveyor w/Water Supply within 1000'/3000'	Latitude Longitude of Water Supply	
Mary C. Walls (01-24-22) (Well) (1,134' from Center of Wells)	39.624123,-80.276173	
2. Mildred T. Greene (01-24-23) (Well) (1,191' from Center of Wells)	39.623314,-80.274974	

RECEIVED Office of Oil and Gas

AUG 9 2018

Operator Well No. McClellan 47 0 6 * 0 1 8 1 6

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF ENTRY FOR PLAT SURVEY

entry Date of Noti	ce: 6/8/2016 Date	Planned Entry: 6/15/2016				
Delivery me	thod pursuant to West Vir	ia Code § 22-6A-10a				
PERSO SERVIO		METHOD OF DEI RECEIPT OR SIGN				
on to the surfict out no more to be neath such owner of mir and Sedimen Secretary, when able the su	ace tract to conduct any plat than forty-five days prior to stract that has filed a declaraterals underlying such tract in Control Manual and the statich statement shall include or face owner to obtain copies	a), Prior to filing a permit appli- veys required pursuant to this a h entry to: (1) The surface owner pursuant to section thirty-six, a he county tax records. The notices and rules related to oil and gatact information, including the a m the secretary.	rticle. Such notice s r of such tract; (2) t rticle six, chapter to e shall include a sta s exploration and p	thall be provided a to any owner or less wenty-two of this of thement that copies roduction may be of	t least seven ssee of coal s code; and (3) s of the state obtained from	days eams any Erosion n the
	eby provided to:	- Arm				
	CE OWNER(s)	■ COA	L OWNER OR LE	SSEE		
Name: see atta						
Address:					_	
Name:			Laura aveteración		_	
Address:		MIN	ERAL OWNER(s)			
lama		Name: see	attached		_	
ddress:		Address*			-	
.444,000,		*please attac	h additional forms if ne	cessary	-	
Notice is he	reby given:					
		a), notice is hereby given that th	ne undersigned well	operator is planni	ng entry to c	onduct
	on the tract of land as follow				Or the second	
State:	West Virginia		ude & Longitude:	39.6216, -80.2786		
county:	Monongalia	Public Road	Access:	SR 15/7 (Harvey Run R	oad)	
District:	Battelle			Upper Monongahela Riv	ver .	
Quadrangle:	Mannington	Generally use	ed farm name:	McClellan		
nay be obtai Charleston, V	ned from the Secretary, at th VV 25304 (304-926-0450).	ntrol Manual and the statutes an VV Department of Environmenta pies of such documents or addit dep.wv.gov/oil-and-gas/pages/	al Protection headquional information re	uarters, located at	601 57th Stree	et, SE,
					Office o	CEIVED FOIL and Ga
	reby given by:	4.49				
Mall (Imagento	Northeast Natural Energy LLC	Address:	707 Virginia Street East	Suite 1200	AUG	9 2018
			MILLS THE STATE			
Well Operato Felephone: Email:	(304) 212-0422 hmedley@nne-ilc.com	Facsimile:	Charleston, WV 25301 (304) 241-5972			oartment of

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at deprivacyofficer@wv.gov.

McClellan Pad

Surface Owner - Drill Site/Access Road

Nettiealyce McClellan and Michelle D. Moore 113 Poplar Street Dickson, TN 37055

Alycemarie McClellan 3601 N. Highland Ave. Tampa, FL 33603

Mineral Owner

Barbara June Sutton 2228 Decature Road Wilmington, DE 19810

Stephen R. Sutton and Douglas B. Sutton 591 Henderson Road Bel Air, MD 21204

Eric Carl Malmgren 228 1st Ave Estell Manor, NJ 08319

Coal Owner

Consol Mining Company LLC CNX Center 1000 Consol Energy Drive Canonsburg, PA 15317

Murray Energy Corporation 46226 National Road St. Clairsville, OH 43950

> RECEIVED Office of Oil and Gas

AUG 9 2018

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF INTENT TO DRILL

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

Dalling	the day of the same	1. 0. 1. 0 00 11 220	X.		
Delivery me	thod pursuant to West Virg	nna Code § 22-6A-16(b)		
☐ HAND	■ CERTIFIED	MAIL			
DELIV		ECEIPT REQUESTED			
		The second secon			
receipt reque drilling a hor of this subse subsection m	sted or hand delivery, give the rizontal well: Provided, That etion as of the date the notice ay be waived in writing by the	te surface owner notice of notice given pursuant to was provided to the surface owner. The no	of its intent to subsection face owner: otice, if requ	o enter upon t (a), section to Provided, how ired, shall inc	i, an operator shall, by certified mail re the surface owner's land for the purpo en of this article satisfies the requiren wever, That the notice requirements of lude the name, address, telephone num or's authorized representative.
Notice is he	ereby provided to the SU	RFACE OWNER(s):	Name: Alv	cemarie McClella	n
Address: 113	Poplar Street			4631 W. Bay Villa	
Día	son, TN 37055		to be seen to the seen of	Tampa, FL 33611	
Pursuant to V the surface o State;	ereby given: West Virginia Code § 22-6A- wner's land for the purpose o West Virginia Monongalia	f drilling a horizontal we	given that the ell on the track M NAD 83	ct of land as for Easting:	well operator has an intent to enter to ollows: 561921.5 4385999.1
Pursuant to V the surface o State; County:	Vest Virginia Code § 22-6A- wner's land for the purpose o West Virginia Monongalia	f drilling a horizontal we	ell on the trac M NAD 83	et of land as for Easting: Northing:	561921.5 4385999.1
Pursuant to V the surface o State: County: District:	Vest Virginia Code § 22-6A- wner's land for the purpose o West Virginia	f drilling a horizontal we UTI Pub	ll on the trac	ct of land as for Easting: Northing: ccess:	bllows: 561921.5
Pursuant to V	Vest Virginia Code § 22-6A- wner's land for the purpose o West Virginia Monongalia Battelle	f drilling a horizontal we UTI Pub	ell on the trac M NAD 83 olic Road Ac	ct of land as for Easting: Northing: ccess:	561921.5 4385999.1 SR 15/7 (Harvey Run Road)
Pursuant to V the surface o State; County; District; Quadrangle; Watershed; This Notice Pursuant to facsimile nu related to ho	Vest Virginia Code § 22-6A- wner's land for the purpose o West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-6 mber and electronic mail ad rizontal drilling may be obta	f drilling a horizontal we UTI Pub Ger A-16(b), this notice shall dress of the operator an ined from the Secretary,	ell on the trace M NAD 83 elic Road Action and the control of the WV	et of land as for Easting: Northing: cess: farm name: ne name, add tor's authoriz Department of	561921.5 4385999.1 SR 15/7 (Harvey Run Road)
Pursuant to V the surface of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nu related to ho located at 60	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-66 mber and electronic mail ad rizontal drilling may be obta 1 57th Street, SE, Charleston,	f drilling a horizontal we UTI Pub Ger A-16(b), this notice shall dress of the operator an ined from the Secretary,	ell on the trace M NAD 83 elic Road Action and the control of the WV	et of land as for Easting: Northing: cess: farm name: ne name, add tor's authoriz Department of	ollows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if avail and representative. Additional information of Environmental Protection headquarents.
Pursuant to Varies of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurelated to holocated at 60	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-66, where and electronic mail addrizontal drilling may be obtated to 57th Street, SE, Charleston, wereby given by:	A-16(b), this notice shadress of the operator an ined from the Secretary, WV 25304 (304-926-04)	ell on the trace M NAD 83 elic Road Active and Active	et of land as for Easting: Northing: Northing: cess: farm name: ne name, add tor's authoriz Department of siting www.d	ollows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if avail and representative. Additional information of Environmental Protection headquarep.wv.gov/oil-and-gas/pages/default.a
Pursuant to Varieties of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nu related to ho located at 60 Notice is he Well Operate	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-66, and the purpose of the purpose	f drilling a horizontal we UTI Pub Ger A-16(b), this notice shaldress of the operator an ined from the Secretary, WV 25304 (304-926-04)	ell on the trace M NAD 83 elic Road Active and Active	et of land as for Easting: Northing: cess: farm name: ne name, add tor's authoriz Department of	ollows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if availated representative. Additional information of Environmental Protection headquarep.wv.gov/oil-and-gas/pages/default.a
Pursuant to Varies of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurelated to ho located at 60 Notice is he Well Operate	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-66, where and electronic mail addrizontal drilling may be obtated to 57th Street, SE, Charleston, wereby given by:	f drilling a horizontal we UTI Pub Ger A-16(b), this notice shaldress of the operator an ined from the Secretary, WV 25304 (304-926-04)	ell on the trace M NAD 83 elic Road Active and Active and Active and Active and Active and Active at the WV 150) or by vicuthorized R	et of land as for Easting: Northing: Northing: cess: farm name: ne name, add tor's authoriz Department of siting www.d	561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if avail red representative. Additional information of Environmental Protection headquarep.wv.gov/oil-and-gas/pages/default.a
Pursuant to Varies of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurelated to holocated at 60 Notice is he Well Operate Address:	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-66 mber and electronic mail ad rizontal drilling may be obtated in the street of the street	A-16(b), this notice shadress of the operator an ined from the Secretary, WV 25304 (304-926-04	ell on the trace M NAD 83 elic Road Active and Active and Active and Active and Active and Active at the WV 150) or by vicuthorized R	et of land as for Easting: Northing: Northing: cess: farm name: ne name, add tor's authoriz Department of siting www.d	ollows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if availated representative. Additional information of Environmental Protection headquarep.wv.gov/oil-and-gas/pages/default.a
Pursuant to Varies of State: County: District: Quadrangle: Watershed: This Notice Pursuant to facsimile nurelated to holocated at 60	West Virginia Code § 22-6A- wner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: West Virginia Code § 22-6A- mber and electronic mail addrizontal drilling may be obtated in the street of the street	A-16(b), this notice shadress of the operator an ined from the Secretary, WV 25304 (304-926-04	ell on the trace M NAD 83 blic Road Active Road Active Road Active Road Active Road Road Road Road Road Road Road Road	et of land as for Easting: Northing: Northing: cess: farm name: ne name, add tor's authoriz Department of siting www.d	ollows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan ress, telephone number, and if avail and representative. Additional information of Environmental Protection headquare ep.wv.gov/oil-and-gas/pages/default.a

duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact

DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

Office of Oil and Gas

AUG 9 2018

WW-6A5 (1/12)

Operator Well No. McClellan 6H 0 1 8 1 6

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF PLANNED OPERATION

	ce: 07/26/2018 Date Permit A	pplication Filed: 08/06/2018	t application.
Delivery met	hod pursuant to West Virginia Code § 3	22-6A-16(c)	
■ CERTU	FIED MAIL	HAND	
	RN RECEIPT REQUESTED	DELIVERY	
return receipt the planned of required to be drilling of a l damages to th (d) The notice of notice.	requested or hand delivery, give the surface peration. The notice required by this subspection (b), section ten of norizontal well; and (3) A proposed surface surface affected by oil and gas operation as required by this section shall be given to	ace owner whose land will be used for absection shall include: (1) A copy of this article to a surface owner who ace use and compensation agreements to the extent the damages are conto the surface owner at the address like the surface owner at the address like addr	ication, an operator shall, by certified mail for the drilling of a horizontal well notice of of this code section; (2) The information are land will be used in conjunction with the not containing an offer of compensation for appensable under article six-b of this chapter, isted in the records of the sheriff at the time
	eby provided to the SURFACE OWNE Is listed in the records of the sheriff at the t D. Moore		n
Address: 113 F		Address: 4631 W. Bay Villa	
	on, TN 37055	Tampa, FL 33611	
operation on State: County: District: Quadrangle:	the surface owner's land for the purpose of West Virginia Monongalia Battelle Mannington	s hereby given that the undersigned of drilling a horizontal well on the tr UTM NAD 83 Easting; Northing: Public Road Access: Generally used farm name:	561921.5
operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r	West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: Vest Virginia Code § 22-6A-16(c), this noted by W. Va. Code § 22-6A-10(b) to a sell; and (3) A proposed surface use and coded by oil and gas operations to the extended to horizontal drilling may be obtated at 601 57th Street, SE, Charl	of drilling a horizontal well on the tr UTM NAD 83	act of land as follows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road)
operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r headquarters,	the surface owner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: /est Virginia Code § 22-6A-16(c), this noted by W. Va. Code § 22-6A-10(b) to a still; and (3) A proposed surface use and coded by oil and gas operations to the extended to horizontal drilling may be obtated at 601 57th Street, SE, Charliault.aspx.	of drilling a horizontal well on the tr UTM NAD 83	act of land as follows: 561921.5 4385999.1 SR 15/7 (Harvey Run Road) McClellan code section; (2) The information required used in conjunction with the drilling of a moffer of compensation for damages to the der article six-b of this chapter. Additional V Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-
operation on State: County: District: Quadrangle: Watershed: This Notice S Pursuant to W to be provide horizontal we surface affect information r headquarters, gas/pages/def	the surface owner's land for the purpose of West Virginia Monongalia Battelle Mannington Upper Monongahela Shall Include: /est Virginia Code § 22-6A-16(e), this noted by W. Va. Code § 22-6A-10(b) to a sell; and (3) A proposed surface use and coded by oil and gas operations to the extended by oil and gas operations to the extended at 601 57th Street, SE, Charland ault.aspx.	of drilling a horizontal well on the tr	act of land as follows: 581921,5 4385999,1 SR 15/7 (Harvey Run Road) McClellan code section; (2) The information required used in conjunction with the drilling of a moffer of compensation for damages to the der article six-b of this chapter. Additional V Department of Environmental Protection or by visiting www.dep.wv.gov/oil-and-

Oil and Gas Privacy Notice:

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov.

RECEIVED Office of Oil and Gas

AUG 9 2018



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION

Division of Highways

1900 Kanawha Boulevard East • Building Five • Room 110 Charleston, West Virginia 25305-0430 • (304) 558-3505

August 8, 2018

Thomas J. Smith, P. E. Secretary of Transportation/ Commissioner of Highways

Jill M. Newman Deputy Commissioner

James A. Martin, Chief Office of Oil and Gas Department of Environmental Protection 601 57th Street, SE Charleston, WV 25304

Subject: DOH Permit for the McClellan Pad, Monongalia County McClellan 6H

Dear Mr. Martin,

This well site will be accessed from a permit #04-2016-0674 issued to Northeast Natural Energy Corporation for access to the State Road for a well site located off of Monongalia County Route 15/7 SLS.

The operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

Gary K. Clayton, P.E.

Regional Maintenance Engineer Central Office O&G Coordinator

Cc: Hollie Medley

Northeast Natural Energy Corporation

CH, OM, D-4

File

Planned Additives to be used in Fracturing Stimulations - McClellan 6H

Trade Name	Purpose	Ingredients	Chemical Abstract Service Number (CAS#)
Water	Carrier	Water	7732-18-5
HCI, 10.1-15%	Acidizing	Hydrochloric Acid Water	7647-01-0 7732-18-5
Alpha 1427	Biocide	Alkyl Dimethyl Benzyl Ammonium Chloride (C12-16) Ethanol Glutaraldehyde Quaternary Ammonium Chloride Water	68424-85-1 64-17-5 111-30-8 7173-51-5 7732-18-5
Enzyme G-NE	Breaker	Hemicellulase Enzyme Concentrate Water	9025-56-3 7732-18-5
Ci-14	Corrosion Inhibitor	Fatty Acids Methanol Olefin Polyoxyalkylenes Propargyl Alcohol	N.A. 67-56-1 N.A. N.A. 107-19-7
FRW-18	Friction Reducer	Hydrotreated Light Distillate	64742-47-8
GW-3LDF	Gelling Agent	Guar Gum Petroleum Distillate Blend	9000-30-0 CBI
Ferrotrol 300L	Iron Control	Citric Acid	77-92-9
Sand, White, 40/70	Proppant	Crystalline Silica (Quartz)	14808-60-7
Sand, White, 100 mesh	Proppant	Crystalline Silica (Quartz)	14808-60-7
Scaletrol 720	Scale Inhibitor	Diethylene Glycol	111-46-6

RECEIVED Office of Oil and Gas

AUG 9 2018

MCCLELLAN WELL PAD BATTELLE DISTRICT, MONONGALIA COUNTY, WV **JULY 2016**

TWO WORKING DAYS PRIOR TO EXCAVATION, THE CONTRACTOR MUST CONTACT THE WV ONE CALL SYSTEM, INC., 1-800-245-4848 (WV ONE CALL TICKET#1617275189)

OWNER



NORTHEAST NATURAL ENERGY, LLC 707 VIRGINIA STREET SUITE 1200 CHARLESTON, WV 253 01

> HANCOCK BROOKE



SHEET INDEX 1. TITLE SHEET

2-3, EVACUATION ROUTE/PREVAILING WIND 4. E&S CONTROL LAYOUT OVERVIEW 5-6. E&S CONTROL LAYOUT 7. E&S CONTROL AND SITE PLAN OVERVIEW 8-9. E&S CONTROL AND SITE PLAN 10. CROSS-SECTIONS A-A', B-B', C-C', D-D', H-H' AND I-I' 11. ACCESS ROAD PROFILE 12-16. ACCESS ROAD CROSS-SECTIONS 17. PROFILES E-E',F-F' AND G-G' 18-20. DETAILS 21. RECLAMATION PLAN OVERVIEW

TOTAL DISTURBED AREA: 28.9 AC. ACCESS ROAD DISTURBED AREA: 16.1 AC. WELL PAD DISTURBED AREA: 12.8 AC.

22-23. RECLAMATION PLAN

PROPERTY OWNER DISTURBANCE

NETTIEALYCE & ALYCEMARIE MCCLELLAN, & MICHELLE D. MOORE (31-01-0026-007-0000): 28.9 AC.

PLANS PREPARED BY:

BOORD BENCHEK & ASSOCIATES, INC.

ENGINEERING, SURVEYING, CONSTRUCTION AND MINING SERVICES SOUTHPOINTE, PA 15317 PHONE: 724-746-1055



7-28-16

ANDREW BENCHEK

P.E.

LAT: 39° 37' 17.9" LONG: 80° 16' 43.0" (NAD 27) LAT: 39" 37' 17.6" LONG: 80" 16' 43.7"

SITE ENTRANCE (NAD 83) LAT: 39° 36' 54.8" LONG: 80° 16' 45.1" (NAD 27) LAT: 39" 36' 54.5" LONG: 80° 16' 45.8"

TITLE SHEET


MCCLELLAN WELL PAD BATTELLE DISTRICT, MONONGALIA COUNTY, WV

IN ACCORDANCE WITH WV 35 CSR 8

1 OF 23 1"=1000"

MONONGAL





COORDINATES CENTER OF WELLS (NAD 83)

SHEET

