

LATITUDE 39° 40' 00"

7.5' 08"

• 7.5'

LONGITUDE

7.5 OGIS topo location

7.5' loc 1.105
0.24W

15' loc 1.105
(calc.) 0.24W

5152 on Equitrans

Company _____

Farm _____

Quad Wadestown

County Monongahela

District Clay

actually in
Battelle

WELL LOCATION MAP

File No. 061-11A

Plan showing the location of Well No. 1, to be abandoned, of
 H.L.A.G.S. Laton off Fairview, W. Va. on the Ugenus Moore farm of
 68 Acres 14 perches, located in Clay District, Hancock County, W. Va.
 Note:- This well was drilled by the Charters Oil Co. of Pittsburgh, Pa.



NOTARY'S CERTIFICATE

State of West Virginia

I, the undersigned, hereby certify that this map does correct and
 show all the information to the best of my knowledge and belief, required
 by the Oil and Gas section of the Mining Laws of West Virginia.

A. L. Headley
 County Surveyor for Hancock
 County, West Virginia.

Acknowledged before me a Notary Public in and for Hancock
 County, West Virginia

This the 21st day of Oct 1920.

My Commission expires April 11th 1925
W. H. Phillips

WEST VIRGINIA DEPARTMENT OF MINES

OIL & GAS SECTION

PRELIMINARY DATA SHEET NO. 1

File No. _____

Well No. 3

H. E. A. S. S. Jones Partnership of Frederick, W. Va.

on the Spence Mine Farm containing 200 acres. Location _____

State District, in Monongalia County, W. Va.

The surface of the above tract is owned in fee by Spence _____ of Richwood, W. Va. address, and the mineral interests are owned by Davis Coal & Coke Co. of Baltimore, Md. Spence Mine, Richwood, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is abandoned _____

issued by this West Virginia Department of Mines, Oil and Gas Section, Well number showing number 100, _____ 1928.

Elevation of surface at top of well, 1000 feet. The number of feet of the different sized casings used in the well.

_____ ft _____ size. Rod conductor.

_____ feet 2-3/8 size, o.g. _____ feet 2-3/8 sized o.g.

_____ feet 2-1/4 size, o.g. _____ feet _____ sized o.g.

_____ feet _____ size, o.g. _____ feet _____ sized o.g.

_____ factor of _____ size, set at _____

_____ factor of _____ size, set at _____

_____ in. casing perforated at _____ feet to _____ feet.


_____ in. casing perforated at _____ feet to _____ feet.

Coal was encountered at _____ feet; thickness _____ in. inches, and at _____

_____ feet; thickness _____ in. inches; and at _____ feet;

thickness _____ in. inches.

Liners were used as follows: (Give details) _____



Approved H. E. A. S. S. Jones Owner.

By H. R. Sinton

at file
2770

Highgate, Monongalia County, W. Va.

COMPLETION DATA SHEET NO. 2

FORMATION PENETRATION

NAME	COLOR	CHARACTER	OIL, GAS OR WATER	TEMP	BOTTOM	TRIP FEET	TOTAL DEPTH	LOG MARKS
Shuff		Sand	None	7000	282	88 Ft.		
Falmouth		Coal	None	6800	283	4 Ft.		
Highgate		Coal	Water	2800	284	8 Ft.		
Falmouth		Coal	None	2800	285	8 Ft.		
Idaule District		Sand	None	2800	286	40 Ft.		
Big Bushard		Sand	None	2800	287	28 Ft.		
Gas		Sand	None	2800	288	20 Ft.		
Finest Salt		Sand	None	2800	289	78 Ft.		
Second Salt		Sand	Water	2800	290	141 Ft.		
Idaule		Lime	None	2800	291	10 Ft.		
Farmell		Gave	None	2800	292	8 Ft.		
Big		Lime	None	2800	293	68 Ft.		
Ingen		Sand	Oil-Water	2800	294	218 Ft.		
							2078 Ft.	

The above Well was drilled to near 2000 and this record is as complete as we can possibly obtain.

H. L. & C. S. L.

Well was not shot at _____ feet; casing was shot at _____ feet.

Gas 1078 & oil salt 2800
Fresh water at 2800 feet; brine water at 2800 feet.

producing
Well was _____ hole.
type

H. L. & C. S. L.

