

WELL NO. 807
TOWN OF HATFIELD, W. VA.
NEARBY TOWN OF
CLAY

Clinton, W. Va. in the
Township of ...
County, W. Va.



ENGINEER'S CERTIFICATE

The undersigned hereby certifies that the map is correct and shows all the information in the
form of the certificate and is not intended for the use of any person at the mining town of Hatfield.

DATE: _____

ENGINEER'S NAME: _____

Clay District, Monongalia County, W. Va.

By Hope Natural Gas Co., 445 W. Main St., Clarksburg, W. Va.

On 15 acres, surface owned by Samuel Brewer, Blacksville, W. Va.;
owner of mineral rights, unknown.

Drilled prior to June 1, 1929.

Elevation, 1418' L.

6-5/8" casing, 2106'.

Coal was encountered at 740 and 1105'. Have no record of thickness
of coal seams in this well.

Abandonment reported to Dept. of Mines April 18, 1930.

We have no record of formations overlying the coal seams
encountered in this well.

No oil or gas encountered between bottom of coal seam and point
where 6-5/8" casing is set.

	Top.	Bottom.	Thickness.
Waynesburg Coal	740	-	No record
Pittsburgh Coal	1105	-	No record
Big Dunkard Sand	1605	- 1660	55
6-5/8 casing set at		2106	

(RECORD INCOMPLETE)

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 808

Hope Natural Gas Company Company of 448 West Main St.

Clarksburg, W. Va., on the Marion Tract Tract

containing 18 acres. Location _____

Clay Shale, in Lincoln County, West Virginia

The surface of the above tract is owned in fee by Sam Brewer

of Martinsburg, W. Va., address, and the mineral rights are owned by

Unknown of _____

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

200-14 issued by the West Virginia Department of Mines, Oil and Gas Division

Elevation of surface at top of well, 1410 200

The number of feet of the different steel casings used in the well _____

_____ feet _____ dia. Well contains _____

60 feet 1 1/2" dia. top 2100 feet 2 1/2" dia. top

200 feet 2 1/2" dia. top _____ feet _____ dia. top

_____ feet _____ dia. top _____ feet _____ dia. top

_____ galvanized _____ feet _____ dia. top _____

_____ galvanized _____ feet _____ dia. top _____

_____ to casing perforated at _____ feet to _____ feet

_____ to casing perforated at _____ feet to _____ feet

Well was cemented at 740 feet, depth was 227.00' tubing, and at 1100

feet 200' tubing, and at _____ feet _____ tubing

_____ tubing was used as follows: (Give details) _____

April 9, 1928 _____

Approved Hope Natural Gas Company _____

By W. B. Hubert _____



Cannot locate

Oil or Gas Well Gas

Depe Natural Gas Company Company

COMPLETION DATA SHEET

Clayton, E. W. Address

No. 2

Well No. 000 Field North Treatment

FORMATION RECORD

Zone	Color	Character	WT. Per Cent of Water	Top	Bottom	Thickness	Test Depth	Remarks
Wapleson Sand				740	7	7		
Pittsburgh Sand				1100	7	7		
Big Indian Sand				1400	1400	0'		
Gas Sand				1600	1600	0'		
Shell Sand				1800	1800	000'		
Peasli Sand		Shaly-Sand		2000	2000	10'		
Big Lion				2000	2000	000'		
Big Injun Sand				2000	2000	045'		
Thirty Foot Sand		Gas-Sand		2400	2400	00'		
Fifty Foot Sand				3000	3000	00'		
Carbon Shaly Sand				3000	3000	00'		
Carbon Sand				3000	3000	10'		
Fourth Sand				3400	3400	0'		
Fifth Sand				3600				
Sixth Sand		Gas-Sand		3600	3600	10'		
		Gas-Sand					3600	

Well completed July 1926.

Oil or Gas Well No. 000 Field North Treatment

Gas Well No. 000 Field North Treatment

Well No. 000

April 9, 1926.

Approved: Depe Natural Gas Company

Completion data to be used as reference only and all locations and all gas wells are subject to change without notice.

WEST VIRGINIA DEPARTMENT OF MINES

OIL & GAS SECTION

PRELIMINARY DATA SHEET NO. 1

Title No. _____ Well No. 600

Ray Edward Gas Company Company, of 409 East Main Street

Charleston, W. Va. on the Union Summit Farm

containing 20 acres. Location _____

City District, in Marshall County, W. Va.

The surface of the above tract is owned in fee by _____

Samuel Brown of Martinsburg, W. Va. address, and the

mineral rights are owned by Edison of _____

The oil and gas privileges are held under lease by the

above named company, and his well is drilled under permit No. _____

issued by the West Virginia Department of Mines, Oil and Gas Section,

Drilled under to June 2nd 1929.

Elevation of surface at top of well, 1420 feet above mean sea level.

The number of feet of different sized casings used in the well.

_____ feet _____ size. 3 inch conductor.

2000 feet 4 1/2 inch, 2000 feet _____ sized casing.

_____ feet 4 1/2 inch, _____ feet _____ sized casing.

_____ feet 4 1/2 inch, _____ feet _____ sized casing.

_____ gauge of _____ size, set at _____

_____ gauge of _____ size, set at _____

_____ in. casing perforated at _____ feet to _____ feet.

_____ in. casing perforated at _____ feet to _____ feet.

Coal was encountered at 700 feet; thickness 9 inches, and at

1000 feet; thickness 9 inches; and at _____ feet;

thickness _____ inches.

Liners were used as follows: (Give details) _____

None as record of thickness of coal seams in this well.

April 22, 1929.

_____ 1929.

COMPLETION DATA SHEET NO. 2

FORMATION RECORD

Hess Natural Gas Company
Well No. 522.

NAME	COLOR	CHARACTER	OIL, GAS OR WATER	TOP	BOTTOM	THICK- NESS	TOTAL DEPTH	LOG DATE
No logs or records of formations underlying the coal seam encountered in this well.								
(1) Sandstone				960				
				1100				
				1200	1200	00'		
					2300			
No oil or gas encountered between bottom of coal seam and point where 6-1/2" casing is set.								

Well was not shot at _____ feet; well was shot at _____ feet.

Salt
Fresh water at _____ feet; salt
fresh water at _____ feet.

Well was producing
dry hole.

