

LATITUDE 39° 45' 00"

79° 55' 00"

LONGITUDE

7.5'

7.5 OGIS topo location

7.5' loc $\frac{2.795}{1.94w}$

15' loc $\frac{2.795}{1.94w}$
(calc.)

Company _____

Farm _____

Quad Morgantown North

County Monongahela

District Cass

WELL LOCATION MAP

File No. 061 - 43A



MON 43-A 7

JOHN JOHNSON (L. N. JOHN) NO. 2 (51332).

43A

Cass District, Monongalia County, W. Va.
By L. J. Houze Convex Glass Co., Point Marion, Pa.
Drilled to Big Injun by John Gas Co. (Federated Gas Co.)
Located 3.02 mi. N. of 39° 40' and 2.5 mi. E. of 80° 00' - NW -
Morgantown Quadrangle.

Elevation, 864.22' L.

Deepening completed May 13, 1932.

Record published on page 341, Vol. VII, W. Va. Geological Survey.

	Top.	Bottom.
Big Injun Sand	1310	- 1448
100-Ft. Sand	1525	- 1615
Gantz Sand	1830	- 1845
50-Ft. Sand	1860	- 1920
30-Ft. Sand	1925	- 1948
Gorden Sand	2046	- 2054
Fifth Sand	2238	- 2248
Bayard Sand	2360	- 2375
Elizabeth Sand	2500	- 2530
2nd Warren Sand	2860	- 2880
Speechley Sand	3300	- 3340
Tiona Sand	3380	- 3410
Sheffield Sand	3450	- 3460
Sand	3500	- 3600
Slate and shells	3600	- 4100
Total depth		4100

L. J. Bruce Cement Block Co., Company

Saint Maria, Pa. Address

Well No. _____

COMPLETION DATA SHEET
No. 2
FORMATION RECORD

Zone	Color	Character	Oil Cont. of Water	Yp	Water	Viscosity	Flow Temp.	Remarks
Conductor						14'		
10" casing						175'		
Heavy Sand	Dark	Broken	Fine	100	100	20"		
Little 2 "	White	Hard	Fine	485	494	71"		
Big 2 "	White	Hard	Fine	800	870	60"		
Gas Sand	Grey	Very Hard	Fine	611	761	100"		
Salt Sand	Dark	Medium	600% Water	618	1048	140"		
6" casing						821'		
Little line	Dark	Soft	Fine	1816	1885	10"		
Big line	Dark	Hard	Fine	1846	1885	60"		
6" casing						1880'		
Big Taper 6	White	hard	Gas	1850	2640'	100"	1870'	Gas
100' Sand	White	Hard	Fine	1850	1616	60"		
Gas Sand	Grey	Broken	Fine	1880	1846	10"		
6" Sand	White	Hard	Fine	1880	1820	60"		
6" Sand	White	Hard	Fine	1880	1846	20"		
6" Sand	Dark	Broken	Fine	2046	2004	0"		
6" Sand	Dark	Broken	Fine	2206	2200	10"		

Company _____
 Address _____
 Well No. _____

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Zone	Color	Character	Gr. Cr. of Water	Top	Bottom	Thickness	Permeability	Remarks
Sand	Dark	Soft	None	2460	2475	15'		
Slickensided Sand	Dark	Hard	None	2500	2520	20'		
Red Shale	Seddy	Soft	None	2560	2580	20'		
Greenish Sand	Dark Green	Soft	None	2600	2640	40'		
Thin Sand	Dark	Soft	None	2680	2710	30'		
Shaly Sand	Dark	Soft	None	2680	2680	0'		
Sand	Seddy	Soft	None	2880	2900	20'		
Shale				2900	4100	800'		

Well No. _____ Date _____

**COMPLETION DATA SHEET
 NO. 2
 FORMATION RECORD**

Time	Rate	Character	Sp. Gr.	Vis	Temp	Pressure	Flow	Remarks
00:00	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:05	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:10	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:15	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:20	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:25	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:30	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:35	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:40	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:45	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:50	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
00:55	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:00	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:05	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:10	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:15	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:20	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:25	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:30	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:35	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:40	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:45	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:50	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
01:55	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:00	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:05	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:10	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:15	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:20	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:25	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:30	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:35	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:40	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:45	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:50	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
02:55	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:00	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:05	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:10	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:15	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:20	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:25	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:30	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:35	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:40	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:45	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:50	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
03:55	0.00	Surface	1.00	0.00	0.00	0.00	0.00	
04:00	0.00	Surface	1.00	0.00	0.00	0.00	0.00	

Date of completion: _____
 Location: _____
 Well No.: _____
 Operator: _____
 Approved: _____
 S. J. Bruce Geophysical Co.

**AFFIDAVIT IN TRIPPLICATE TO TIME AND MANNER OF
PLUGGING AND FILLING WELL**

REQUIREMENT OF SECTION 8, ARTICLE 4, CHAPTER 23 OF THE CODE

**WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION**

<u> </u> NAME OPERATOR OF WELLS	<u>L. J. SMOO COOPER CLASS Co.</u> NAME OF WELLS OPERATOR
<u> </u> ADDRESS	<u>PO BOX Marion, W. Va.</u> COUNTY ADDRESS
<u> </u> NAME OPERATOR OF WELLS	<u> </u> WELL AND LOCATION
<u> </u> ADDRESS	<u> </u> COUNTY
<u> </u> NAME OPERATOR OF WELLS	<u> </u> WELL No. <u> </u> T. No. <u> </u>
<u> </u> ADDRESS	<u> </u> NAME

FORWARD TO BE MADE BY OPERATOR, AND COPY TO BE MADE BY OPERATOR AND TO THE SUPERVISOR AND COPY TO BE MADE BY THE SUPERVISOR AND THE STATE GEOLOGICAL SURVEY OF WEST VIRGINIA TO BE KEPT IN THE OFFICE OF THE STATE GEOLOGICAL SURVEY OF WEST VIRGINIA.

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Mingo) ss:

Carl Snyder and J. E. Griffin
being that duly sworn according to law deposes and say that they are experienced in the work of plugging and filling of oil and gas wells and were employed by L. J. SMOO COOPER CLASS Co. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of April, 1928, and that the well was plugged and filled in the following manner:

anner in which said well was plugged:

[This section contains a large block of extremely faint and illegible text, likely representing the detailed description of the well plugging process.]

and that the work of plugging and filling said well was completed on the 20th day of April, 1928.

And further deposes with oath

Carl Snyder
J. E. Griffin

Sworn to and subscribed before me this 20th day of April, 1928.

