



Shannon
11/11/11

Clay District, Monongalia County, W. Va.

By South Penn Oil Co., Chamber of Commerce Bldg., Pittsburgh, Pa.

On 112 acres, surface owned by Garfield Wilson, R. F. D. No. 2,

Fairview, W. Va., and mineral rights by Garfield Wilson et al.,

R. F. D. No. 2, Fairview, W. Va.

Elevation, 1305.15' L.

15' conductor; 1 3/4" casing, 96' (pulled); 10", 1320' (pulled);

8", 1802' (pulled); 6-5/8", 2020'; 5-3/16", 2247';

2" tubing, 3533'.

Packer, 2 x 4 x 16, set at 3381'.

Coal was encountered at 635-640' and 992-1000'.

Liner, 1 1/2 x 4 1/2, 421'.

Abandonment reported to Dept. of Mines August 27, 1934.

Salt water at 1935'.

	Top.	Bottom.
Fairview (Waynesburg) Coal	635	
Pittsburgh Coal	992	
Dunkard Sand	1490	- 1550
Gas Sand	1755	- 1835
Salt Sand (water, 1935')	1883	- 2005
Pencil Cave	2170	
Big Lime	2177	- 2262
Big Injun Sand (gas, 2360-2375')	2262	
Total depth		2375

DRILLED DEEPER:

Big Injun Sand	2375	- 2435
Gants Sand	2858	- 2877
50-Ft. Sand	2900	- 2955
30-Ft. Sand	2974	- 3040
Gordon Stray Sand	3182	- 3190
Gordon Sand (1st pay oil, 3230')	3224	- 3247
Fourth Sand	3249	
Total depth		3257

DRILLED DEEPER:

Bottom 4th Sand		3283
Lime	3283	- 3287
Slate	3287	- 3292
Lime	3292	- 3333
Slate	3333	- 3339
Lime	3339	- 3345
Slate	3345	- 3350
Lime	3350	- 3354
Slate	3354	- 3360
Lime	3360	- 3367
Slate	3367	- 3370
Sand	3370	- 3372
Slate	3372	- 3376
Fifth Sand (gas, 3376-3377')	3376	- 3383
Total depth		3395

DRILLED DEEPER:

Stray sand (gas, 3419-3420')	3416	- 3422
Bayard Sand (gas, 3440-3441')	3435	- 3445
Total depth		3532

MON-86-A

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 2SOUTH FERRIS OIL COMPANY Company of Chamber of Commerce Bldg.Pittsburgh, Pa. as the J. H. Wilson Firmcontaining 112 acres. Location _____Clay District, in Monongalia County, West VirginiaThe surface of the above tract is owned in fee by Garfield Wilsonof Fairview, W. Va. R.F.D. #2 address, and the mineral rights are owned byGarfield Wilson et al of Fairview, W. Va. R.F.D. #2The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit
No. _____ issued by the West Virginia Department of Mines, Oil and Gas DivisionElevation of surface at top of well, 1805-15' Spht
Barometric

The number of feet of the differentiated casings used in the well

15 feet also. Wood conductor.95 (Pulled) feet 12-1/4" also, exp. 2020 feet 6-5/8" steel exp.1200 (Pulled) feet 10" also, exp. 2247 feet 5-5/16" steel exp.1002 (Pulled) feet 8-1/4" also, exp. 2325 feet 2" Subing steel exp.parker 8" X 11 1/2" also, set at 2281

parker of _____ also, set at _____

casing perforated at _____ feet to _____ feet.

casing perforated at _____ feet to _____ feet.

Coal was encountered at 222 feet; thickness 20 (2) inches, and at 922feet; thickness 22 (2) inches; and at _____ feet; thickness _____ inches.

Lenses were used as follows: (Give details) _____

4" X 4 1/2" Liner, 221'.August 22, 1934.

Sigs.

Approved SOUTH FERRIS OIL COMPANY Comm.By Charles H. [Signature] Engt.

1117 29 1934

2/2-9/34

SOUTH PENN OIL
 Company
 Chamber of Commerce Bldg.
 Pittsburgh, Pa. Address

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. 2 - J. H. Wilson Farm.

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Fairview Coal				655				
Pittsburgh Coal				952				
Bumhard Sand				1490	1550			10" T
Gas Sand				1750	1825			2' sand
Salt Sand				1850	2005			
			Water	1925				
Pencil Cave				2170				120-60
Big Lime				2177	2262			227-58
Big Injun			Gas	2262	2375			
							2375	
Depth								
Drilled Deeper.								
Commenced Drilling Deeper				2375				
Big Injun				2375	2435			
Ganta Sand				2658	2677			
20 Feet Sand				2900	2955			
20 Feet Sand				2974	3040			
Gordon Stray				3122	3190			
Gordon Sand				3224	3247			
			1st pay oil	3220				
Fourth Sand				3249				
							3257	
Total depth								
Drilled Deeper.								
Commenced Drilling					3257			
Bottom 4th Sand					3255			
Lime				3255	3257			
Slate				3257	3258			
Lime				3258	3258			
Slate				3258	3259			
Lime				3259	3265			
Slate				3265	3265			
Lime				3265	3264			
Slate				3264	3263			
Lime				3263	3267			
Slate				3267	3272			
Sand				3270	3272			
Slate				3272	3272			
Fifth Sand				3272	3277			
			Gas	3275	3277			
Total Depth							3285	

Continued-Sheet No. 2.

shot
 Well was not shot at _____ feet; well was shot at _____ feet.

oil
 Fresh water at _____ feet; fresh water at _____ feet.

producing
 Well was _____ lbs.
 or _____

 Date Approved _____

NOTE: All bottom descriptions must be noted as indicated above and all log-codes and oil and gas sands must be recorded under their proper geological names in the column as well as any local names commonly used in the district for each sand.

SOUTH PENN OIL
 Chamber of Commerce Bldg.
 Pittsburgh, Pa. Address

COMPLETION DATA SHEET
 No. 2
 FORMATION RECORD

Well No. S₁- J. H. Wilson Farm.

Name	Color	Character	Oil, Gas or Water	Top	Bottom	Thickness	Total Depth	Remarks
Drilled Deeper.								
Commenced Drilling					3396			
Stray Sand			Gas	3416	3422			
Bayard Sand			Gas	3419	3420			
			Gas	3438	3445			
			Gas	3440	3441			
Total Depth							3632	

S/S 1/2 12 1/2

shot
 Well was not shot at _____ feet; well was shot at _____ feet.

Sub
 Fresh water at 1932 _____ feet; fresh water at _____ feet.

producing
 Well was _____ bbls.
none

August 29, 1934.

SOUTH PENN OIL COMPANY,
 Approved By *E. H. [Signature]*

NOTE: All bottom formations must be noted as indicated above and all top-crocks and oil and gas zones must be reported under their proper geological names in the column on well as any local names commonly used in the district for each stratum.

