

LATITUDE 39°42'30"

80°15'00"

LONGITUDE

75 +

7'5 OGIS topo location

7.5' loc	<u>2.40S</u>	15' loc	<u>5.28S</u>
	<u>0.04W</u>	(calc.)	<u>0.04W</u>

Company _____

Farm _____

Quad Wadestown (Mannington NE)

County Monongahela

District Battelle

WELL LOCATION MAP

File No. 061-93A

100

Skimata
Exp

1/20

5M
5

Br

South Area 200
... ..
... ..
... ..

Central
Parks

WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS DIVISION

PRELIMINARY DATA SHEET NO. 1

File No. _____ Well No. 8

SOUTH PENN OIL COMPANY Company, of Chamber of Commerce Bldg.,

Pittsburgh, Pa. on the Phoebe Steele Farm

containing 110 acres. Location _____

Pattelle District in Monongalia County, West Virginia

The surface of the above tract is owned in fee by Phoebe and L. B. Steele

of Fairview, W. Va. address, and the mineral rights are owned by

Phoebe and L. B. Steele of Fairview, W. Va.

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

No. _____ issued by the West Virginia Department of Mines, Oil and Gas Division

193

Elevation of surface at top of well 1437.67' Spirit
Barometric

The number of feet of the different sized casings used in the well.

16	feet	size.	Wood conductor.
(Pulled 175')			
201' 8"	15"	size, sup. 2357	feet 6-5/8" steel sup.
(Pulled 760' 9")			
1451	10"	size, sup. 3062' 9"	feet 8-5/16" steel sup.
2106	8-1/4"	size, sup.	feet steel sup.

number of _____ size, set at _____

number of _____ size, set at _____

_____ in casing perforated at _____ feet to _____ feet.

_____ in casing perforated at _____ feet to _____ feet.

Coal was encountered at 1021 feet; thickness 60 inches, and at 1120

feet; thickness 96 inches; and at _____ feet; thickness _____ inches.

Logs were used as follows: (Give details) 4 1/2 x 4" - 277' 7"

October 11, 1934.

Date.

Approved SOUTH PENN OIL COMPANY, Owner.

By Edwin C. England Land Dept.

10/13/34

Well No. 21 - Moody Steele Farm.

Name	Color	Character	Oil (Gals. or Bu.)	Gas	Water	Thickness	Total Depth	Remarks
Hopstone Coal				1081	1080			
Pittsburgh Coal				1180	1180			
Big Dunbar Sand				1480	1480			
Gas Sand				1880	1880			
Salt				1990	2140			
Little Lias				2320	2320			
Passill Cove				2500	2500			
Big Lias				2538	2580			
Big Tujun Sand				2600				
			Gas	2410	2420			
			Oil	2500	2515			
Total Depth							2622	
DRILLED DEEPS:								
Commenced Drilling				2622				
Big Tujun Sand					2606			
Gas Sand				2998	3012			
Fifty Foot Sand				3043	3080			
Thirty Foot Sand				3080	3144			
Gas Sand				3281	3281			
Fourth Sand				3285	3409			
Shell				3451	3483			
			Gas	3451				
Fifth Sand				3489	3490			
Bayard Sand			Gas	3568	3574			
				3578	3574			
Total Depth							3622	

Well No. 21 - Moody Steele Farm. 2-16-17-20 212 Daily well was shut in.

Well No. 21 - Moody Steele Farm. Fresh water at 3622 Daily fresh water at 3622

Well No. 21 - Moody Steele Farm. Produced by 212

SOUTH PINE OIL COMPANY,

October 11, 1928.

Approved by *E. H. Thompson* *Superintendent*

Battelle District, Monongalia County, W. Va.
 On 110 acres; surface and mineral rights owned by Phoebe and
 L. B. Steele, Fairview, W. Va.
 South Penn Oil Co.
 Elevation, 1437.67'.L.
 16' wood conductor; 13" casing, 201' 8" (pulled, 175'); 10",
 1451' (pulled 760' 9"); 8 1/2", 2106'; 6-5/8", 2357';
 5-3/16", 3062' 9". 4 1/2 x 4" liner, 277' 7".
 Abandonment reported to Dept. of Mines, Oct. 11, 1934.
 Well shot 6-16-17, 20 qts.

MON-93-A

	Top.	Bottom.
Mapletown Coal	1021	- 1026
Pittsburgh Coal	1120	- 1128
Big Dankard Sand	1620	- 1635
Gas Sand	1380	- 1960
Salt Sand	1990	- 2140
Little Lime	2320	- 2330
Pencil Cave	2330	- 2335
Big Lime	2335	- 2380
Big Injun Sand (gas, 2410-20'; oil, 2505-15')	2380	
Total depth		2532

DRILLED DEEPER

Big Injun Sand	2606
Gantz Sand	2995 - 3012
50-Ft. Sand	3043 - 3080
30-Ft. Sand	3080 - 3144
Gordon Sand	3321 - 3331
4th Sand	3355 - 3409
Shell (gas, 3451')	3451 - 3453
5th Sand	3487 - 3490
Bayard Sand (gas, 3572-74')	3568 - 3576
Total depth	3622

Battelle District, Monongalia County, W. Va.
 By South Penn Oil Co., Chamber of Commerce Bldg., Pittsburgh, Pa.
 On 110 acres, surface and mineral rights owned by Phoebe and L. B.
 Steele, Fairview, W. Va.
 Elevation, 1437.67' L.
 16' conductor; 13' casing, 201' 8" (pulled 175'); 10", 1451'
 (pulled 760' 9"); 8 1/2", 2106'; 6-5/8", 2357'; 5-3/16", 3062' 9".
 Coal was encountered at 1021-1026, 1120-1128'.
 1 1/2" x 4" liner, 277' 7".
 Abandonment reported to Dept. of Mines Oct. 11, 1934.
 Well was shot June 16, 1917, with 20 qts.
 Producing hole.

	Top.	Bottom.
Mapletown (Sewickley) Coal	1021	- 1026
Pittsburgh Coal	1120	- 1128
Big Dunkard Sand	1620	- 1635
Gas Sand	1380	- 1960
Salt Sand	1990	- 2140
Little Line	2320	- 2330
Pencil Cave	2330	- 2335
Big Line	2335	- 2380
Big Injun Sand (gas, 2410-2420'; oil, 2505-2515')	2380	
Total depth		2532
DRILLED DEEPER:		
Big Injun Sand		2606
Gantz Sand	2095	- 3012
50-Ft. Sand	3043	- 3080
30-Ft. Sand	3080	- 3144
Gordon Sand	3321	- 3331
Fourth Sand	3355	- 3409
Shell (gas, 3451')	3451	- 3453
Fifth Sand	3487	- 3490
Bayard Sand (gas, 3572-3574')	3568	- 3576
Total depth		3622

